


NET CONTENTS



50 POUNDS


5%



MADONNE®

For control of the
ROOT BORER
(*Cosmopolites sordidus*)
on
BANANAS & PLANTAINS

MADE IN U.S.A.



WARNING—Keep out of reach of children

ALLIED CHEMICAL CORPORATION
NEW YORK, N. Y., U. S. A.

DIRECTIONS

FOR CONTROL OF THE BANANA ROOT BORER

HOW MUCH TO USE: Use 40 pounds per acre (approximately 2 ounces per plant).
HOW TO USE: Apply to soil surface in a 12 inch wide circular band adjacent to the plant.

Use a shaker can to distribute the amount evenly over the area.

WHEN TO USE: Start application at any time borers are a problem. Do not make applications at less than 6 month intervals.

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE.

BIRDS FEEDING ON TREATED AREAS MAY BE KILLED.

Do Not allow dust or drift to contaminate domestic water supplies, or streams, lakes or ponds since fish or other wildlife may be injured or killed.

CAUTION!

Do Not apply to or permit drift to contact other crops or areas where there may be grazing livestock.

Do Not dust areas while they are occupied by unprotected humans or beneficial animals; these should be kept out of such treated areas for at least 1 hour after treatment. Do Not use for any purpose not recommended on this label since injurious effects may result.

WARNING! HAZARDOUS BY SKIN CONTACT, INHALATION OR SWALLOWING.

Do Not Get In Eyes, On Skin Or On Clothing. Wear clean heavy, synthetic rubber gloves. Wash thoroughly with soap and water after handling and before eating or smoking. During commercial operations, also wear clean waterproof or freshly laundered clothing (coveralls, cap, etc.) and use clean clothing daily. In case of contact, immediately remove all contaminated clothing and wash skin thoroughly with soap and water; for eyes, flush with water for at least 15 minutes and get medical attention. Wash clothing before re-use.

Do Not Breathe Vapor or Dust. During commercial operations or prolonged or repeated exposure, wear a respirator of a type passed by the U.S. Department of Agriculture for Kepone protection. Do not handle indoors unless adequate mechanical exhaust ventilation is provided.

Do Not Contaminate Food or Feedstuffs.

FIRST AID TREATMENT

If swallowed, induce vomiting by giving a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Have patient lie down and keep warm. CALL A PHYSICIAN IMMEDIATELY.

Note to Physicians. In case of poisoning, administer barbiturates as for anti-convulsive therapy. Observe patient carefully since prolonged treatment may be needed.

NOTICE: This product is licensed for use only in accordance with the instructions on the label and not for the formulation of other pesticidal compositions.

DO NOT REUSE THIS CONTAINER

Completely empty container and dispose of pesticide by burying. Burn container immediately and stay out of smoke. Bury ashes and residue.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material in strict accordance with directions given herewith.