

Printed in U.S.A.

NET CONTENTS

ARCADIAN

1/2 GALLON

Made in U.S.A.

RESIDUAL FLY SPRAY

Contains Compound 4072

For Control of: House Flies, Ticks and Fleas In and Around Barns, Feedlots, Dog Kennels and Yards, and Fly Larvae in Manure.

ACTIVE INGREDIENTS:

2-chloro-1-(2,4-dichlorophenyl)	
vinyl diethyl phosphate	21.1%
Aromatic Petroleum Solvent	62.0%
INERT INGREDIENTS	16.9%



Sold by
ALLIED CHEMICAL CORPORATION
DEPARTMENT AG
40 RECTOR STREET
NEW YORK, N.Y., U.S.A.

ACCEPTED
SEP 19, 1967
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER.
ED UNDER NO. 218-608 SUBJECT
TO ATTACHED COMMENTS.

USDA Reg. No. 218-608

DIRECTIONS

HOUSE FLIES, TICKS AND FL

Amount of Water (Gallons)	
Amount of ARCADIAN Residual Fly Spray	3

CAUTION: Remove livestock from feed stuffs.

INSIDE: For control of house fly, 1 gallon of spray to every 500 sq. ft. of area. Do not to point of excessive runoff for up to 12 weeks.

OUTSIDE: For control of house fly, 1 gallon of spray to every 1000 sq. ft. of area.

HOUSE FLY MAGGOT CONTROL

Amount of Water (Gallons)	
Amount of ARCADIAN Residual Fly Spray	
For Initial Cleanup	
To Maintain Control	

POULTRY DROPPINGS - INSIDE

FOR INITIAL CLEANUP: Spray 1 gallon of spray to every 100 sq. ft. of area to be treated. Thorough cleanup.

TO MAINTAIN CONTROL: Treat as needed. Thoroughly cover the area.

NOTE: Apply enough spray to prevent maggot infestation. Areas that will need more spray than area treated.



9494
A1308B

POISON

DANGER: Keep out of reach of children
See Antidote and Other Warnings On Side Panel

Made in U.S.A.

DIRECTIONS

HOUSE FLIES, TICKS AND FLEAS: Spray Dilution Rates (for inside or outside use)

Amount of Water (Gallons)	1	5	10	25	50
Amount of ARCADIAN Residual Fly Spray	3 1/2 oz.	1 pint	1 quart	2 1/2 quarts	5 quarts

CAUTION: Remove livestock before spraying. Do not contaminate feed or water troughs and feed stuffs.

INSIDE: For control of house flies, spray walls, ceilings, partitions and stalls, at rate of 1 gallon of spray to every 500 to 1000 square feet of area. Wet surfaces thoroughly but not to point of excessive run-off. When used as directed, housefly control will be effective for up to 12 weeks.

OUTSIDE: For control of house flies, ticks and fleas. Spray outside walls, fence posts, around feed troughs, manure piles, yards and similar places. Apply 1 gallon of finished spray per 1000 sq. ft. of area.

HOUSE FLY MAGGOT CONTROL: Larvacide Dilution Rate

Amount of Water (Gallons)	1	5	10	25	50	
Amount of ARCADIAN Residual Fly Spray	For Initial Cleanup	2 1/2 oz.	10 1/2 oz.	20 oz.	3 pints	3 quarts
	To Maintain Control	3/4 oz.	3 1/2 oz.	6 1/2 oz.	1 pint	1 quart

POULTRY DROPPINGS — INSIDE POULTRY HOUSES

FOR INITIAL CLEANUP: Spray or sprinkle 1 gallon of the proper dilution for every 25 square feet of area to be treated. Thorough coverage and penetration of manure is essential for cleanup.

TO MAINTAIN CONTROL: Treat the area with the proper dilution rate every two weeks or as needed. Thoroughly cover the new droppings or manure to get good control.

NOTE: Apply enough spray to penetrate the manure and kill the maggots. Thick dense areas will need more spray than areas where there is less manure.

DESTROY CONTAINER WHEN EMPTY

Flush out thoroughly with water and drain where flush water can be run off without harm. Destroy container so that it may not be used again for any purpose and dispose of it at some location where no attempt to salvage will be made.

Toxic to fish and wildlife—DO NOT contaminate any body of water by direct application, cleaning of equipment, or disposal of wastes and containers.

WARNING!

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN! DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. Wash contaminated clothing before re-use.


DO NOT BREATHE SPRAY MIST.

During commercial or prolonged exposure in spray-mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type passed by the Department of Agriculture for 4072 protection.

DO NOT CONTAMINATE FEED OR FOODSTUFFS.

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

DO NOT USE INSIDE THE HOME.



FIRST AID TREATMENT

- Remove patient from exposure • Call physician at once
- Inform him atropine sulfate is emergency antidote

INTERNAL: If Compound 4072 is swallowed, make patient vomit by giving warm salt or soapy water. Administer milk or water freely. Have patient lie down and keep quiet. Never give anything by mouth to an unconscious patient.

4072 inactivates the cholinesterase enzymes.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACCEPTED
 SEP 19, 1967
 UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO. 28608 SUBJECT TO ATTACHED COMMENTS.

USDA Reg. No. 218-608

U.S. Patent No. 3,003,916 and 2,956,073