

DIRECTIONS

Not For Use on Feed or Food Crops

WHEN TO APPLY: Applications can be made in all seasons. However, bait should not be applied in rainy periods, when rain is expected within 24 hours, or during periods of prolonged freezing weather.

HOW MUCH TO USE: Use at the rate of 1 pound for a medium-sized nest or "town" (one having a central nest area containing about 150 mounds). Use proportionate amounts for smaller or larger towns ranging from 6 pounds on very large, old "towns" to 1/4 pound on those having only a few mounds. For single-mound nests use 1 ounce

HOW TO APPLY: Scatter the pellets evenly over the central nest area where most of the excavation mounds are concentrated, and for the medium to large nests include an area about 20 feet wide bordering the central nest area. Bait can be broadcast with a suitable mechanical spreader or by hand. Wear rubber gloves when handling this product. Repeat applications as necessary.

HOW LONG FOR CONTROL: First signs of control will be a great reduction in excavation and foraging activities. This occurs in about 5 to 14 days. These activities gradually stop completely and the nest is dead in 5 to 6 weeks.

(Continued on Panel at right)

NET WEIGHT



50 POUNDS

A-C MIREX

PELLETED BAIT "450"

For Control of The Texas Leaf-Cutting Ant (TOWN ANT)

ACCEPTED
MAR 6 1969
UNDER THE FEDERAL INSECTICIDE ACT
FUNGICIDE AND ROENTGENIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 218-628 SUBJECT
TO ATTACHED COMMENTS.
38962-9

CAUTION—Keep out of reach of children

For Additional Caution Information See Right Panel

USDA Reg. No. 218-

ACTIVE INGREDIENT

Dodecachlorooctahydro-1,3,4-metheno-2H-cyclobuta[cd]pentalene* 450%

INERT INGREDIENTS 99.550%

* A-C MIREX

U.S. Pat. Reissue 24,750



ALLIED CHEMICAL CORPORATION
DEPARTMENT AG
40 RECTOR STREET, NEW YORK, N.Y., U.S.A.

MADE IN U. S. A.

9481
A15018

PRINTED IN U. S. A.

(Continued from Panel at left)

OTHER ANTS: This product w and FIRE ANTS in the treated a

NOTE: Do not use other insect is being used; they may interfe bait.

CAU

Keep out of r

Harmful if swallowed.

Avoid skin contact.

Wash with soap and wa eating or smoking.

Do not contaminate feed

Keep out of reach of chil

Wear rubber gloves wher

Keep Container Tightly C

Dry Place Away From OI

DO NOT REUSE

Follow directions carefully. Timing and crop conditions, mixtures w recommended, and other influenci are beyond the control of the se storage or handling of this materi tions given herewith.

38962-9 TRANSFERRED FROM 218-628

NET WEIGHT



50 POUNDS

A-C MIREX

PELLETED BAIT ACCEPTED

"450"

For Control of The Texas Leaf-Cutting Ant (TOWN ANT)

MAR 6 1969
UNDER THE FEDERAL INSECTICIDE AND ROENTGENIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 218-62-9 SUBJECT
TO ATTACHED COMMENTS.

38962-9

CAUTION—Keep out of reach of children

For Additional Caution Information See Right Panel

USDA Reg. No. 218-

ACTIVE INGREDIENT

Dodecachlorooctahydro-1,3,4-metheno-2H-cyclobuta[cd]
pentalene* .450%

INERT INGREDIENTS 99.550%

* A-C MIREX

U.S. Pat. Reissue 24,750



ALLIED CHEMICAL CORPORATION
DEPARTMENT AG
40 RECTOR STREET, NEW YORK, N. Y., U.S.A.

MADE IN U. S. A.

9481
A1501B

PRINTED IN U. S. A.

(Continued from Panel at left)

OTHER ANTS: This product will also control HARVESTER ANTS and FIRE ANTS in the treated area.

NOTE: Do not use other insecticides on the area while the bait is being used; they may interfere with the effectiveness of the bait.

CAUTION

Keep out of reach of children

Harmful if swallowed.

Avoid skin contact.

Wash with soap and water after using and before eating or smoking.

Do not contaminate feed or foodstuffs.

Keep out of reach of children and domestic animals.

Wear rubber gloves when handling.

Keep Container Tightly Closed And Stored In a Cool Dry Place Away From Other Pesticides.

DO NOT REUSE THIS CONTAINER

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

IS

Food Crops

be made in all seasons. rainy periods, when rain periods of prolonged

rate of 1 pound for a ing a central nest area proportionate amounts for 5 pounds on very large, ing only a few mounds.

evenly over the central on mounds are concen- nests include an area al nest area. Bait can be reader or by hand. Wear uct. Repeat applications

signs of control will be foraging activities. This activities gradually stop to 6 weeks.

Continued on Panel at right)

RECEIVED FROM 218-62-9