

## DIRECTIONS

### NON-CROP AREAS

For use on Non-crop land such as Right-of-Ways, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, and Parking Lots for control of most annual and perennial grasses and broadleaved weeds. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

**RATE:** Under ordinary conditions use at the rate of 2 to 4 gallons per 1000 square feet (1½ to 3½ pints per 100 square feet). Under conditions where the weeds are difficult to control, use at the rate of 6 gallons per 1000 square feet. (4½ pints per 100 square feet).

**HOW TO APPLY:** Use a sprayer which will distribute the required amount evenly over the area to be treated. Use a coarse spray to reduce drift. Application may be made when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

**WHEN TO APPLY:** Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control.

### CAUTION!

#### HARMFUL IF SWALLOWED

#### IRRITATING TO SKIN AND EYES

Do not get on skin, in eyes or on clothing.

In case of contact, immediately wash skin with plenty of water: for eyes, wash with water for at least 15 minutes and get medical attention.

# ARCADIAN

NET CONTENTS GALLONS

## UROX® LIQUID

### WEED KILLER with 2, 4-D

Contains ¼ pound of Urox per Gallon

For General Weed Control on Non-Crop Lands and Paved Areas

CODE 9951

USDA Reg. No. 218-698

U. S. Patents No. 2,782,112 and 2,601,911

#### ACTIVE INGREDIENTS:

Monuron Trichloroacetate [3-(p-chlorophenyl)-1, 1-dimethylurea trichloroacetate]	3.19%
Isooctyl Ester of 2,4-Dichlorophenoxy- acetic Acid	0.96%
(2,4-D Acid Equivalent 0.63%)	90.42%
Aromatic Petroleum Derivative	5.43%

#### INERT INGREDIENTS:



ALLIED CHEMICAL CORPORATION  
AGRICULTURAL DIVISION  
43 RECTOR STREET  
NEW YORK, N. Y., U. S. A.

ACCEPTED  
June 18, 1970  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ORGANIC POISON REGISTER.  
ED UNDER NO. 218-698 SUBJECT  
TO ATTACHED COMMENTS.

### TOXIC TO FISH

Do Not permit this product or spray drift to contaminate irrigation ditches or domestic water supplies. Keep out of lakes, streams or ponds.

Do Not allow this product to contact in any manner cotton, grapes, fruit trees, vegetables, flowers, ornamentals or other desirable plants either in the growing or dormant periods.

Under certain conditions vapors of this product may injure susceptible plants growing in areas near treated fields; therefore, use only where there is no chance of injury from such vapors.

**NOTE:** Do Not apply, allow to drift or drain or flush equipment onto or near crop-lands, lawns, trees or other desirable plants or to areas where their roots may extend.

Do Not allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

### DESTROY CONTAINER WHEN EMPTY

Flush out thoroughly with water and drain where flush water can be run off without harm. Destroy container so that it may not be used again for any purpose and dispose of it at some location where no attempt to salvage will be made.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

MADE IN U. S. A.

9951  
1604 A

PRINTED IN U. S. A.

## DIRECTIONS

### NON-CROP AREAS

For use on Non-crop land such as Right-of-Ways, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, and Parking Lots for control of most annual and perennial grasses and broadleaved weeds. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

**RATE:** Under ordinary conditions use at the rate of 2 to 4 gallons per 1000 square feet (1½ to 3¼ pints per 100 square feet). Under conditions where the weeds are difficult to control, use at the rate of 6 gallons per 1000 square feet. (4½ pints per 100 square feet).

**HOW TO APPLY:** Use a sprayer which will distribute the required amount evenly over the area to be treated. Use a coarse spray to reduce drift. Application may be made when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

**WHEN TO APPLY:** Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control.

### CAUTION!

#### HARMFUL IF SWALLOWED

#### IRRITATING TO SKIN AND EYES

Do not get on skin, in eyes or on clothing.

In case of contact, immediately wash skin with plenty of water: for eyes, wash with water for at least 15 minutes and get medical attention.

# ARCADIAN®

NET CONTENTS GALLONS

## UROX® LIQUID

### WEED KILLER with 2, 4-D

Contains ¼ pound of Urox per Gallon

For General Weed Control on Non-Crop Lands and Paved Areas

CODE 9951

USDA Reg. No. 218-698

U. S. Patents No. 2,782,112 and 2,801,911

#### ACTIVE INGREDIENTS:

Monuron Trichloroacetate [3-(p-chlorophenyl)-1, 1-dimethylurea trichloroacetate]	3.19%
Isooctyl Ester of 2,4-Dichlorophenoxy- acetic Acid	0.96%
(2,4-D Acid Equivalent) . . . . . 0.63%	
Aromatic Petroleum Derivative . . . . .	90.42%
<b>INERT INGREDIENTS:</b> . . . . .	5.43%



ALLIED CHEMICAL CORPORATION  
AGRICULTURAL DIVISION  
40 RECTOR STREET  
NEW YORK, N. Y., U.S.A.

### CAUTION— Keep out of reach of children.

For Additional Caution Information See Other Panels

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

ACCEPTED  
JUNE 18, 1970  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 218-698 SUBJECT  
TO ATTACHED COMMENTS.

### TOXIC TO FISH

Do Not permit this product or spray drift to contaminate irrigation ditches or domestic water supplies. Keep out of lakes, streams or ponds.

Do Not allow this product to contact in any manner cotton, grapes, fruit trees, vegetables, flowers, ornamentals or other desirable plants either in the growing or dormant periods.

Under certain conditions vapors of this product may injure susceptible plants growing in areas near treated fields; therefore, use only where there is no chance of injury from such vapors.

**NOTE:** Do Not apply, allow to drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend.

Do Not allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

### DESTROY CONTAINER WHEN EMPTY

Flush out thoroughly with water and drain where flush water can be run off without harm. Destroy container so that it may not be used again for any purpose and dispose of it at some location where no attempt to salvage will be made.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

MADE IN U. S. A.

9951  
1604 A

PRINTED IN U. S. A.