



[246-67]

# 5 % MALATHION

## READY MIXED DUST

FOR CONTROL OF

### APHIDS, MEXICAN BEEN BEETLE LEAF HOPPERS, SPIDER MITES

#### ACTIVE INGREDIENTS:


Malathion\* ..... 5.0%

INERT INGREDIENTS ..... 95.0%

\*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate

**CAUTION:** Keep out of reach of children

See other cautions on back panel



**CAUTION:** Harmful if inhaled, swallowed or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after using. Avoid contamination of feed and foodstuffs. Keep out of reach of children and domestic animals. Malathion, upon repeated, prolonged, or careless use may cause cholinesterase inhibition. If poisoning occurs, get medical aid promptly. Atropine is antidotal.

This product is poisonous to fish. Keep out of lakes, streams and ponds. Apply this product only as specified on this label. Do not apply when weather conditions favor drift from areas treated.

**DIRECTIONS** - Do not dilute.

**BEANS:** Mexican Bean Beetle, Leaf Hoppers, Spider Mites - Make full coverage applications as needed. Apply at the rate of 30 to 35 lbs. per acre. Make no applications later than 1 day before harvest. Do not use more than 35 lbs. per acre application.

**PEAS:** Pea Aphid - Apply at the rate of 25 lbs. per acre with no applications later than 3 days before harvest. Do not use more than 25 lbs. per acre application. Do not apply within 7 days of harvest if pea vine forage is to be fed to livestock.

**TOMATOES:** Spider Mites - Apply at the rate of 25 lbs. per acre not later than 1 day before harvest. Do not use more than 10 lbs. per acre application.

**BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, KALE, MUSTARD GREENS, TURNIPS:** Aphids, Imported Cabbage Worm, Cabbage Looper: On cabbage, broccoli, kale, mustard, and turnip, dust at the rate of 30 pounds per acre. Make full coverage applications. Do not use more than 50 lbs. per acre application. Do not apply on broccoli and turnip within 3 days of harvest; on other crops within 7 days of harvest.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its use, which extend beyond the statements on this label.

USDA REG. NO. 2266

50

Har  
prol  
Avo  
Mal  
Call  
or c  
out  
Hig