



Net Contents

5 Pounds

Flea Beetle Dust

CONTAINS SEVIN*

For Control of Certain Insect Pests of Tobacco



Active Ingredient:

Carbaryl (1-Naphthyl N-methylcarbamate)

5% by wt.

Inert Ingredients

95% by wt.

Trade Mark of UCC for 1-Naphthyl N-methylcarbamate.

CAUTION:

Keep out of the reach of children.

See other cautions on rear panel

DIRECTIONS FOR USE

READ ENTIRE LABEL. USE IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND CAUTIONS.

In plant beds:

For tobacco flea beetle, apply 1 to 2 pounds per 100 square yards when plants appear. Repeat as needed at 10 to 14-day intervals and just before transplanting.

In fields:

For hornworms and tobacco flea beetle, apply 15 to 25 pounds per acre. Good coverage is essential. Repeat as needed. Use the highest dosage on large plants. Avoid heavy applications just before priming leaves.

If late applications are necessary, treat immediately after priming rather than before priming. Treated fields may be entered immediately after dust has settled.

CAUTION HARMFUL IF INHALED OR SWALLOWED.

Avoid breathing of dust. Do not take internally.

SKIN CONTACT MAY BE HARMFUL. Avoid skin contact. Wash Hands and Face Before Eating.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

AVOID CONTAMINATION OF FOOD.

KEEP OUT OF REACH OF CHILDREN.

For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such period, warn beekeepers well in advance to locate hives at a safe distance until 1 week after application.

USDA Reg. No. 226-145

ACCEPTED