NET CONTENTS ONE GALLON

Tobacco States

# EVERGREEN SPRAY



ACTIVE INGREDIENTS:

| | |
|---|---|
| *1, 1-bis (chloro... 2,2,2-trichloroeth... | 3.60% |
| Toxaphe... ...plated Camp... 69%... | 20.00% |
| Petrol... | 68.63% |
| INERT INGREDIENTS | 7.77% |

*Kelthane T.M. Rohm & Haas

**CAUTION:** Keep out of reach of children.
See back panel for additional cautions.

**USDA Reg. No. 226-165**

PESTICIDE

ACCEPTED
MAY 6, 1971
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 226-165
SUBJECT TO ATTACHED COMMENTS.

**DIRECTIONS FOR USE**

**EVERGREENS** — Use 3½ tbsp. per gallon of water and apply when pests appear. This will control Bagworms and Red Spiders on Arborvitae, Upright Junipers (Red Cedar varieties, such as Canaerti's) and Spreading Junipers, such as Pfitzers, as well as Spruces including Colorado Blue, Hemlock and Black Hill. Also Bagworms that may attack White Pine. Thoroughly spray the branches and needles covering thoroughly the Bagworms and new growth where Red Spiders congregate. Repeat application if necessary for control.

**ORNAMENTAL SHADE TREES AND SHRUBS** — Use 3½ tbsp. per gallon of water for the following pests on various plants. Apply spray when insects or damage symptoms appear and repeat as needed for control. TENT CATER-PILLARS on walnuts, oaks, and willows. CATALPA WORMS on catalpa trees. BAGWORMS on evergreens, willows, [illegible] and Locusts. For MITES or "RED SPIDERS" and THRIPS on privet hedges or plants. Mite damage results in leaf yellowing and browning. Repeat spray if needed. Do not use on walnuts within 14 days of harvest.

Use 5½ tbsp. per gallon of water for following pests. CANKERWORMS on American and Chinese Elms, Maples and small fruited Ornamental Crabs; FALL WEBWORMS on Elms, Willows, and Poplars; MAY BEETLES on Oaks, Wild Cherries and Sassafras Stock. Repeat spray if needed. For cherries and crabapple, avoid repeated applications within 30 days period and after the 2nd cover spray if fruit is to be used for food.

**FLOWERS** — Use 3½ tbsp. per gallon of water and thoroughly spray plants when pests appear. Controls MITES or "RED SPIDERS" on Cyclamen, Gladiolus, Chrysanthemums and Geraniums. This spray will also control GRASS-HOPPERS that may be present. For CUTWORMS and ARMYWORMS as well as THRIPS on "Glads" use at same rate. Repeat treatments as needed for control.

**LAWNS** — SOD WEBWORMS may seriously injure new or established turf grasses. Use 3½ tbsp. per gallon of water per 500 sq. ft. of turf. Thoroughly treat and wash spray into soil. Repeat treatment in 2 to 3 weeks. For CHIGGERS, treat at the same rate; however, leave spray on the foliage. Thoroughly spray all lawn and turf around houses, patios, and playgrounds. Repeat treatment as needed for control. Keep children and pets off treated areas until this material has been washed into the soil and the grass is thoroughly dry.

CAUTION — Do not get in eyes or on skin or clothing. Do not inhale spray mist. Avoid contamination of feed and foodstuffs. May be fatal if swallowed. Wash thoroughly with soap and water after handling.
Keep out of lakes, streams, and ponds. Birds feeding on treated areas may be killed. Apply this product only as specified on this label. This product is toxic to fish and wildlife.

S 11-67

TOBACCO STATES CHEMICAL CO., INC.