

NET CONTENTS ONE GALLON

Tobacco States
SPRAY

Six



For control of APHID,
FLEA BEETLE, HORN,
WORM, CUTWORM,
(small) CABBAGE
MOTH AND
GRASSHOPPER
on Tobacco.

TOBACCO

SPRAY

ACTIVE INGREDIENTS

Malathion (O,O-dimethyl phosphorodithioate diethyl mercaptosuccinate)	22.320%
Endosulfan (Hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide)	14.880%
Technical piperonyl butoxide (Equivalent to 0.60% butylcarbityl (6-propylpiperonyl ether and 0.15% of other related compounds)	.075%
Pyrethrins	.075%
Heavy Aromatic Naphtha	55.600%
Petroleum Distillates	.175%
INERT INGREDIENTS	6.200%
*Thiodan U. S. Pat. No. 2,799,625	

WARNING: Keep out of reach of children.
See other Warnings on back panel.

PESTICIDE

WARNING: Hazardous if swallowed, inhaled or absorbed through skin. Do not breathe spray or clothing. In case of contact, immediately remove contaminated clothing and flush skin with water. Seek medical attention. Wash thoroughly with soap and water after handling and before eating. Avoid commercial or prolonged exposure in spray-mixing and loading operations wear clean synthetic clothing of a type passed by the U. S. Department of Agriculture for endosulfan protection. Do not use on unprotected humans or beneficial animals. Do not contaminate or store near feed or food.

NOTE TO PHYSICIANS: Malathion upon repeated, prolonged or careless use, may cause drowsiness. 2-PAM is also antidotal and may be administered in conjunction with atropine. The antidote for cyanide poisoning which responds to the barbituric acid derivatives.

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated crops eat product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or to residues on crops. For more information, contact your Cooperative Agricultural Extension Service.

Do not apply when weather conditions favor drift from areas treated. Do not apply where wind is blowing toward water by cleaning of equipment, or disposal of wastes.

Rinse equipment and containers and dispose of waste by burying at least 18" deep in soil. Containers should be disposed of by punching holes in them and burying with waste.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS. OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP DAMAGE OR UNDESIRABLE RESULTS MAY OCCUR.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY

DIRECTIONS FOR USE — DILUTE WITH WATER — (Follow Label Directions)

SIX "X" TOBACCO SPRAY is an emulsifiable insecticide formulation designed for use as a major insect pest on tobacco. This formulation can be used in any type sprayer. If mixed with water, use 15 gallons of water per acre.

TOBACCO — (field, green peach aphid, flea beetle, small cabbage looper, hornworm, budworm, cutworm) — 3 qts. Dosage rates given should be used in sufficient water to give adequate coverage. Cover the entire plant very lightly with insecticide. Do not apply in the heat of the day as some burning of plants could result. Repeat as needed depending on the severity of the infestation and local conditions. Do not repeat more than once per week.

For plants up to knee high, use approximately 15 gallons of water per acre; plants taller than knee high, use a preventative program of spraying early in the season when the plants are young. Check fields frequently for reinfestation.

FOR airplane application, mix the required amount of spray with 2 to 5 gallons of water. Workers entering treated areas within 24 hours after application should wear protective clothing.

Do Not use or store near heat or open flame. DO NOT STORE BELOW 20° F.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OR MERCHANTABILITY FITNESS OR IMPLIED concerning this product or its use, which extend beyond the statements on this label.

S 6-70

USDA REG. NO. 226-197

TOBACCO STATES CHEMICAL CO.
LEXINGTON, KENTUCKY

ACCEPTED

WARNING: Hazardous if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water: for eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. During commercial or prolonged exposure in spray-mixing and loading operations wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U. S. Department of Agriculture for endosulfan protection. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate or store near feed or foodstuffs.

NOTE TO PHYSICIANS Malathion upon repeated, prolonged or careless use, may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. Thiodan produces central nervous system excitation which responds to the barbituric acid derivatives.

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or to residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Rinse equipment and containers and dispose of waste by burying at least 18" deep in non-crop areas away from water supplies. Containers should be disposed of by punching holes in them and burying with waste.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY

DIRECTIONS FOR USE — DILUTE WITH WATER — (Follow Directions)

SIX "X" TOBACCO SPRAY is an emulsifiable insecticide formulation designed for use as a preventative spray for the control of six major insect pest on tobacco. This formulation can be used in any type sprayer. If mixture is allowed to stand, reagitiate before use.

~~TOBACCO—(field) green peach aphid, flea beetle, small cabbage looper, hornworm, budworm - use 1 to 2 qts. Grasshoppers - Use 3 qts.~~ Dosage rates given should be used in sufficient water to give adequate coverage depending on the type of nozzle and equipment being used and the size of the crop. Cover the entire plant very lightly with insecticide. Do not soak plants, as injury may occur. Do not apply in the heat of the day as some burning of plants could result. When using hand sprayers hold the nozzle at least 12 inches above the plants. Do not direct the spray on the bud as injury may result. Check fields every 3 to 5 days, and repeat as needed depending on the severity of the infestation and local conditions. Do not apply within 6 days of harvest.

For plants up to knee high, use approximately 15 gallons of water per acre; plants taller, use 30 gallons. For best control of named insects, use a preventative program of spraying early in the season when the plants are small; undersides of leaves must be sprayed for best results. Check fields frequently for reinfestation.

FOR airplane application, mix the required amount of spray with 2 to 5 gallons of water per acre. Workers entering treated areas within 24 hours after application should wear protective clothing.

Do Not use or store near heat or open flame. DO NOT STORE BELOW 20° F.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OR MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its use which extend beyond the statements on this label.

S 6-70

USDA REG. NO. 226-19.

ACCEPTED WITH COMMENTS

TOBACCO STATES CHEMICAL CO., INC.
LEXINGTON, KENTUCKY