

DIRECTIONS FOR USE

READ ENTIRE LABEL. USE IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND CAUTIONS.

For hornworms, budworms, aphids, flea beetles, suckfly, grasshoppers, and Japanese beetles, apply 15 to 25 pounds per acre depending on the size of the plants. Make applications when insects first appear and repeat as necessary. Avoid excessive applications.

Do not apply within five days of priming or thirty days of cutting. Avoid getting wet with plant juices when cutting the crop.

WARNING: (Read carefully before using) MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. Avoid all contacts with foodstuffs and feed. Keep away from children and domestic animals. Wash with soap and water immediately after using. Rapidly absorbed through the skin. Wear natural rubber gloves, clothing and goggles, so as not to get on skin or in eyes. Wear a mask or respirator of a type passed by the U.S. BUREAU OF MINES for parathion protection. Do not get in eyes, on skin or on clothing. Wash all contaminated clothing with soap and water before re-use. Avoid all contact with plant juices when cutting or priming. Not for use or storage in or around the home.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. "2-PAM" is also antidotal and may be administered in conjunction with atropine.

WARNING: Keep all persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticides and volatile residues have dissipated. Keep fields posted until all drift and residue dissipates.

Do not allow to drift to areas occupied by unprotected humans or beneficial animals or to adjoining food, fiber or pastures.

This product is toxic to fish and wildlife. Birds feeding on treated area may be killed. Do not contaminate any body of water nor apply to any area not specified on the label. Do not apply when weather conditions favor drift from areas treated.

Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply where runoff is likely to occur.

To protect bees, do not apply when crops are in bloom. Remove or cover hives if application is necessary during bloom.

Do not reuse empty containers. Destroy it by burying with waste or burning. Stay away from smoke or fumes.


Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE.

Tobacco States

1% PARATHION & 10% SEVIN DUST

CONTAINS SEVIN*

For the control of
Major Tobacco Insects



Active Ingredients

Carbaryl (1-naphthyl N-methylcarbamate) 10% by wt.
Parathion (O,O-diethyl O-p-nitrophenyl phosphorothioate) 1% by wt.

Inert Ingredients

89% by wt.

Trade Mark of UCC for 1-Naphthyl N-Methylcarbamate

WARNING: Keep out of reach of children.
See back panel for additional cautions.

USDA Reg. No. 226-198