

Tobacco States Pesticides

NET CONTENTS - 2 POUNDS



1 3/4 % SEVIN



BEAN DUST

For the control of
**MEXICAN BEAN BEETLES &
COLORADO POTATO BEETLES**

CAUTION: Keep out of reach of children.
See other cautions on rear panel

Active Ingredient: Carbaryl (1-naphthyl N-methylcarbamate) 1.75%
Inert Ingredients: 98.25%

*Trade Mark of UCC for 1-naphthyl N-methylcarbamate.



ACCEPTED
AUG 11, 1971
FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE
LABORATORY
226-206
SUBJECT

DIRECTIONS

Apply 1 lb. SEVIN DUST when you first see signs of insect infestation, preferably before damage from feeding occurs. For best results apply thoroughly to upper and lower leaf surfaces at the rate of 30 pounds per acre. If needed, repeat applications every 7-10 days. Apply up to and including the day of harvest. Do not feed treated bean vines to dairy or meat animals.

CROPS

Beans

Potatoes

INSECTS

Mexican Bean Beetle

Colorado Potato Beetle

CAUTION

HARMFUL IF INHALED OR SWALLOWED.

Avoid breathing dust. Do not take internally. SKIN CONTACT MAY BE HARMFUL. Avoid skin contact. Wash thoroughly after handling. Change contaminated clothing daily.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

AVOID CONTAMINATION OF FOOD AND FOOD STUFFS.

KEEP OUT OF REACH OF CHILDREN.

For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.