

NET CONTENTS—5 POUNDS

Tobacco States
BRAND

SEVIN 5 THIODAN 1.5 DUST
INSECTICIDE

CAUTION:
KEEP OUT OF REACH OF CHILDREN

TOBACCO STATES CHEMICAL CO.
LEXINGTON KENTUCKY

Tobacco States
Pesticides

DIRECTIONS

Tobacco (Field) - Hornworms, Budworms, Flea Beetles, June Beetles, Japanese Beetles. Use 20 to 40 pounds of Sevin 5 Thiodan 1.5 Dust per acre. Apply when insects first appear and repeat at 7 to 10 day intervals as required to maintain control. Use the lower dosage on small plants and the higher dosage as plants increase in size. Avoid excessive applications just before picking leaves. Avoid excessive applications on the top of the plant as injury may result. Avoid applications during rain or during periods of high humidity. Do not apply to wet foliage. Do not use on plants with a large amount of leaf fall.

PLANT BEDS - Flea Beetles, Japanese Beetles, June Beetles, Hornworms, Budworms, Flea Beetles, Leafhoppers, Flea Beetles. Use 20 to 40 pounds of Sevin 5 Thiodan 1.5 Dust per acre. Apply when insects first appear and repeat at 7 to 10 day intervals as required to maintain control. Use the lower dosage on small plants and the higher dosage as plants increase in size. Avoid excessive applications just before picking leaves. Avoid excessive applications on the top of the plant as injury may result. Avoid applications during rain or during periods of high humidity. Do not apply to wet foliage. Do not use on plants with a large amount of leaf fall.

VEGETABLES

CUCUMBERS - Flea Beetles, Leafhoppers, Flea Beetles, Japanese Beetles, June Beetles, Hornworms, Budworms, Flea Beetles, Leafhoppers, Flea Beetles. Use 20 to 40 pounds of Sevin 5 Thiodan 1.5 Dust per acre. Apply when insects first appear and repeat at 7 to 10 day intervals as required to maintain control. Use the lower dosage on small plants and the higher dosage as plants increase in size. Avoid excessive applications just before picking leaves. Avoid excessive applications on the top of the plant as injury may result. Avoid applications during rain or during periods of high humidity. Do not apply to wet foliage. Do not use on plants with a large amount of leaf fall.

PEPPERS - Flea Beetles, Leafhoppers, Flea Beetles, Japanese Beetles, June Beetles, Hornworms, Budworms, Flea Beetles, Leafhoppers, Flea Beetles. Use 20 to 40 pounds of Sevin 5 Thiodan 1.5 Dust per acre. Apply when insects first appear and repeat at 7 to 10 day intervals as required to maintain control. Use the lower dosage on small plants and the higher dosage as plants increase in size. Avoid excessive applications just before picking leaves. Avoid excessive applications on the top of the plant as injury may result. Avoid applications during rain or during periods of high humidity. Do not apply to wet foliage. Do not use on plants with a large amount of leaf fall.

POTATOES - Flea Beetles, Leafhoppers, Flea Beetles, Japanese Beetles, June Beetles, Hornworms, Budworms, Flea Beetles, Leafhoppers, Flea Beetles. Use 20 to 40 pounds of Sevin 5 Thiodan 1.5 Dust per acre. Do not plant root crops after the carrots, potatoes, and sweet potatoes as follow up crops.

SQUASH - Flea Beetles, Leafhoppers, Flea Beetles, Japanese Beetles, June Beetles, Hornworms, Budworms, Flea Beetles, Leafhoppers, Flea Beetles. Use 20 to 40 pounds of Sevin 5 Thiodan 1.5 Dust per acre. Do not use on vines that are being prepared for processing. Do not use on plants with a large amount of leaf fall.

BEANS - Flea Beetles, Leafhoppers, Flea Beetles, Japanese Beetles, June Beetles, Hornworms, Budworms, Flea Beetles, Leafhoppers, Flea Beetles. Use 20 to 40 pounds of Sevin 5 Thiodan 1.5 Dust per acre. Do not use on plants with a large amount of leaf fall.

PEAS - Flea Beetles, Leafhoppers, Flea Beetles, Japanese Beetles, June Beetles, Hornworms, Budworms, Flea Beetles, Leafhoppers, Flea Beetles. Use 20 to 40 pounds of Sevin 5 Thiodan 1.5 Dust per acre. Do not use on plants with a large amount of leaf fall.

SPINACH - Flea Beetles, Leafhoppers, Flea Beetles, Japanese Beetles, June Beetles, Hornworms, Budworms, Flea Beetles, Leafhoppers, Flea Beetles. Use 20 to 40 pounds of Sevin 5 Thiodan 1.5 Dust per acre. Do not use on plants with a large amount of leaf fall.

LETTUCE - Flea Beetles, Leafhoppers, Flea Beetles, Japanese Beetles, June Beetles, Hornworms, Budworms, Flea Beetles, Leafhoppers, Flea Beetles. Use 20 to 40 pounds of Sevin 5 Thiodan 1.5 Dust per acre. Do not use on plants with a large amount of leaf fall.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY

DO NOT FEED TO ANIMALS WITH THIS MATERIAL. IT IS TO BE USED ONLY ON PLANTS AND VEGETABLES. IT IS NOT TO BE USED ON ANIMALS OR IN ANY MANNER WHICH WOULD BE IN VIOLATION OF FEDERAL, STATE, OR LOCAL LAWS. IT IS NOT TO BE USED ON ANIMALS OR IN ANY MANNER WHICH WOULD BE IN VIOLATION OF FEDERAL, STATE, OR LOCAL LAWS.