

NET CONTENTS: ONE QUART



DIS-IN-FECT-IT DISINFECTANT

For cleaning, disinfecting, and sanitizing animal housing and equipment; cleaning sows prior to farrowing; sanitizing poultry drinking water; as a shoe bath for barns and poultry housing; as a deodorant; sanitizing food-processing equipment.

ACTIVE INGREDIENTS:

Alpha-(p-Nonylphenyl)-omega-hydroxypoly (oxyethylene)-iodine complex	18.05%
(Providing 1.75% titratable iodine)	
Phosphoric Acid	16.00%

INERT INGREDIENTS:	65.95%
Total	100.00%

Manufactured under the following U. S. Patents:

2,931,777
2,977,315
3,028,299

DANGER: KEEP OUT OF REACH OF CHILDREN

See other precautions on Back Panel.

EPA Reg. No. 226-236

226-236 Comments
ACCEPTED

DIS-IN-FECT-IT DISINFECTANT Has A Built-in Indicator Of Germ
When the color disappears, a fresh solution should be prepared.

DIRECTIONS FOR USE

Gross filth must be removed prior to applications of the following disinfecting solutions.

- FOR CLEANING AND DISINFECTING BUILDINGS AND EQUIPMENT:**
Use 1/2 ounce per gallon water. Scrub surfaces to be cleaned and disinfected with a brush or with a power sprayer. Start at the highest point of the building being cleaned, and work down. Let solution drain dry without rinsing.
- FOR CLEANING SOWS:**
Before placing sows in farrowing pens or crates, scrub down flanks and udders with a warm solution of 1 ounce of disinfectant per gallon of water. Use a soft brush. Let sow drain dry and do not rinse until just before farrowing.
- SANITIZING POULTRY DRINKING WATER:**
Add 1 ounce of disinfectant to every 10 gallons of drinking water. The use of clean drinking water also helps keep the waterers free of slime and mineral deposits.
- FOR SANITIZING BUILDINGS AND EQUIPMENT ON THE FARM:**
To sanitize surfaces of buildings, equipment or utensils which have been thoroughly cleaned, use 1 ounce of disinfectant in 5 gallons of water. Allow solution on surfaces to be sanitized. Allow to drain dry without rinsing.
- SHOE BATH:**
To help prevent tracking disease organisms into poultry houses, farrowing barns, place a shoe bath with 3 ounces of disinfectant per gallon of water. Scrape off shoes outside doorway and stand in shoe bath for 30 seconds before entering. Change shoe bath daily.
- DEODORANT:**
Dis-in-fect-it Disinfectant destroys many odors as it sanitizes and disinfects. For deodorant applications (garbage pails,) a solution of 1 ounce of disinfectant per gallon of water.
- FOOD PLANT SANITIZATION:**
Use 1 ounce of Dis-in-fect-it Disinfectant in each 5 gallons of water as the final rinse on previously cleaned food-processing equipment and utensils. Drain. When used as so directed, Dis-in-fect-it Disinfectant does not require a final rinse, as prescribed in Federal Food Additive Regulation 121.2547.

DANGER: Avoid contamination of food. Avoid contact with skin. Do not use on clothing. Causes eye damage or skin irritation. In case of contact, flush with plenty of water. For eyes, get medical attention.

May be harmful if swallowed. If swallowed, do not induce vomiting. Drink or plenty of water. Immediately get medical attention.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND D

TOBACCO STATES CHEMICAL CO. IN