NET CONTENTS 10 OZ. (283.5 gms.)

Tobacco States BRAND

TOBACCO PLANT BED SAVER

(Contains 14% DIAZINON®)

EPA Reg

For The Control of Certain Insects such as CUTWORMS, WIREWORMS, MOLE CRICKETS, GREEN JUNE BEETLE LARVAE (White Grubs), and SEED CORN MAGGOTS, in Tobacco Plant Beds.

ACTIVE INGREDIENTS:	% by Wt.
O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate*	14.3%
INERT INGREDIENTS	85.7%
TOTAL	100.0%

*Diazinon®, Trademark of Ciba-Geigy Corp.

Tobacco Plant Bed Saver is a granular insecticide containing 14 Lbs. of Diazinon® per 100 Lbs.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED, Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN, Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

EPA Reg. No. 226-251 EPA Est. 226-KY-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS and DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of food and feed. Do not store near food or feed products. Avoid inhalation of dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. May be absorbed through the skin.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE and DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that cannot be used according to label directions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary land fill or by incineration if allowed by State and local authorities. Do not reuse container.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TOBACCO PLANT BEDS: To control CUTWORMS, WIREWORMS, GREEN JUNE BEETLE LARVAE (White Grubs), MOLE CRICKETS and SEED CORN MAGGOTS, apply rates listed in TABLE below. Observe carefully all applications and timing instructions for proper control.

INSECTS CONTROLLED	Rate per Bed 9' x 100' or 12' x 100'	APPLICATION and TIMING INSTRUCTIONS
CUTWORMS (Surface & Subterranean)	10 oz.	Broadcast prior to sowing seed. Work immediately into soil 2 to 4 inches.
WIREWORMS	10 oz.	Broadcast prior to sowing seed. Work immediately into soil 6 to 9 inches.
MOLE CRICKETS	3 1/3 oz	Broadcast when insects are present. Apply to beds 1 to 2 days prior to sowing seed and work into soil 1 to 2 inches immediately.
GREEN JUNE BEETLE LARVAE (White Grubs)	4 oz.	Apply to uprooted areas of plant beds and water (drench) into the soil thoroughly.
SEED CORN MAGGOTS	5 oz.	Broadcast prior to sowing seed and work into soil 2 inches immediately.

APPROXIMATE EQUIVALENTS

10 oz. = 3/5 lb. 5 oz = 1/3 lb.
4 oz = 1/4 lb. 3 1/3 oz 1/5 lb.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, which extend beyond the statements on this label.

PESTICIDE

TOBACCO STATES CHEMICAL CO., INC.
LEXINGTON, KENTUCKY