



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

> > JUI 2.3 2003

Russell F. Sawyer Regulatory Affairs Manager Nufarm Americas Inc. Riverdale, a Nufarm Company 1333 Burr Ridge Parkway, Suite 125A Burr Ridge, IL 60527-0866

Subject: Riverdale® 2,4-D Granules EPA Reg. No. 228-61 Amendment dated May 7, 2003

Dear Mr. Sawyer:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable provided the following change is made:

In the STORAGE AND DISPOSAL section, move the sentence "Do not contaminate water, food or feed by storage or disposal" from the STORAGE section to immediately below the STORAGE AND DISPOSAL header.

One copy of the label stamped "Accepted with comments" is enclosed for your records. This label supercedes all labels previously accepted for this product.

Please submit one copy of the final printed label that incorporates the required change before the product is released for shipment.

If you have any questions, please contact Robert Westin by phone at (703) 305-5721 or via email at westin.robert@epa.gov.

Sincerely,

anne J. Miller

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505C)

Enclosure

# RIVERDALE

# 2,4-D GRANULES

## A SELECTIVE WEED KILLER

#### For control of broadleaf weeds and certain seedling grasses.

ACTIVE INGREDIENT:

| Isooctyl (2-ethylhexyl) | Ester | of 2,4-Dichlorophenoxyacetic | Acid* |   | - | ٠ |   |   | 28.9%        |
|-------------------------|-------|------------------------------|-------|---|---|---|---|---|--------------|
| INERT INGREDIENTS:      |       |                              |       | • | • | • | • |   | <u>71.18</u> |
|                         |       |                              | TOTAL | • | • | • | • | • | 100.0%       |

\*Isomer Specific AOAC Method, Equivalent to 2,4-Dichlorophenoxyacetic Acid . . . 19.18%

Riverdale is a Registered Trademark of Riverdale - A Nufarm Company

# KEEP OUT OF REACH OF CHILDREN

CAUTION - CAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION - CAUCION

Harmful if swallowed. Avoid inhalation and contact with eyes, skin and clothing.

**NON-WPS USES:** Applicators and other handlers who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR Part 170)-- in general, only agricultural plant uses are covered by the WPS -- must wear: chemical-resistant gloves, long-sleeved shirt, long pants, socks and shoes. Protective clothing must also be worn when repairing or cleaning equipment used with this product.


**WPS USES:** Personal Protection Equipment: Applicators and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR Part 170) -- in general, agricultural plant uses are covered -- must wear: long-sleeved shirt and long pants; waterproof gloves, and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing on PPE must not be reused until it has been cleaned.

Engineering Controls Statements: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

JUL 2 3 2003

NOTE: Spanish language is **Findbilded** and Rodennicke Att

Under the Foderal threeticide, Finiththe, and Rodenticide Act as amended, for the perioide registered under EPA Reg. No.



# USER SAFETY RECOMMENDATIONS

**USERS SHOULD:** Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

# FIRST AID STATEMENT

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

- **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- **IF ON SKIN** Take off contaminated clothing. Rinse skin immediately with plenty of **OR CLOTHING:** water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

## ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Do not apply at rates higher than recommended. Excessive amounts in the soil may temporarily stop seed germination or plant growth. Do not use on light, sandy soils. If regular insecticide spreader is used to apply Riverdale 2,4-D Granules, be sure to clean equipment thoroughly before other use. Riverdale 2,4-D Granules will injure vegetables, flowers, grapes, fruit plants, ornamentals, cotton, soybean, and other desirable plants. Make application on cornland in such a way that run off water from rain or irrigation will not come in contact with these plants. Do not contaminate irrigation ditches or water used for domestic purposes. However, treated water may be used for watering turf grasses immediately after application. Do not use in or near a greenhouse. At higher temperatures, vapors may cause injury to sensitive plants growing nearby.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.



Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, and shoes plus socks.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

No re-entry restrictions for non-crop applications. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

#### CROPS

IN MIDWESTERN CORN BELT: For pre-emergence application to aid control of annual grasses such as large and small Foxtail (Pigeon grass), Crabgrass, Barnyardgrass; broadleaved weeds such as Smartweed, Sunflower, Wild mustard, Cocklebur, Bindweed, Dandelion, Morningglory, Pigweed, Tarweed, Ragweed, Wild radish, Pennyworts, Plantains, Healall, chicory, Yellow star thistle, Lambsquarters, and Watergrass.

2,4-D Granules should be applied preferably at corn planting time. It may, however, also be applied just before corn emerges through the soil. Plant corn at least 2 inches deep when using pre-emergence 2,4-D applications. This will aid in preventing injury from leaching of weed killer. With this treatment, one should not expect season long control. It is intended to control grasses for 3 to 4 weeks so that the corn seedlings can get started without competition. It has very little effect on established broadleaf weeds over 6 inches tall; and none at all on grassy weeds once they have germinated.

Use 10 pounds, 2,4-D Granules per acre applying to soil from time of planting up to 2 days before corn seedlings emerge. This application is on a broadcast basis equivalent to 2 pounds of actual 2,4-D (Acid) equivalent. For band or row application approximately 14 inches wide, apply 3-1/2 pounds 2,4-D Granules per acre on 40 inch rows.

IN CRANBERRIES: For pre-emergence application to control annual broadleaved weeds in bearing cranberry marshes, apply at a rate of 10 to 20 lbs. per acre (2 to 4 lbs. 2,4-D equivalent per acre). Application should be made broadcast in the Spring after removal of the Winter flood from the dormant vines. Weeds controlled are Common Ragweed, Sticktight, Tearthumb, Smartweed, Northern Saint Johnswort, and common species of Annual Smartweed. Careful distribution of granules is necessary if adequate control is to be obtained. (For Wisconsin area granules may also be distributed on ice over plants prior to Spring thaw.)

TURF

**ORNAMENTAL TURF:** (such as lawns, golf courses, cemeteries, and parkways). To control Wild onion and broadleaved weeds such as Dandelion, Plantain, Ivy Bitterweed, and

## Riverdale 2,4-D Granules



Dogfennel, apply 10-1/2 lbs. of granules per acre in early Spring when shoots are young and actively growing, using a mechanical spreader. Repeat application in one month or later to control skipped spots.

DO NOT USE on Bentgrass, St. Augustinegrass, Dichondra, Carpetgrass, or newly plugged or seeded turf.

When applying for residential and turf uses, the maximum number of broadcast applications per treatment site is 2 per year.

#### STORAGE AND DISPOSAL

**STORAGE:** Always use original container to store pesticides in a secured warehouse or storage building. Do not stack more than two pallets high. It is recommended that a SARA Title III emergency response plan be created for storage facilities. Do not transport in the passenger compartment of any vehicle. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law and may contaminate ground-water. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay away from smoke.

## WARRANTY AND LIMITATION OF DAMAGES

Nufarm Americas, Inc. warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes all risk of any use contrary to such directions. SELLER MAKES NO OTHER WARRANTY EXPRESSED OR IMPLIED AS TO FITNESS OR MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO EXCEPT IN WRITING WITH SPECIFIC REFERENCE TO THIS WARRANTY. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made. (RV 050703)

EPA REG. NO. 228-61

NET WEIGHT LBS.

EPA EST. NO. 228-IL-1

MANUFACTURED BY NUFARM AMERICAS, INC., BURR RIDGE, ILLINOIS 60527-0866