

BLSI

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.
If Inhaled - Remove victim to fresh air. Apply respiration if indicated.
If on Skin - Remove contaminated clothing and wash affected areas with soap and water.
If in Eyes - Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe dust or spray mist. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

Applicators who apply this product manually or without the use of a closed system treatment procedure must wear the following protective clothing during the application process: long-sleeved shirt; long pants; gloves; and disposable, paper dust mask which covers at least one-third of the face.
WARNING: This product should be applied in a well-ventilated area.

Riverdale
LINDANE + CAPTAN SEED

A PLANTER BOX TREATMENT WITH

TO CONTROL SEED CORN BEETLE, SEED WIREWORMS AND CERTAIN FUNGI

ACTIVE INGREDIENTS:
LINDANE - Gamma Isomer of Benzenehexachlorocyclohexane
CAPTAN*
INERT INGREDIENTS

*N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT
(see side panel)

RIVERDALE CHEMICAL COMPANY
CHICAGO, ILLINOIS

E.P.A. Reg. No. 228-90
E.P.A. Est. No. 228-II-1

NET CONTENTS 1 POU

BEST DOCUMENT AVAILABLE

TREATMENT
 Induce vomiting by touch
 until fluid is clear. Call a
 physician if anything by mouth to
 occur. If indicated
 wash affected areas with soap
 and water. Call a physician if

POISONOUS TO ANIMALS
 Do not breathe dust
 thoroughly after handling
 Do not breathe dust
 thoroughly after handling
 Do not breathe dust
 thoroughly after handling
 Do not breathe dust
 thoroughly after handling

Riverdale
LINDANE + CAPTAN SEED TREATMENT
 A PLANTER BOX TREATMENT WITH GRAPHITE

TO CONTROL SEED CORN BEETLE, SEED CORN MAGGOT,
 WIREWORMS AND CERTAIN FUNGUS DISEASES

ACTIVE INGREDIENTS

LINDANE - Gamma Isomer of Benzenehexachloride	25.0%
CAPTAN*	12.5%
INERT INGREDIENTS	62.5%
*N trichloromethylthio-4-cyclohexene 1,2-dicarboximide	100.0%

KEEP OUT OF REACH OF CHILDREN
WARNING
 STATEMENT OF PRACTICAL TREATMENT
 (see side panel)

RIVERDALE CHEMICAL COMPANY
 CHICAGO, ILLINOIS

E.P.A. Reg. No. 228-90
 E.P.A. Est. No. 228 II-1

NET CONTENTS 1 POUND

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage or disposal.
 Open burning is prohibited; do not reuse empty container.
Pesticide Disposal: Pesticide, spray mixture or rinsate that cannot be used, or
 chemically reprocessed should be disposed of in a landfill approved for pesticides
 or buried in a safe place away from water supplies.
Container Disposal: Dispose of in an incinerator or landfill approved for pesti-
 cide containers, or bury in a safe place.
General: Consult Federal, State, or Local disposal authorities for approved alter-
 native procedures such as limited open burning.

DIRECTIONS FOR USE

Riverdale Lindane + Captan seed treatment is especially for use in the treatment
 of seeds for temporary protection against wireworms and seed corn maggots. Ad-
 ditional fungicidal protection is added to prevent seedling blight, damp-off or seed
 decay. Use full dosage of Riverdale Lindane + Captan Seed Treatment on seed
 previously treated with a protective fungicide.

APPLY IN PLANTER BOX USING DESIGNATED AMOUNT PER 100 LBS SEED

Note: The enclosed measuring spoon holds 1 oz. when heaping full; apply dry

CORN	8 oz (4 oz per 50 lbs)	MILO, GRAIN SORGHUM, FOR
WHEAT	2 oz	AGE SORGHUM and SORGHUM
SOYBEAN	2 oz	SUDAN GRASS
SUNFLOWER	4 oz	BEANS
SUGAR BEETS	16 oz (1 lb)	(Use only 1 oz. for Standard and
COTTON	8 oz	Fordhook Large Limas)
ALFALFA, CLOVER	2 oz	BARLEY
OATS	2 oz	RYE

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of
 this product other than indicated on the label. Buyer assumes all risks of use and/or
 handling of this material when such use and/or handling is contrary to label instruc-
 tions.

ACCEPTED
 with COMMENTS
 in EPA Letter No. 1
 APR 2 1990
 228-90

345/120660
17/4

DRP

30 MAY 1984

Mr. James Champion
Riverdale Chemical Company
220 East 17th Street
Chicago Heights, IL 60411

Dear Mr. Champion:

Subject: Amendment- Update Formula Statement
Riverdale Lindane and Captan Seed Treatment
EPA Registration No. 228-90
Your Application Dated November 11, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) is acceptable. The updated formula statement has been added to the product's registration file.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

DCR-04461:LaRocca:Raven:557-2226:tar:CBI-06:5/29/84:De1.6/14/84

OFFICIAL FILE COPY

435/111663
37/1

300/118820 - 228-90
171/3

23 APR 1984

Riverdale Chemical Company
220 East 17th Street
Chicago Heights, IL 60411

Attention: James F. Champion

Gentlemen:

Subject: Amendment - Comply with Lindane Intent to Cancel
Riverdale Lindane and Captan Seed Treatment
FPA Registration No. 228-90
Your Application Dated November 11, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Add the following to the environmental hazards: "Cover or incorporate exposed seeds in turn areas."
2. Revise the storage and disposal section to read as follows:

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Store in a cool dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke!

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

FOR OFFICIAL USE ONLY

CONCURRENCES							
SYMBOL							
SURNAME	T. J. ...						
DATE	4/23/84						

JUN 11

-2-

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

DCR-28647:LaRocca:RD-44:3/30/84:KIM:Raven:557-2226:Del.4/13/84

P.S. The confidential statement of formula is presently under review.

P.S. If you hold a federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until May 16 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provision stated in our letter of October 28, 1983.

BEST DOCUMENT AVAILABLE