

WARNING (Continued)
there is hazard from drifting mists.
(Coarse sprays are less likely to drift.)

Vapors from this product may injure susceptible plants in the immediate vicinity.

Avoid contamination of water used for domestic purposes and irrigation ditches. Excessive amounts of this product in the soil may temporarily inhibit seed germination and plant growth.

This product not for use on lawns.

Do not graze dairy animals on treated areas for 7 days after treatment.

Do not store near fertilizers, seeds, insecticides or fungicides.

Do not reuse empty containers. Destroy by burying in safe place.

Spray equipment used in applying this product should be thoroughly cleaned before using for any other purpose. Use repeated flushing with soap and warm water or suitable chemical cleaner. It is best to use a separate sprayer for application of insecticides and fungicides.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

U S D. A. Reg No. 228-100

Riverdale BRUSH KILLER 2 SPECIAL LOW VOLATILE FORMULA

CONTAINS 2 POUNDS 2,4-D ACID AND 2 POUNDS 2,4,5-TP ACID PER GALLON

ACTIVE INGREDIENTS: *Isooctyl ester of 2-(2,4,5-Trichlorophenoxy) propionic acid	31.16%
**Isooctyl ester of 2,4-Dichlorophenoxyacetic acid	33.15%
INERT INGREDIENTS	35.69%
TOTAL	100.00%

*Equivalent to 22% SILVEX (2-(2,4,5-trichlorophenoxy) Propionic Acid

**Equivalent to 22% 2,4-Dichlorophenoxyacetic acid

WARNING: KEEP OUT OF REACH OF CHILDREN See Other Warnings on Side Panel

DIRECTIONS FOR USE

Riverdale Brush Killer 2 Special will control certain woody plants and brush more effective than will the use of 2,4-D alone. Such plants as the following are susceptible to a foliage spray containing 3 to 4 quarts Riverdale Brush Killer 2 Special in 100 gallons of water. Use coarse spray and cover all foliage and branches to run off point. Use on rangelands, ditches, fence rows, right-of-ways, pastures and similar non-crop areas.

Aspen	• Currant	Horsechestnut	• Raspberry
Apple, American Crab	• Elderberry	Juneberry	• Rose, Cherokee
• Birch	• Elder, box	• Locust, black	• Sagebrush
• Blackberry	• Elm	• Locust, honey	• Sassafras
• Brambles	• Gum, black	• Mesquite	• Silverberry
• Buckbush	• Gum, sweet	• Mulberry	• Skunkbrush
• Catalpa	• Hackberry	• Oak	• Shadebrush
• Cedar, Salt	• Hawthorne	• Osage Orange	• Spicebrush
• Cherry, choke	• Hazel	• Pine	• Sumac
• Cherry, wild	• Herculesclub	• Poison Ivy	• Sweetfern
• Chestnut	• Hickory	• Poison Oak	• Wild grape
• Chinaberry	• Honeysuckle	• Poplar	• Willow
• Cottonwood	• Hornbeam	• Prickly Ash	

For knapsack sprayers use 1 pint Riverdale Brush Killer 2 Special in 10 gallons of water. Some highly resistant woody plants such as Ash, Basswood, Beech, Red Maple, Mesquite, Persimmon, Rhododendron and Spruce can be best controlled by cutting and spraying the cut stubs with a solution of 3 to 4 quarts in 20 to 25 gallons of kerosene, fuel, diesel or transformer oil. For knapsack sprayers use 1 1/2 pints in 3 gallons of fuel, diesel, kerosene or transformer oil.

35 NET CONTENTS GAL.

ACCEPT
JAN 11 1964

Riverdale BRUSH KILLER 2 SPECIAL LOW VOLATILE FORMULA

CONTAINS 2 POUNDS 2,4-D ACID AND 2 POUNDS 2,4,5-TP ACID PER GALLON

ACTIVE INGREDIENTS:	*Isocetyl ester of 2-(2,4,5-Trichlorophenoxy) propionic acid	31.16%
	**Isocetyl ester of 2,4-Dichlorophenoxyacetic acid	33.15%
INERT INGREDIENTS		35.69%
	TOTAL	100.00%

*Equivalent to 22% SILVEX (2-(2,4,5-trichlorophenoxy) Propionic Acid)
**Equivalent to 22% 2,4-Dichlorophenoxyacetic acid

WARNING: KEEP OUT OF REACH OF CHILDREN See Other Warnings on Side Panel

DIRECTIONS FOR USE

Riverdale Brush Killer 2 Special will control certain woody plants and brush more effective than with the use of 2,4-D alone. Such plants as the following are susceptible to a foliage spray containing 3 to 4 quarts Riverdale Brush Killer 2 Special in 100 gallons of water. Use coarse spray and cover all foliage and branches to run off point. Use on range lands, ditches, fence rows, right-of-ways, pastures and similar non-crop areas.

- | | | | |
|------------------------|---------------|-----------------|------------------|
| • Aspen | • Currant | • Horsechestnut | • Raspberry |
| • Apple, American Crab | • Elderberry | • J. berry | • Rose, Cherokee |
| • Birch | • Elder, box | • Locust, black | • Sagebrush |
| • Blackberry | • Elm | • Locust, honey | • Sassafras |
| • Brambles | • Gum, black | • Mesquite | • Silverberry |
| • Buckbush | • Gum, sweet | • Mulberry E. | • Stinkbrush |
| • Catalpa | • Hackberry | • Oak | • Shadebrush |
| • Cedar, Salt | • Hawthorne | • Osage Orange | • Spicebrush |
| • Cherry, choke | • Hazel | • Pine | • Sumac |
| • Cherry, wild | • Hazelnut | • Poison Ivy | • Sweetfern |
| • Chestnut | • Hickory | • Poison Oak | • Wild grape |
| • Chinaberry | • Honeysuckle | • Poplar | • Willow |
| • Cottonwood | • Hornbeam | • Prickly Ash | |

For knapsack sprayers use 1 pint Riverdale Brush Killer 2 Special in 10 gallons of water. Some highly resistant woody plants such as Ash, Basswood, Beech, Red Maple, Mesquite, Persimmon, Rhododendron and Spruce can be best controlled by cutting and spraying the cut stubs with a solution of 3 to 4 quarts in 20 to 25 gallons of kerosene, fuel diesel or transformer oil. For knapsack sprayers use 1 1/2 pints in 3 gallons of fuel, diesel, kerosene or transformer oil.

25 NET CONTENTS GAL.

STUMP TREATMENT — Treatment of fresh cut stumps and brush stubs can be done at any time of the year. Spraying should be done as soon as possible after cutting using a knapsack sprayer. Use 1 1/2 pints Riverside Brush Killer 2 Special in 3 gallons of fuel, diesel, kerosene or transformer oil. Stumps and stubs should be wet thoroughly until run down or run-off is noticeable. Both cut surfaces and all exposed bark should be sprayed. Should regrowth occur a second application may be necessary.

BASAL BARK TREATMENT — This method of treatment can be done either during growing or dormant season. The advantage of this treatment is that brush work can be done when time is available and in crop areas after the susceptible crop has been harvested. Care should be taken not to spray valuable plants which are susceptible to injury, even in the dormant stage. A knapsack sprayer using low pressures is desirable. Use 1 1/2 pints Riverside Brush Killer 2 Special in 3 gallons of fuel, diesel, kerosene or transformer oil. Spray all brush from an area 12 to 18 inches above the ground thoroughly covering all sides until run-off is noticeable.

CAUTION

May cause skin irritation. Harmful if swallowed. Avoid inhaling spray mist. Avoid contact with skin, eyes or clothing.

WARNING

This product will kill or seriously injure many desirable forms of vegetation. Do not apply directly to flowers, fruits, vegetables, grapes, ornamentals, cotton or other desirable plants. Do not use when

MANUFACTURED BY
RIVERDALE CHEMICAL COMPANY
CHICAGO, HEIGHTS, ILLINOIS

ACCEPTED
JAN 11 1968
225-160

26

WARNING (Continued)

there is hazard from drifting mists.
(Coarse sprays are less likely to drift.)

Vapors from this product may injure susceptible plants in the immediate vicinity.

Avoid contamination of water used for domestic purposes and irrigation ditches. Excessive amounts of this product in the soil may temporarily inhibit seed germination and plant growth.

This product not for use on lawns.

Do not graze dairy animals on treated areas for 7 days after treatment.

Do not store near fertilizers, seeds, insecticides or fungicides.

Do not reuse empty containers. Destroy by burying in safe place.

Spray equipment used in applying this product should be thoroughly cleaned before using for any other purpose. Use repeated flushing with soap and warm water or suitable chemical cleaner. It is best to use a separate sprayer for application of insecticides and fungicides.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

U. S. D. A. Reg. No. 228-100

Riverdale BRUSH KILLER LOW VOLATILE

CONTAINS 2 POUNDS 2,4-D ACID AND

ACTIVE INGREDIENTS: *Isooctyl ester of 2-(2,4,5-Trichlorophenoxy)acetic acid
**Isooctyl ester of 2,4-Dichlorophenoxyacetic acid

INERT INGREDIENTS

*Equivalent to 22% SILVEX (2-(2,4,5-trichlorophenoxy)acetic acid)

**Equivalent to 22% 2,4-Dichlorophenoxyacetic acid

WARNING: KEEP OUT OF REACH OF CHILDREN

DIRECTION

Riverdale Brush Killer 2 Special will control certain woody plants alone. Such plants as the following are susceptible to a foliar spray of 2 Special in 100 gallons of water. Use coarse spray and cover lands, ditches, fence rows, right-of-ways, pastures and similar areas.

Aspen	Currant
Apple, American Crab	Elderberry
Birch	Elder, box
Blackberry	Elm
Brambles	Gum, black
Buckbush	Gum, sweet
Catalpa	Hackberry
Cedar, Salt	Hawthorne
Cherry, choke	Hazel
Cherry, wild	Herculesclub
Chestnut	Hickory
Chinaberry	Honeysuckle
Cottonwood	Hornbeam

For knapsack sprayers use 1 pint Riverdale Brush Killer 2 Special per 100 gallons of water on plants such as Ash, Basswood, Beech, Red Maple, Mesquite, etc. Control is best controlled by cutting and spraying the cut stubs with a solution of 2 Special in 100 gallons of water or transform - oil. For knapsack sprayers use 1 1/2 pints in 100 gallons of water.

NET CONTENTS