



UTION

Apply in well-drained areas... Do not apply where runoff is likely... Do not apply to areas treated with other herbicides...

Do not use in pastures where livestock graze... Do not use on light sandy soil... Do not use on wheat and barley...

Do not use on wheat and barley... Do not use on light sandy soil... Do not use on wheat and barley...

MANUFACTURED BY CHEMICAL COMPANY HEIGHTS, ILLINOIS

Riverdale WEED DESTROY 4 ESTER A SELECTIVE WEED KILLER

ACTIVE INGREDIENTS: Butyl Ester of 2,4-Dichlorophenoxyacetic Acid

INERT INGREDIENTS: TOTAL 2,4-Dichlorophenoxyacetic Acid Equivalent 4.55% 3.84 Lbs. per 100 Gallons Method No. 6 D015

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Other Precautions on Side Panel

DIRECTIONS FOR USE FOR SELECTIVE WEEDING IN CROPS

ESTABLISHED PASTURE, FIELD AND RANGE GRASSES\* also roadsides, grass seed fields, golf courses, and other turf areas where it is desired to control susceptible broad-leaved weeds and grasses...

Wheat and Barley: Use 1 to 1.5 pint per acre in sufficient water for uniform coverage... Do not use on light sandy soil.

Wheat and Barley: Use 1 to 1.5 pint per acre in sufficient water for uniform coverage... Do not use on light sandy soil.

\*Do not graze farm animals within 3 days after application.

DIRECTIONS Continued

SOME WEEDS READILY KILLED DURING EARLY STAGES OF GROWTH

- ANNUALS: Hedge Bindweed, Buckhorn, Bull Thistle, Burdock, Chickweed, Mouse-eared, Dandelion, Knapweed, Marsh Mallow, Marestail, Fatweeds, Puncture Vine, Ragweed, Sunflower (Annual)

- PERENNIALS: Hedge Bindweed, Buckhorn, Bull Thistle, Burdock, Chickweed, Mouse-eared, Dandelion, Heal-all, Nettle, Stinging, Lawn, Pennywort, Plantain, Sunflower (perennial), Vervain, Vetch

NON-SELECTIVE WEED CONTROL

NON-CROP AREAS such as waste land around farm buildings, roadsides and similar areas where crops are not involved. Use 1 to 3 quarts per acre depending on susceptibility of weeds and density of growth...

CAUTION: Do not use this product in vicinity of crop plants highly susceptible to 2,4-D injury. Local conditions may affect the use of this product. Consult State agricultural extension or Experiment Station weed specialists...

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller.

NET CONTENTS GALLONS DO NOT STORE WITH FOODSTUFFS

40A

