





# WEEDSTROY 44 BUTYL ESTER A SELECTIVE WEED KILLER

## ACTIVE INGREDIENT

\*Butyl Ester of 2,4-Dichlorophenoxyacetic Acid

## INERT INGREDIENTS

TOTAL

\*2,4-Dichlorophenoxyacetic Acid Equivalent 37.5%  
Method for 6-D015

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See Other Precautions On Side Panels

## DIRECTIONS FOR USE

### STABLE AND PERSISTENT WEEDS IN SEASONAL CROPS


Use 2 to 5 lbs. per acre depending on susceptibility of weeds. Apply in sufficient water to thoroughly wet weeds. Wash water to spray tank and apply to weeds. Repeat if new weeds appear. Do not apply to sensitive crops except grasses and cereals where full applications are not recommended. Do not apply to alfalfa or other legumes. Do not apply to any grasses or other plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury.

### WET WEEDS

Use 2 to 5 lbs. per acre depending on susceptibility of weeds. Apply in sufficient water to thoroughly wet weeds. Wash water to spray tank and apply to weeds. Repeat if new weeds appear. Do not apply to sensitive crops except grasses and cereals where full applications are not recommended. Do not apply to alfalfa or other legumes. Do not apply to any grasses or other plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury.

NOTE: The use of this product on any crop may affect the quality of the crop. For more information, contact your local Extension Office or the manufacturer.

**WHEAT AND BARLEY:** Apply 2 to 5 lbs. per acre in sufficient water to thoroughly wet weeds. Spray in spring while weeds are young and before the wheat or barley has emerged. Do not spray until wheat or barley has emerged. Use only if you are sure the weeds are susceptible to injury. Do not apply to any plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury.



## DIRECTIONS FOR USE (Continued)

Use 2 to 5 lbs. per acre depending on susceptibility of weeds. Apply in sufficient water to thoroughly wet weeds. Wash water to spray tank and apply to weeds. Repeat if new weeds appear. Do not apply to sensitive crops except grasses and cereals where full applications are not recommended. Do not apply to alfalfa or other legumes. Do not apply to any grasses or other plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury.

## SELECTIVE WEED CONTROL

**WET WEEDS:** Apply 2 to 5 lbs. per acre in sufficient water to thoroughly wet weeds. Wash water to spray tank and apply to weeds. Repeat if new weeds appear. Do not apply to sensitive crops except grasses and cereals where full applications are not recommended. Do not apply to alfalfa or other legumes. Do not apply to any grasses or other plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury.

**WET WEEDS:** Apply 2 to 5 lbs. per acre in sufficient water to thoroughly wet weeds. Wash water to spray tank and apply to weeds. Repeat if new weeds appear. Do not apply to sensitive crops except grasses and cereals where full applications are not recommended. Do not apply to alfalfa or other legumes. Do not apply to any grasses or other plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury. Do not apply to any plants which are susceptible to injury.

NOTE: The use of this product on any crop may affect the quality of the crop. For more information, contact your local Extension Office or the manufacturer.

49

50

MANUFACTURED BY  
**RIVERDALE CHEMICAL COMPANY**  
CHICAGO HEIGHTS, ILLINOIS