

# Riverdale

## 25-3-3

### WEED and FEED

FERTILIZER PLUS 2,4-D & MCPP

This product is a remarkably effective lawn fertilizer which combines both fast and long-lasting feeding action, plus effective weed control. This product produces a thick, green turf while killing weeds to make way for new turf growth.

Riverdale 25-3-3 Weed and Feed is designed for the control of dandelion, clover, and many other broadleaf weeds. Weeds contacted by this product gradually die, and disappear from the lawn. See back panel for a list of weeds controlled by Riverdale 25-3-3 Weed and Feed

ACTIVE INGREDIENTS	BY WEIGHT
Isooctyl ester of 2,4-Dichlorophenoxyacetic acid*	.87%
Isooctyl ester of 2-(2-methyl-4-chlorophenoxy) propionic acid**	.90%
INERT INGREDIENTS	<u>98.23%</u>
TOTAL	100.00%

\* Equivalent to .575% 2,4-Dichlorophenoxyacetic acid  
Isomer Specific by AOAC Method No. 6.001-5

\*\* Equivalent to .53% 2-(2-methyl-4-chlorophenoxy)  
propionic acid.

35

BEST DOCUMENT AVAILABLE

#### MINIMUM GUARANTEED ANALYSIS

Total Nitrogen (N)	25.00%
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> )	3.00%
Soluble Potash (K <sub>2</sub> O)	3.00%

Where required by state law:  
Potential Acidity 1000 lbs. Calcium Carbonate equivalent per ton.

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

228-152

MANUFACTURED BY  
**RIVERDALE CHEMICAL COMPANY**  
CHICAGO HEIGHTS, ILLINOIS

**ACCEPTED**

JUN 11 1970

This product has been analyzed and found to conform to the specifications of the label. It is registered under EPA Reg. No. 228-152.

E.P.A. Registration No. 228-152  
E.P.A. Registration No. 228-152  
Net weight 10 pounds  
EPA Reg. No. 228-152

36



# Riverdale

## 25-3-3

### WEED and FEED

FERTILIZER PLUS 2,4-D & MCPP

This product is a remarkably effective lawn fertilizer which combines both fast and long-lasting feeding action, plus effective weed control. This product produces a thick, green turf while killing weeds to make way for new turf growth.

Riverdale 25-3-3 Weed and Feed is designed for the control of dandelion, clover, and many other broadleaf weeds. Weeds contacted by this product gradually die, and disappear from the lawn. See back panel for a list of weeds controlled by Riverdale 25-3-3 Weed and Feed

ACTIVE INGREDIENTS	BY WEIGHT
Isooctyl ester of 2,4-Dichlorophenoxyacetic acid*	.87%
Isooctyl ester of 2-(2-methyl-4-chlorophenoxy) propionic acid**	.90%
INERT INGREDIENTS	<u>98.23%</u>
TOTAL	100.00%

\* Equivalent to .575% 2,4-Dichlorophenoxyacetic acid  
Isomer Specific by AOAC Method NO. 6.D01-5

\*\* Equivalent to .58% 2-(2-methyl-4-chlorophenoxy)  
propionic acid.

31

BEST DOCUMENT AVAILABLE

#### MINIMUM GUARANTEED ANALYSIS

Total Nitrogen (N)	25.00%
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> )	3.00%
Soluble Potash (K <sub>2</sub> O)	3.00%

Where required by state law:  
Potential Acidity 1000 lbs. Calcium Carbonate equivalent per ton.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY  
CHICAGO-HEIGHTS, ILLINOIS

228-152

ACCEPTED

JUN 11 1980

Under the Federal Insecticide,  
Fungicide and Rodenticide Act  
as amended by the pesticide  
registered under  
EPA Reg. No.

E.P.A. Establishment No. 218-11-1

E.P.A. Registration No. 228-152

Net weight 20 pounds (9.07 kg.)

TREATS 5,000 S. Ft. (150,000

31

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS (& DOMESTIC ANIMALS)**

**CAUTION**

Avoid contact with skin, eyes or clothing.  
Avoid breathing dust.  
Wash thoroughly after handling.

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, wash skin with soap and water. For eyes, flush with water for 15 minutes and get medical attention.

**ENVIRONMENTAL HAZARDS**

Keep out of rivers, streams, or ponds. Do not apply when weather is wet or rain is imminent. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE FOLLOWING CAREFULLY BEFORE APPLICATION

This product may be used on Bluegrass, Fescue, Eye, Kentucky, Rye, and Wild Lawn.

Do not use on Dickcissel, Carpet grass, and St. Augustine grasses.

DO NOT USE this product where desirable clovers are present or allow the product to "drift" on flowers, vegetables or ornamental shrubbery.

**APPLY EARLY:** Best results are obtained when weeds are growing rapidly in spring or early fall.

**HOW TO APPLY:** Use 2 1/2 lbs per acre on 5,000 square feet. Apply evenly with a lawn spreader either as the pass or as the return pass, overlapping the area at half the rate each time. Lawns that are heavily overrun by weeds and that are in poor condition, or receive more than one application of this product, may require several applications at 1 1/2 lbs per acre.

The following table gives the approximate quantities of this product to be applied to 1,000 square feet of lawn area. Do not exceed the recommended rate. Reduce rates for lawns that are heavily overgrown.

WEEDS:	RATE	AMOUNT
Bluegrass		2-1/4 - 2-3/4
Fescue		2-1/4
Eye		2-1/4 - 1
Kentucky		2-6
Rye		2-3
Wild Lawn		2-3/4

228-152

BEST DOCUMENT AVAILABLE

Do not use on Bluegrass, Fescue, Eye, Kentucky, Rye, and Wild Lawn. Do not use on Dickcissel, Carpet grass, and St. Augustine grasses. Do not use where desirable clovers are present or allow the product to "drift" on flowers, vegetables or ornamental shrubbery. Best results are obtained when weeds are growing rapidly in spring or early fall. Use 2 1/2 lbs per acre on 5,000 square feet. Apply evenly with a lawn spreader either as the pass or as the return pass, overlapping the area at half the rate each time. Lawns that are heavily overrun by weeds and that are in poor condition, or receive more than one application of this product, may require several applications at 1 1/2 lbs per acre. The following table gives the approximate quantities of this product to be applied to 1,000 square feet of lawn area. Do not exceed the recommended rate. Reduce rates for lawns that are heavily overgrown.

**DISPOSAL**

Do not use empty containers. Wash containers and put in trash collection.

Weller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when used in any manner not approved by the manufacturer.