


RIVERDALE

LAWN

WEED

KILLER

Kills Dandelions



Effective for control of dandelions,
 clover in lawn, poison ivy, poison oak.
 Contains 2,4-D for dandelions.
 Dicamba for general weed control.

ACTIVE INGREDIENTS:

Dimethylamine Salt of Dicamba (3,6-Dichloro-o-anisic Acid)*.....	2.00%
Dimethylamine Salts of related acids.....	.33%
Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid**.....	12.30%
INERT INGREDIENTS.....	85.37%
TOTAL.....	100.00%

*Equivalent to 1.66%, 3,6-Dichloro-o-anisic acid (Dicamba) or 0.145 pounds per gallon.

**Equivalent to 10.21% 2,4-Dichlorophenoxyacetic acid or 0.89 pounds per gallon.

** (Isomer specific by AOAC Method No. 6 D01-5 (12th Edition).

KEEP OUT OF
 REACH OF CHILDREN

WARNING
 See side panel for additional
 precautionary statements

EPA EST. NO. 228-iL-i
 EPA REG. NO. 228-
 Net Contents _____ Gallon

MANUFACTURED BY
 RIVERDALE CHEMICAL COMPANY
 Chicago Heights, Illinois

LAWN WEED KILLER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; for eyes flush with water for 15 minutes and get medical attention.

PRECAUTIONARY STATEMENT HAZARD TO HUMANS & DOMESTIC ANIMALS

WARNING: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARD

Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Riverdale Lawn Weed Killer contains both 2,4-D and Dicamba for effective control of a broad range of weeds infesting lawns. Do not use on centipede grass, dichondra, nor on lawns or turf where desirable bent grass or clovers are present. Newly seeded lawns may be treated after they have been mowed the second time. To reseed small areas in treated lawns, wait at least 3 weeks after spraying. A good rain or deep watering should occur during this period.

Riverdale Lawn Weed Killer is effective for the control of dandelion, chicory, clover, dock, dog fennel, English daisy, Frenchweed, knotweed erect, knotweed prostrate, ground ivy, hawkweed, heal-all, henbit, lambsquarter, mallow, morning glory, chickweed (mouse ear-common-stitchwort): mustard, oxalis, pennywort, peppergrass, pigweed, plantain, poison ivy, poison oak, Canada thistle, burdock, jimson weed, purslane, ragweed, smartweed, sheep sorrel, spotted spurge, wild aster, wild carrot, wild garlic, wild onion, wild radish, wood sorrel, and many other broadleaf weeds.

LAWN WEEDS: To kill dandelion, wild onion, pennywort, plantain, heal-all and similar weeds, use 8 ounces in 6 gallons of water and apply with sprayer or sprinkling can to 2,500 square feet of lawn. (For smaller areas use 2 teaspoonsful in 2 quarts of water applied to 100 square feet.) For larger areas use 1 gallon in 50 gallons of water to 1 acre.

Do not apply to areas underlaid by roots of desirable trees and shrubs.

To kill weeds such as thistles, bindweed, dock and ragweed, use 8 ounces in 6 gallons of water (or 2 teaspoonsful in 2 quarts of water), and apply directly to plants, wetting them thoroughly. Repeat as necessary. For larger areas use 1 gallon in 50 gallons of water.

To kill undesirable plants such as poison ivy and poison oak, use 8 teaspoonsful in 2 quarts of water or 1 gallon in 12½ gallons of water and drench plants when they are fully leaved. Repeat in about 4 weeks if necessary. Certain hard to kill weeds such as poison ivy, poison oak, English daisy may require a fall application.

IMPORTANT: Avoid drift of spray (coarse sprays are less likely to drift) on vegetables, flowers, ornamental shrubs, trees and other desirable crop plants. Do not pour solution used to clean sprayer near desirable plants.

This product is licensed under one or more of the following United States patents: 2,390,941 2,394,916 2,396,513 2,412,510 2,453,983 2,472,347 U.S. Reg. Pat. No. 23,115.

STORAGE & DISPOSAL

Do not re-use empty container. Wrap container and put in trash collection. Do not store near other pesticides or seeds.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort (23)
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-707)

Enclosures