

RIVERDALE

LAWN WEED KILLER

KILLS DANDELIONS

Effective for control of dandelions, clover in lawns, poison ivy, poison oak
Contains 2,4-D for dandelions, Dicamba for general weed control

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	12.30%
Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic Acid)**	2.00%
Dimethylamine Salts of related Acids	0.33%
INERT INGREDIENTS:	85.37%
TOTAL	100.00%

Isomer Specific AOAC Method, Equivalent to:

*2,4-Dichlorophenoxyacetic Acid	10.21%, 0.890 lbs./gal.
**3,6-dichloro-o-anisic Acid	1.66%, 0.145 lbs./gal.

KEEP OUT OR REACH OF CHILDREN

WARNING

See Side Panel For Additional Precautionary Statements
And Statement Of Practical Treatment

NET CONTENTS

EPA REG. NO. 228-170

EPA EST. NO. 228-IL-1

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

NOTIFICATION
LABEL NOT RECALLED
PER PR NOTICE

DATE JUL 6 1990

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Do not get in eyes. Causes substantial but temporary eye injury? Wear goggles
or face shield when handling concentrate. Harmful if swallowed. Avoid breathing
vapors or spray mist and contact with skin or clothing.

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES: Immediately flush eyes with fresh water for 15 minutes and get medical attention immediately.
- IF ON SKIN: Wash skin with plenty of soap and water. Get medical attention if irritation persists.
- IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate water when disposing of equipment washwaters. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

USE PRECAUTIONS

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray near these plants. Do not apply on or near desirable trees or plants or in locations where chemicals may be washed or moved in contact with their roots. Do not spray roots of desirable trees and plants. Do not spray on carpetgrass, dichondra, nor on grasses where desirable clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Avoid fine mists. Use a lawn type sprayer with a coarse spray as wind drift is less likely. Spray entire lawn, wetting weeds and lawn grasses. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F. Make new dilution for each use. Shake well before using.

Riverdale Lawn Weed Killer contains both 2,4-D and Dicamba for effective control of a broad range of weeds infesting lawns.

Riverdale Lawn Weed Killer is effective for the control of Burdock, Canada thistle, Chicory, Chickweed (mouseear: common & stitchwort), stichwort), Clover, Dandelion, Dock, Dog fennel, English daisy, Frenchweed, Ground ivy, Hawkweed, Healall, Henbit, Jimsonweed, Knotweed erect, Knotweed prostrate, Lambsquarter, Mallow, Morningglory, Mustard, Oxalis, Pennywort, Peppergrass, Pigweed, Plantain, Poison ivy, Poison oak, Purslane,

Ragweed, Sheep sorrel, Smartweed, Spotted spurge, Wild aster, Wild carrot, Wild garlic, Wild onion, Wild radish, Woodsorrel, and many other broadleaf weeds.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second (or an additional) treatment in 3-4 weeks.

LAWN WEEDS: To kill Dandelion, Wild onion, Pennywort, Plantain, Healall and similar weeds, use 8 ounces in 6 gallons of water and apply with sprayer or sprinkling can to 2,500 square feet of lawn. For smaller areas use 2 teaspoonfuls in 2 quarts of water applied to 100 square feet. For larger areas use 1 gallon in 50 gallons of water.

To kill undesirable plants such as Poison ivy and Poison oak, use 8 teaspoonfuls in 2 quarts of water or 1 gallon in 12½ gallons of water and drench plants when they are fully leaved. Repeat in about 4 weeks if necessary. Certain hard-to-kill weeds such as Poison ivy, Poison oak and English daisy may require a fall application.

STORAGE AND DISPOSAL

STORAGE: To be stored in original container and placed in an area inaccessible to children.

PRODUCT DISPOSAL: Partially filled container may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Rinse thoroughly before discarding in trash. Do not reuse empty container.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions give herewith.

