

# Riverdale

## WEDESTROY

### TRIAMINE

1064

Pm 23

228-178

#### ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxy Acetic Acid.....	16.3%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy) propionic Acid.....	16.4%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid.....	16.2%
INERT INGREDIENTS.....	51.1%
	100.0%

*2,4-dichlorophenoxyacetic acid equivalent.....	13.6%	1.3 lbs/gal.
2-(2-methyl-4-chlorophenoxy)propionic acid equivalent.....	13.6%	1.3 lbs/gal.
2-(2,4-dichlorophenoxy)propionic acid equivalent.....	13.6%	1.3 lbs/gal.
*Isomer Specific by A.O.A.C. Method		

KEEP OUT OF REACH OF CHILDREN

### DANGER

IF SWALLOWED: Get Medical Attention.

IF ON SKIN: Wash Skin with Soap and Water and Get  
Medical Attention.

IF IN EYES: Flush Eyes with Water for 15 Minutes  
and Get Medical Attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ONLY FOR SALE TO, USE AND STORAGE BY LAWCARE  
AND LANDSCAPING PERSONNEL OR COMMERCIAL  
APPLICATORS.

WEDESTROY IS A REGISTERED TRADEMARK OF  
RIVERDALE CHEMICAL COMPANY.

MANUFACTURED BY  
**RIVERDALE CHEMICAL COMPANY**  
CHICAGO HEIGHTS, ILLINOIS

E.P.A. REG. NO. 228-178

NET CONTENTS

E.P.A. EST. NO. 228-IL-1

GAL.

ACCEPTED  
AUG 2 1985  
U.S. Federal Insect  
Regulatory Index  
EPA Reg. No. 228-178

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: Corrosive, causes eye damage. Do not get in eyes, on skin, or clothing. Wear goggles or face shield and rubber gloves when handling. If eye exposure occurs, get immediate medical attention. Avoid inhalation of spray mists. Harmful or fatal if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Weedestroy Triamine may cause dermal sensitization reactions.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drifts from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DANGER!

STATEMENT OF PRACTICAL TREATMENT

- If in Eyes: Immediately flush eyes with plenty of water for 15 minutes and get medical attention at once.
- If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical help immediately.
- If on Skin: Wash promptly with soap and water and rinse thoroughly.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

## ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drifts from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DANGER!

### STATEMENT OF PRACTICAL TREATMENT

If in Eyes: Immediately flush eyes with plenty of water for 15 minutes and get medical attention at once.

If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical help immediately.

If on Skin: Wash promptly with soap and water and rinse thoroughly.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Always store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Store at temperatures above 32°F. If allowed to freeze, mix before using. This does not alter this product. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities. Plastic containers dispose also by incineration, or if allowed by State and Local authorities by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY

WEEDESTROY TRIAMINE is a stable solution containing a mixture of three phenoxy herbicides. It is non-flammable. It is for use on Lawns, Turf (not pastures) and Golf Fairways, Aprons, Tees and Roughs.

#### USE PRECAUTIONS

CARE MUST BE USED TO AVOID DRIFT OF SPRAY MISTS TO NON-TARGET susceptible plants such as cotton, vegetables, flowers, ornamentals, shrubs, trees, and other desirable plants. Do not spray near these plants. Do not spray on carpet grass, dichondra, nor on grasses where desirable clovers are present. Use a lawn type sprayer with coarse spray as wind drift is less likely. Avoid fine mists. Do not spray roots of desirable plants. Do not exceed specified application dosages for any area. Do not apply to newly seeded grasses until well established. Do not spray when air temperature is greater than 85°F. Reseed no sooner than three to four weeks after application of this product. Clean and rinse spray equipment using soap or detergent and water thoroughly before reuse for other sprays. Failure to observe the above precautions may result in injury.

#### WEEDS CONTROLLED BY WEEDESTROY TRIAMINE

Black Medic, Buckhorn, Burdock, Chickory, Chickweed, Clover, Dock, Dandelion, English Daisy, Ground Ivy, Heal-All, Knotweed, Lambsquarter, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Red Clover, Red Sorrell, Stitchwort, Speedwell, Spurge, White Clover, Wild Carrot, Wild Garlic, Wild Onion, Wild Lettuce, Yarrow and other broadleaf weeds.

#### ORNAMENTAL LAWNS AND TURF (Other than Bent Grass)

For normal application, use Weedestroy Triamine at a rate of 3 pints per acre in sufficient water for good coverage (40-80 gallons of water per acre or 1-2 gallons of water per 1000 square feet is normal). Spray when air temperature is between 50°-80°F. Avoid applying during excessively dry or hot periods unless irrigation is used. Do not irrigate within 24 hours of application. Do not use on dichondra, carpet grass, or St. Augustine. Do not mow one or two days before or after application.

#### Controlled Droplet Applicator:

Reduced rates of Weedestroy Triamine must be used when grass is stressed from heat, drought, etc. Do not use on warm season grasses. Add 2 pints Weedestroy Triamine to the herbicide container then fill with 3 pints of water, keeping container agitated. Spray entire contents over 33,000 square feet (Approx. 3/4 acre). Do not overlap between spray patterns.

## WEEDS CONTROLLED BY WEEDESTROY TRIAMINE

Black Medic, Buckhorn, Burdock, Chickory, Chickweed, Clover, Dock, Dandelion, English Daisy, Ground Ivy, Heal-All, Knotweed, Lambsquarter, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Red Clover, Red Sorrell, Stitchwort, Speedwell, Spurge, White Clover, Wild Carrot, Wild Garlic, Wild Onion, Wild Lettuce, Yarrow and other broadleaf weeds.

### ORNAMENTAL LAWNS AND TURF (Other than Bent Grass)

For normal application, use Weedestroy Triamine at a rate of 3 pints per acre in sufficient water for good coverage (40-80 gallons of water per acre or 1-2 gallons of water per 1000 square feet is normal). Spray when air temperature is between 50°-80°F. Avoid applying during excessively dry or hot periods unless irrigation is used. Do not irrigate within 24 hours of application. Do not use on dichondra, carpet grass, or St. Augustine. Do not mow one or two days before or after application.

#### Controlled Droplet Applicator:

Reduced rates of Weedestroy Triamine must be used when grass is stressed from heat, drought, etc. Do not use on warm season grasses. Add 2 pints Weedestroy Triamine to the herbicide container then fill with 3 pints of water, keeping container agitated. Spray entire contents over 33,000 square feet (Approx. 3/4 acre). Do not overlap between spray patterns.

### BENT GRASS TURF

Apply Weedestroy Triamine at a maximum rate of 1/2 ounce per 1000 square feet in spring or early fall when weeds are actively growing. Exercise care to avoid overdosing Bentgrass or injury may result. Increasing the volume of spray water to 3 gallons per 1000 square feet will help avoid localized application which may result in turf injury. Do not mow two days before or after application. Do not apply during hot or dry periods.

**BEST AVAILABLE COPY**

the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant, and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

DEPT. OF AGRICULTURE