

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

Corrosive, causes eye damage. Do not get in eyes, or skin, or clothing. Wear goggles or face shield and rubber gloves when handling. If eye exposure occurs, get immediate medical attention. Avoid inhalation or spray mists. Harmful or fatal if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Weedestroy Triamine may cause dermal sensitization reactions.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drifts from target area. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate domestic or irrigation waters.

DANGER!

STATEMENT OF PRACTICAL TREATMENT

If in Eyes: Immediately flush eyes with plenty of water for 15 minutes and get medical attention at once.

If Swallowed: Drink one or two glasses of water. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If on Skin: Wash promptly with soap and water and rinse thoroughly.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**ONLY FOR SALE TO, USE AND STORAGE BY
LAWNCARE AND LANDSCAPING PERSONNEL OR
COMMERCIAL APPLICATORS.**

**WEDESTROY IS A REGISTERED TRADEMARK
OF RIVERDALE CHEMICAL COMPANY.**

Riverdale

**WEDESTROY
TRIAMINE**

CONTAINS 2,4-D, MCPP, and 2,4-DP

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxy Acetic Acid	16.3%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy) propionic Acid	16.4%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy) propionic Acid	16.2%
INERT INGREDIENTS	51.1%
	100.0%

*2,4-dichlorophenoxyacetic acid equivalent	13.6%, 1.3 lbs/gal.
2-(2-methyl-4-chlorophenoxy) propionic acid equivalent	13.6%, 1.3 lbs/gal.
2-(2,4-dichlorophenoxy) propionic acid equivalent	13.6%, 1.3 lbs/gal.

*Isomer Specific by A.O.A.C. Method

**KEEP OUT OF REACH OF CHILDREN
DANGER**

If Swallowed: Get Medical Attention.

If On Skin: Wash Skin with Soap and Water and Get Medical Attention.

If In Eyes: Flush Eyes with Water for 15 Minutes and Get Medical Attention.

See Side Panel For Additional Precautionary Statements

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Always store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter this product. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities. Plastic containers dispose also by incineration, or if allowed by State and Local authorities by burning. If burned, stay out of smoke.

Read entire label before use

WEDESTROY TRIAMINE is a non-selective, systemic, phenoxy herbicide. It is used on pastures and Golf Fairway

CARE MUST BE USED TO avoid injury to susceptible plants such as trees, and other desirable plants on carpet grass, dichondra present. Use a lawn type sprayer. Avoid fine mists. Do not spray on windy days. Follow application dosages for any well established Do not reseed no sooner than three weeks after application. Clean and rinse spray equipment before reuse for other sprays to result in injury.

WEEDS CONTROLLED: Black Medick, Buckhorn, Burdock, English Daisy, Ground Ivy, Hairy Woodruff, Pigweed, Plantain, Red Clover, Red Sorrel, Oxalis, White Clover, Wild Carrot, and other broadleaf weeds.

ORNA

For normal application, use sufficient water for good coverage. Use 1000 sq. ft. per gallon of water per 1000 sq. ft. between 60°-80°F. Avoid application on windy days. Do not irrigate after application.

Controlled Droplet Application. Reduced rates of Weeddestroy Triamine to the keeping container agitated (Approx. 1/4 acre). Do not over apply.

Apply Weeddestroy Triamine in spring or early fall to avoid over-crowding. Benlagra: spray water to 3 gallons per acre which may result in better application. Do not apply to

Riverdale warrants that this product is as labeled. When used in accordance with its label, this herbicide is a safe method of application, weedicides, and other factors.

17-20-170 13

ACCEPTED
DEC 16 1985
EPA

228-179