

179 PM25 1065

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 228-179	DATE OF ISSUANCE NOV 21 1985
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Riverdale Triamine Weed and Feed	

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Riverdale Chemical Company  
 220 East 17th Street  
 Chicago Heights, IL 60411

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFPA sec.

3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFPA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 228-179."
- b. Change the signal word CAUTION to WARNING wherever it appears on the label and change the Hazards to Humans and Domestic Animals section to include the following statements:

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles or safety glasses.

These changes are based on reported results for the acute oral, acute dermal, primary eye and dermal irritation, and dermal sensitization studies (EPA Accession Nos. 260043 through 260047) reported for this product and review of your data (Accession No. 258479) on the concentrate Weedestroy Triamine, EPA Registration No. 228-179.

89625:Mountfort:RD-81:KENCO:11/15/85:Del.11/25/85:eg:MD  
 ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE NOV 21 1985
---------------------------------	---------------------

c. Under Storage and Disposal, revise the container disposal instructions and add pesticide disposal instructions as described in PR Notice 83-3 for products containing an active ingredient that appears on the RCRA F list (2,4-D).

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

This registration is issued relying on reported N-nitroso contamination levels below 1 part per million (EPA Accession No. 260049). For future reference, the product-specific chemistry data were assigned EPA Accession No. 260048.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *LTS*  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

Enclosure

# Riverdale

## TRIAMINE®

### WEED AND FEED 25-3-3

34-5  
**ACCEPTED**  
*with comment*  
NOV 21 1985 *LJS*  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 228-179

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

#### ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichloro- phenoxyacetic Acid.....	0.313%
**Dimethylamine Salt of 2-(2-Methyl-4- Chlorophenoxy)propionic Acid.....	0.314%
***Dimethylamine Salt of 2-(2,4-Dichlorophenoxy) propionic Acid.....	0.310%
Inert Ingredients.....	99.063%
Total	100.000%

#### EQUIVALENT TO:

- \*0.26% of 2,4-Dichlorophenoxyacetic Acid
- \*\*0.26% of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid
- \*\*\*0.26% of 2-(2,4-Dichlorophenoxy)propionic Acid

#### BY ISOMER SPECIFIC ASSAY

#### MINIMUM GUARANTEED ANALYSIS

Total Nitrogen (N).....	25.00%
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ).....	3.00%
Soluble Potash (K <sub>2</sub> O).....	3.00%

TRIAMINE® Registered Trademark of Riverdale Chemical Company

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

- IF SWALLOWED: Get Medical Attention.
- IF ON SKIN: Wash Skin with Soap and Water.
- IF IN EYES: Flush Eyes with Water for 15 Minutes and Get Medical Attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY

**RIVERDALE CHEMICAL COMPANY**  
CHICAGO HEIGHTS, ILLINOIS

EPA Reg. No. 228-179 NET WEIGHT .20 LBS/9.07 KG. EPA Est. No. 228-IL-1  
Treats 5,000 Sq.Ft. (50x100)

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when conditions favor drift from target areas.

Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Always store product in original container and in locked storage area.

CONTAINER DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse bag.

See 83-3

TRIAMINE WEED AND FEED 25-3-3 is a stab mixture of three phenoxy herbicides. It is for use on Lawns, Turf (not pastures) and Golf Fairways, Aprons, Tees and Roughs.

### DIRECTIONS

Read the entire label before using this product.

This product may be used on Blue Grass, Fescue, Rye, Bermuda, Bahia, and Zoysia Lawns. DO NOT USE on Dichondra, Carpet Grass and St. Augustine grass. DONOT USE this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

WHEN TO APPLY: Best results are obtained when weeds are growing rapidly in spring or early fall. IMPORTANT: Apply when grass is moist (after a rain, sprinkling or dew). Do not water lawn after material is applied. Watering will wash off weed killing material. For most effective broadleaf weed killing action, avoid unnecessary disturbance of treated areas for 48 hours after application. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded lawn until after 3 mowings.

HOW TO APPLY: This 20 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader either as one pass application or a two pass application, criss-crossing the area at half the rate each time. Lawns that are heavily overrun by weeds and that are in poor condition, may require more than one application of this product. A suggested second application should be made in approximately 30 days.

The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

SPREADER SETTINGS:	<u>MAKE</u>	<u>SETTING</u>
	Cyclone	5 1/4 - 5 3/4
	Scotts 35	5 1/2
	Scotts	C-1 J-1
	Central	7-8
	K-Mart	7-8
	Montgomery Wards	6 3/4

This product is designed for control of broadleaf weeds in lawns such as:

Black Medic, Buckhorn, Burdock, Chickory, Chickweed, Clover, Dock, Dandelion, English Daisy, Ground Ivy, Heal-All, Knotweed, Lambsquarter, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Red Clover, Red Sorrel, Stitchwort, Speedwell, Spurge, White Clover, Wild Carrot, Wild Garlic, Wild Onion, Wild Lettuc, Yarrow and other Broadleaf weeds.

DO NOT APPLY when grass is moist (after a rain, sprinkling or dew). Do not water lawn after material is applied. Watering will wash off weed killing material. For most effective broadleaf weed killing action, avoid unnecessary disturbance of treated areas for 48 hours after application. Do not re-seed for at least 3 to 4 weeks after application. Do not apply to newly seeded lawn until after 3 mowings.

**HOW TO APPLY:** This 20 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader either as one pass application or a two pass application, criss-crossing the area at half the rate each time. Lawns that are heavily overrun by weeds and that are in poor condition, may require more than one application of this product. A suggested second application should be made in approximately 30 days.

The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

<u>SPREADER SETTINGS:</u>	<u>MAKE</u>	<u>SETTING</u>
	Cyclone	5 1/4 - 5 3/4
	Scotts 35	5 1/2
	Scotts	C-1 J-1
	Central	7-8
	K-Mart	7-8
	Montgomery Wards	6 3/4

This product is designed for control of broadleaf weeds in lawns such as:

Black Medic, Buckhorn, Burdock, Chickory, Chickweed, Clover, Dock, Dandelion, English Daisy, Ground Ivy, Heal-All, Knotweed, Lambsquarter, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Red Clover, Red Sorrel, Stitchwort, Speedwell, Spurge, White Clover, Wild Carrot, Wild Garlic, Wild Onion, Wild Lettuc, Yarrow and other Broadleaf weeds.

**WARRANTY**

Riverdale warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant, and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (TS-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NUMBER  
228-179

DATE OF ISSUANCE

NOV 21 1985

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

TERM OF ISSUANCE  
Conditional

NAME OF PESTICIDE PRODUCT

Riverdale Triamine Weed and Feed

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Riverdale Chemical Company  
220 East 17th Street  
Chicago Heights, IL 60411

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec.

3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 228-179."

b. Change the signal word CAUTION to WARNING wherever it appears on the label and change the Hazards to Humans and Domestic Animals section to include the following statements:

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles or safety glasses.

These changes are based on reported results for the acute oral, acute dermal, primary eye and dermal irritation, and dermal sensitization studies (EPA Accession Nos. 260043 through 260047) reported for this product and review of your data (Accession No. 258479) on the concentrate Weedestroy Triamine, EPA Registration No. 228-178.



89625; Mountfort; RD-81; KENCO; 11/15/85; Del. 11/25/85; eg; MD

SIGNATURE OF APPROVING OFFICIAL

DATE

NOV 21 1985

- c. Under Storage and Disposal, revise the container disposal instructions and add pesticide disposal instructions as described in PR Notice 83-3 for products containing an active ingredient that appears on the RCRA F list (2,4-D).

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

This registration is issued relying on reported N-nitroso contamination levels below 1 part per million (EPA Accession No. 260049). For future reference, the product-specific chemistry data were assigned EPA Accession No. 260048.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *LJS*  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

Enclosure

# Riverdale

## TRIAMINE®

### WEED AND FEED 25-3-3

3065

**ACCEPTED**  
with comment  
NOV 21 1985 LJS  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 228-179

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

**ACTIVE INGREDIENTS:**

*Dimethylamine Salt of 2,4-Dichloro-phenoxyacetic Acid.....	0.313%
**Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid.....	0.314%
***Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid.....	0.310%
Inert Ingredients.....	99.063%
<b>Total</b>	<b>100.000%</b>

**EQUIVALENT TO:**

- \*0.26% of 2,4-Dichlorophenoxyacetic Acid
- \*\*0.26% of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid
- \*\*\*0.26% of 2-(2,4-Dichlorophenoxy)propionic Acid

**BY ISOMER SPECIFIC ASSAY**

**MINIMUM GUARANTEED ANALYSIS**

Total Nitrogen (N).....	25.00%
Available Phosphoric Acid (P <sub>2</sub> O.....	3.00%
Soluble Potash (K <sub>2</sub> O).....	3.00%

TRIAMINE® Registered Trademark of Riverdale Chemical Company

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

IF SWALLOWED: Get Medical Attention.

IF ON SKIN: Wash Skin with Soap and Water.

IF IN EYES: Flush Eyes with Water for 15 Minutes and Get Medical Attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY

**RIVERDALE CHEMICAL COMPANY**

**CHICAGO HEIGHTS, ILLINOIS**

EPA Reg. No. 228-179    NET WEIGHT - 20 LBS/9.07 KC.    EPA Est. No. 228-IL-1  
Treats 5,000 Sq. Ft. (50x100)

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when conditions favor drift from target areas.

Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Always store product in original container and in locked storage area.

CONTAINER DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse bag.

See 83-3

TRIAMINE WEED AND FEED 25-3-3 is a stab mixture of three phenoxy herbicides. It is for use on Lawns, Turf (not pastures) and Golf Fairways, Aprons, Tees and Roughs.

#### DIRECTIONS

Read the entire label before using this product.

This product may be used on Blue Grass, Fescue, Rye, Bermuda, Bahia, and Zoysia Lawns. DO NOT USE on Dichondra, Carpet Grass and St. Augustine grass. DONOT USE this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

WHEN TO APPLY: Best results are obtained when weeds are growing rapidly in spring or early fall. IMPORTANT: Apply when grass is moist (after a rain, sprinkling or dew). Do not water lawn after material is applied. Watering will wash off weed killing material. For most effective broadleaf weed killing action, avoid unnecessary disturbance of treated areas for 48 hours after application. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded lawn until after 3 mowings.

HOW TO APPLY: This 20 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader either as one pass application or a two pass application, criss-crossing the area at half the rate each time. Lawns that are heavily overrun by weeds and that are in poor condition, may require more than one application of this product. A suggested second application should be made in approximately 30 days.

The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

SPREADER SETTINGS:	<u>MAKE</u>	<u>SETTING</u>
	Cyclone	5 1/4 - 5 3/4
	Scotts 35	5 1/2
	Scotts	C-1 J-1
	Central	7-8
	K-Mart	7-8
	Montgomery Wards	6 3/4

This product is designed for control of broadleaf weeds in lawns such as:

Black Medic, Buckhorn, Burdock, Chickory, Chickweed, Clover, Dock, Dandelion, English Daisy, Ground Ivy, Heal-All, Knotweed, Lambsquarter, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Red Clover, Red Sorrel, Stitchwort, Speedwell, Spurge, White Clover, Wild Carrot, Wild Garlic, Wild Onion, Wild Lettuc, Yarrow and other Broadleaf weeds.



280-180 PM23 1065

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide,          and Rodenticide Act, as amended)</i>	EPA REGISTRATION NO. 228-180	DATE OF ISSUANCE NOV 21 1985
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Riverdale Three-Way Weed and Feed	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Riverdale Chemical Company  
 220 East 17th Street  
 Chicago Heights, IL 60411

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 228-180."
  - b. Change the signal word CAUTION to WARNING wherever it appears on the label and change the Hazards to Humans and Domestic Animals section to include the following statements:

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles or safety glasses.

These changes are based on reported results for the acute oral, acute dermal, primary eye and dermal irritation, and dermal sensitization studies (EPA Accession Nos. 260043 through 260047) reported for this product and review of your data (Accession No. 258479) on the concentrate Weedestroy Triamine, EPA Registration No. 228-178.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL \_\_\_\_\_ DATE NOV 21 1985

- c. Under Storage and Disposal, revise the container disposal instructions and add pesticide disposal instructions as described in PR Notice 83-3 for products containing an active ingredient that appears on the RCRA F list (2,4-D).
- d. In the active ingredient statement for MCPP, change ". . .2(2-. . ." to ". . .2-(2 . . ."
- e. In the first line under GENERAL INFORMATION, change 5-3-2 to 12-1-1 consistent with the front page fertilizer analysis.

This registration is issued relying on reported N-nitroso contamination levels below 1 part per million (EPA Accession No. 260049). For future reference, the product specific chemistry data were assigned EPA Accession No. 260050.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *LTS*  
 Product Manager (23)  
 Fungicide-Herbicide Branch  
 Registration Division (TS-767C)

Enclosure

# Riverdale

## 3 WAY

### WEED AND FEED

**ACCEPTED**  
*with comments*  
 NOV 21 1985 *LTS*  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act  
 as amended  
 registered under  
 EPA Reg. No. 228-180

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

**ACTIVE INGREDIENTS:**

*Dimethylamine Salt of 2,4-Dichloro-phenoxycetic Acid.....	0.156%
**Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid.....	0.157%
***Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid.....	0.155%
Inert Ingredients.....	99.532%
<b>Total</b>	<b>100.000%</b>

**EQUIVALENT TO:**

- \*0.13% of 2,4-Dichlorophenoxyacetic Acid
- \*\*0.13% of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid
- \*\*\*0.13% of 2-(2,4-Dichlorophenoxy)propionic Acid

BY ISOMER SPECIFIC ASSAY

**MINIMUM GUARANTEED ANALYSIS**

Total Nitrogen (N).....	12.50%
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ).....	1.50%
Soluble Potash (K <sub>2</sub> O).....	1.50%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

- IF SWALLOWED: Get Medical Attention.
- IF ON SKIN: Wash Skin with Soap and Water.
- IF IN EYES: Flush Eyes with Water for 15 Minutes and Get Medical Attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



EPA Reg. No. 228-

NET WEIGHT : 20 LBS/9.07 KG.

Treats 2500 Sq. Ft. (25x100)

EPA Reg. No. 228-180

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when conditions favor drift from target areas.

Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Always store product in original container and in locked storage area.

CONTAINER DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse bag.

*See 8/3/74*

*See 6/21/74 F. K. T.*

3.- WAY WEED AN FEED (5-3-2) is a stable mixture of three phenoxy herbicides. It is for use on Lawns, Turf (not pastures) and Golf Fairways, Aprons, Tees and Roughs.

### DIRECTIONS

Read the entire label before using this product.

This product may be used on Blue Grass, Fescue, Rye, Bermuda, Bahia, and Zoysia Lawns. DO NOT USE on Dichondra, Carpet Grass and St. Augustine grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

WHEN TO APPLY: Best results are obtained when weeds are growing rapidly in spring or early fall. IMPORTANT: Apply when grass is moist (after a rain, sprinkling or dew). Do not water lawn after material is applied. Watering will wash off weed killing material. For most effective broadleaf weed killing action, avoid unnecessary disturbance of treated areas for 48 hours after application. Do not re-seed for at least 3 to 4 weeks after application. Do not apply to newly seeded lawn until after 3 mowings.

HOW TO APPLY: This 20 pound bag should be used on 2500 square feet. Apply evenly with a lawn spreader either as one pass application or a two pass application, criss-crossing the area at half the rate each time. Lawns that are heavily overrun by weeds and that are in poor condition, may require more than one application of this product. A suggested second application should be made in approximately 30 days.

The following settings are approximate for applying contents of this package at a suggested rate of 8 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

SPREADER SETTINGS:	MAKE	SETTING
	Cyclone	6-7
	Scotts 35	5 1/2
	Scotts	C-2 J-2
	Central	7-8
	K-Mart	7-8
	Montgomery Wards	7-8
	Sears Broadcast	6-7

This product is designed for control of broadleaf weeds in lawns such as:

Black Medic, Buckhorn, Burdock, Chickory, Chickweed, Clover, Dock, Dandelion, English Daisy, Ground Ivy, Heal-All, Knotweed, Lambsquarter, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Red Clover, Red Sorrel, Stitchwort, Speedwell, Spurge, White Clover, Wild Carrot, Wild Garlic, Wild Onion, Wild Lettuc, Yarrow and other Broadleaf weeds.