Reg # 228-180 Car

RIVERDALE

@ PM-23 15

3-WAY WEED AND FEED

WITH TRIAMINETM

X - X - X

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

Weeds contacted by this product gradually die and disappear from the lawn.

Treats (or covers) 2,500 Sq. Ft. (50' x 50')	DATE		
ACTIVE INGREDIENTS: +		o 15	/ 1
Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid* Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid			
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid***.			
INERT INGREDIENTS:			
ISOMER SPECIFIC AOAC METHOD NO. 6.321, EQUIVALENT TO:			
* 2,4-Dichlorophenoxyacetic Acid			
** 2-(2-Methyl-4-Chlorophenoxy)propionic Acid* *** 2-(2,4-Dichlorophenoxy)propionic Acid	0.13%		
2-(2,4-Dichiorophenoxy)propionic Acid	0.13%		
GUARANTEED ANALYSIS: °			
Total Nitrogen (N)	• • • • • • •	. X%	
Available Phosphoric Acid (P ₂ 0 ₅)	• • • • • • •	. XX	
Soluble Potash (K ₂ 0)	• • • • • • •	. X%	
Primary Plant Foods derived from Ammonium Phosphate, Sulfur	Coated		
Urea, Urea, Triple Super Phosphate, and Muriate of Potash.			

The urea nitrogen in this product has been coated to provide XX coated slow release urea nitrogen.

 ${}^{+}\text{TRIAMINE}^{\text{TM}}$ - Trademark of Riverdale Chemical Company

Patent Pending

KEEP OUT OF REACH OF CHILDREN

Chlorine (C1) Maximum 2.5%

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
AND STATEMENT OF PRACTICAL TREATMENT

NET WEIGHT 20 LBS.

EPA REG. NO. 228-180

EPA EST. NO. 228-IL-1

Revised A/O 3/9/93

er englis

((

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid inhalation of dust and contact with eyes, skin, or clothing. Wear long pants, long-sleeved shirt, socks and shoes when applying this product. After using this product remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. The maximum number of broadcast applications per treatment is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Get Medical Attention.

IF IN EYES: Flush Eyes with Water for 15 Minutes. Get medical attention.

IF ON SKIN: Wash skin with Soap and Water.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

3-WAY WEED AND FEED WITH TRIAMINE is a stable mixture of three herbicides. It is for use on Lawns, Ornamental Turf, Parks, also Golf Fairways, Aprons, Tees and Roughs.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

.

This product is designed to promote lush green growth and control many broadleaf weeds in lawns; such as:

Alders, Artichoke, Aster, Austrian fieldcress, Beggarticks, Biden, Bindweed, Bitterweed, Bitter winter cress, Black medic, Blessed thistle, Blue lettuce, Box elder, Broomweed, Buckhorn, Bull thistle, Burdock, Bur ragweed, Buttercup, Canada thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common sowthistle, Creeping jenny, Croton, Curly indigo, Dandelion, Dock, Dogbane, Dogfennel, Elderberry, English daisy, Flea bane (daisy), Flixweed, Florida pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hawkweed, Healall, Heartloaf drymary, Hemp, Henbit, Hoary cress, Honeysuckle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk thistle, Mustard, Nettle, Nutgrass, Orange hawkweed, Oxalis, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Primrose, Puncture vine, Purslane, Ragweed, Red clover, Red sorrel, Rush, Russian thistle, St. Johnswort, Sheep sorrel, Shepherdspurse, Smartweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflower, Sweet clover, Tarweed, Thistle, Toadflax, Tumbleweed, Velvet leaf, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow rocket and other broadleaf weeds.

WHEN TO APPLY: Best results are obtained when weeds are growing actively in Spring or early Fall. Apply when grass is moist (after a rain, sprinkling or dew). For most effective broadleaf weed killing action, avoid unnecessary disturbances, including watering, of treated areas for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours following treatment. Avoid contact with desirable shrubs, plants, vegetables, or flowers. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY: This 20 pound bag should be used on 2500 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is equal to one application.

The following settings are approximate for applying contents of this package at a suggested rate of 8 pounds per 1000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 sq. ft. and adjust to apply at the rate of 2 lb per 250 sq. ft. Clean spreader thoroughly after use.

Pag	U	Ŋ	5
		y	

SPREADER SETTINGS		
ONE PASS APPLICATION:°	MAKE	<u>SETTING</u>
	Cyclone	6 - 7
	Scott's 35	5-1/2
	Scott's C-1	J - L
	Central	7 - 8
	K-Mart	7 - 8
	Montgomery Ward's	
	(1091,1093,1095)	6-3/4
	Sears Broadcast	6 - 7

Sweep all fertilizer materials from concrete surfaces immediately after application. Do not wash material from concrete surfaces because fertilizers which contain iron may cause discoloration upon oxidation.

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near other feed or foodstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides or seeds.

PRODUCT DISPOSAL: To dispose of bag which contains unused product, securely wrap original container in several layers of newspaper and discard in trash.


CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

(ERP 061594) (PR933 042194)

The following note will not be part of the actual label copy.

*NOTE: Guaranteed (fertilizer) Analysis and Spreader Settings will vary among various commercial fertilizer manufacturers.



ase read instructions on reverse before completing form. OMB No. 2070-0060. Approval expires 11-30-93 Form Approved United States Environmental Protection Agency OPP Identifier Number Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 165898 **Application for Pesticide:** Other Section I 2. EPA Product Manager 3. Proposed Classification 1. Company/Product Number 228-180 Joanne I. Miller None Restricted FM# 4. Company/Product (Name) Riverdale 3-Way Weed and Feed with Triamine TM 23 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling RIVERDALE CHEMICAL COMPANY 425 West 194th Street Glenwood, IL 60425-1584 EPA Reg. No. Check if this is a new address **Product Name** Section I I Final printed tabels in response to Amendment - Explain below Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below Explanation: Use additional page(s) if necessary. (For section I and Section II.) To comply with PR Notice 93-3 Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging Type of Container Yes Me*: Yes' Yes **Plastic** No Glass No Paper If "Yes." If "Yes." No. per No. per Other (Specify) Unit Package wgt. container Package wgt, container Certification must be submitted. 5. Location of Label Directions 3. Location of Net Contents Information Size(s) of Retail Container On Label Container On Labeling accompanying product 6. Manner In Which Label Is Affixed To Product Lithograph Other (Paper glued Stenciled Section IV ed, if necessary, to process this application) 1. Contact Point (Complete items directly below for identification of individual to be con Name Telephone No. (Include Area Code) Russell F. Sawyer Regulatory Affairs Manager **₹ 708/754-3330** Certification **Date Application** Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2 Signature Regulatory Affairs Manager

Russell F. Sawyer

Date