

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	EPA REGISTRATION NO. 228-181	DATE OF ISSUANCE OCT 25 1985
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Riverdale Triamine Lawn Weed Killer	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

 Riverdale Chemical Co.
 220 East 17th Street
 Chicago Heights, IL 60411

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 228-181."
- b. Change the signal word DANGER to WARNING wherever it occurs on the label and make the following changes under HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

Delete - Corrosive to eyes and causes eye damage. Substitute the statement - Causes substantial but temporary eye injury. Add - This product may cause dermal sensitization reactions. Expand the practical treatment for swallowing to read exactly as given on approved text under Registration No. 228-178.

These changes are based on review of your data (Accession No. 258479) on the concentrate Weedstroy Triamine, Registration No. 228-178, and reported results for the acute dermal, eye irritation, and skin sensitization studies reported for this product (Accession No. 259762).

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE OCT 25 1985
---------------------------------	----------------------------

- c. Under ENVIRONMENTAL HAZARDS, change - Keep out of lakes, streams or ponds - to read - Do not apply directly to water.
- d. Under lawn weeds, stipulate . . . pump sprayer

Refer to 40 CFR 162.16 for the proper format for certification that the packaging for this product meets CRP requirements [162.16(h)(1) and (2)(1)(ii)].

3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *Rfm*
 Product Manager (23)
 Fungicide-Herbicide Branch
 Registration Division (TS-767)

Enclosure

RIVERDALE
TRIAMINE (R)

LAWN WEED KILLER

(A SELECTIVE WEED KILLER)

ACCEPTED
with comment
OCT 25 1985
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. **228-181**

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid.....	4.55%
Dimethylamine Salt of 2-(2-Methyl-4-chlorophenoxy) Propionic Acid.....	4.58%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy) Propionic Acid.....	4.53%
INERT INGREDIENTS.....	<u>86.34%</u>
TOTAL.....	100.00%

*Equivalent to 3.8% 2,4-Dichlorophenoxyacetic Acid or 0.33 lbs./Gallon.

**Equivalent to 3.8% 2-(2-Methyl-4-chlorophenoxy) Propionic Acid or 0.33 lbs./Gallon.

***Equivalent to 3.8% 2-(2,4-Dichlorophenoxy) Propionic Acid or .33 lbs./Gallon.

*** Isomer Specific AOAC Method.

KEEP OUT OF REACH OF CHILDREN
DANGER

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY
CHICAGO HEIGHTS, ILLINOIS

E.P.A. REG. NO. 228-181 E.P.A. EST. NO. 208-IL-1 NET CONTENTS GALS.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

~~DANGER~~ WARNING
substantial but temporary eye injury

Corrosive to eyes. Causes ~~eye damage~~. Do not get in eyes. Wear goggles or face shield when handling concentrate. Harmful if swallowed. ~~Avoid contact with skin or clothing.~~ Avoid breathing vapors or spray mist. In case of eye contact, immediately flush eyes with fresh water for 15 minutes and get medical attention immediately. In case of skin contact, wash skin with plenty of soap and water. Get medical attention if irritation persists. If swallowed, promptly drink a large quantity of water and induce vomiting.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Riverdale Triamine Lawn Weed Killer is effective for the control of dandelion, chicory, clover, dock, dog fennel, English daisy, Frenchweed, knotweed erect, knotweed prostrate, ground ivy, hawkweed, healall, henbit, lambsquarter, mallow, morning glory, chickweed (mouse ear-common-stitchwort), mustard, oxalis, pennywort, peppergrass, pigweed, plantain, poison ivy, poison oak, Canada thistle, burdock, jimson weed, purslane, ragweed, smartweed, sheep sorrel, spotted spurge, wild aster, wild carrot, wild garlic, wild onion, wild radish, wood sorrel, and many other broadleaf weeds.

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not reseed for 3 to 4 weeks after use.

If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn, wetting weeds and lawn grasses; do not overspray. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85°F within 24 hours following application. Make new dilution for each use.

NEWLY SEEDED LAWNS may be treated after they have been mowed at least 3 times. BENT, BERMUDA, RED FESCUE, CENTIPEDE AND CARPET GRASSES: Use one-half recommended rate (2 teaspoonfuls of this product per gal. water; covers 200 square feet). Temporary injury may occur. Make 2 applications 10 days apart. Do not apply to Dichondra, Lippia, St. Augustine and Clover lawns.

LAWN WEEDS: To kill dandelion, wild onion, pennywort, plantain, heal-all and similar weeds, use 8 ounces in 6 gallons of water and apply with sprayer or sprinkling can to 2,500 square feet of lawn. (For smaller areas use 2 teaspoonfuls in 2 quarts of water applied to 100 square feet.) For larger areas use 1 gallon in 50 gallons of water to 1 acre.

To kill weeds such as thistles, bindweed, dock and ragweed, use 8 ounces in 6 gallons of water (or 2 teaspoonfuls in 2 quarts of water), and apply directly to plants, wetting them thoroughly. Repeat as necessary. For larger areas use 1 gallon in 50 gallons of water.

To kill undesirable plants such as poison ivy and poison oak, use 8 teaspoonfuls in 2 quarts of water or 1 gallon in 12½ gallons of water and drench plants when they are fully leaved. Repeat in about 4 weeks if necessary. Certain hard-to-kill weeds such as poison ivy, poison oak and English daisy may require a fall applicaton.

- ✓ **IMPORTANT:** Avoid drift of spray (Coarse sprays are less likely to drift) on vegetables, flowers, ornamental shrubs, trees and other desirable crop plants. Do not pour solution used to clean sprayer near desirable plants.

STORAGE AND DISPOSAL

- ✓ **STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Do not store near feed, foodstuff, fertilizers, seeds, insecticides or fungicides. Store in a cool, dry, locked storage area. Do not store diluted spray.
- ✓ **DISPOSAL: PRODUCT** - Partially filled can may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.
- ✓ **DISPOSAL: CONTAINER** - Do not reuse empty can. Rinse thoroughly before discarding in trash.

NOTICE

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.