

228-183 10F1
Pm 23

Riverdale

TRIAMINE™

SPOT WEED KILLER

READY TO USE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION
 Harmful if absorbed through skin. If on skin, wash with plenty of soap and water.
ENVIRONMENTAL HAZARDS
 Do not apply directly to water.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
 READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

- WEEDS CONTROLLED**
- | | |
|-------------------|---------------|
| Black Medic | Pig Weed |
| Buckhorn | Plantain |
| Buttercup | Poison Ivy |
| Canada Thistle | Poison Oak |
| Carpet Weeds | Purslane |
| Chickweed | Rag Weed |
| Chicory | Red Clover |
| Clover | Red Sorrel |
| Cocklebur | Sheep Sorrel |
| Dandelion | Speedwell |
| Dog Fennel | Spurge |
| English Daisy | Spur Weed |
| Florida Pursley | Stitchwort |
| Frenchweed | Toadflax |
| Ground Ivy | Veronica* |
| Heal-All | Wild Aster |
| Heartleaf Drymary | Wild Carrot |
| Henbit | Wild Garlic |
| Jimson Weed | Wild Geranium |
| Knotweed | Wild Lettuce |
| Lambsquarter | Wild Onion |
| Mallow | Wild Radish |
| Morning Glory | Wood Sorrel |
| Mustard | Yarrow |
| Oxalis | and other |
| Pennywort | broadleaf |
| Pepperweed | weeds. |

*Requires 2 applications 10 days apart.

CONTROLS DANDELIONS, CLOVER, CHICKWEED AND MANY OTHER LISTED WEEDS ON LAWNS AND ORNAMENTAL TURF

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	326%
Dimethylamine Salt of 2-(2-Methyl-4-chlorophenoxy) Propionic Acid**	328%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy) Propionic Acid***	324%
INERT INGREDIENTS:	99.022%
TOTAL:	100.000%

By Isomer Specific AOAC Method, Equivalent to:
 *2,4-Dichlorophenoxyacetic Acid 27% .023 lbs/Gallon
 **2-(2-Methyl-4-chlorophenoxy) Propionic Acid 27% .023 lbs/Gallon
 ***2-(2,4-Dichlorophenoxy) Propionic Acid 27% .023 lbs/Gallon

ACCEPTED
 AUG 11 1986
 U.S. Federal Inspection Service
 EPA Reg. No. 228-1830

TRIAMINE IS A TRADE MARK OF RIVERDALE CHEMICAL COMPANY
 Patent Applied For

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 228-183 E.P.A. EST. NO. 228-IL-1
 NET CONTENTS 32 FL. OZ. (1 QT.)

MANUFACTURED BY
RIVERDALE CHEMICAL COMPANY
 CHICAGO HEIGHTS, ILLINOIS 60411

IMPORTANT: Do not use this product for controlling weeds vegetable gardens, flower beds or around shrubs or ornamental plants. Do not apply to Dichondra, Lippia, St. Augustine or Clover lawns. Do not apply when temperatures are expected to exceed 85°F, or if rain is expected to occur within 24 hours following application.
 Weeds in newly seeded lawn may be sprayed after lawn has been mowed 3 times.

HOW TO USE: Trigger Spray - Adjust spray nozzle to give coarse spray. Aim at center of weed and spray to wet. Applicator Cap - Hold applicator end about 6 inches from surface to be treated and thoroughly wet. To obtain wider coverage raise container. One application should be sufficient. Effect begins to show after a few days and weeds gradually die. Repeat application may be required in 3-4 weeks for hard to control weeds.

TO PREPARE REFILL: Add 1 Tablespoon Riverdale Triamine Lawn Week Killer to this empty quart container. Then add 3 oz. tap water and use according to directions in this label.

STORAGE AND DISPOSAL
STORAGE: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.
PESTICIDE DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.
CONTAINER DISPOSAL: Do not reuse empty container except as specified in directions to prepare refill. Discard empty container in trash.

NOTICE: Buyer assumes all risks of use, storage and handling this product not in strict accordance with directions given herewith.