		7 7 9	
Please read instructions on reverse before completing form.	Form Approved. OMB No. 20	070-0060. Approval expires 2-28-95	
United States Environmental Protection Age Washington, DC 20460	Registrat Amendm x Other		
Application for Pesticide - Section I			
1. Company/Product Number 228-183	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification	
4. Company/Product (Name)	x None Restricted		
Riverdale Triamine Spot Weed Killer	PM# 23		
5. Name and Address of Applicant (Include ZIP Code)	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)		
Riverdale Chemical Company	(b)(i), my product is similar or identical in composition and labeling		
425 West 194th Street	to:		
Glenwood, Illinois 60425-1584	EPA Reg. No.		
Check if this is a new address	Product Name		
Section - II			
Amendment - Explain below.	Final printed labels in response to		
Resubmission in response to Agency latter dated	Agency letter dated		
X Notification - Explain below.	Other - Explain below.		
Explanation: Use additional page(s) if necessary. (For section I and Section II.)			
Adding alternate instructions for "Pump-n-Shoot" Spray Bottle			
Section - III			
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging Unit Packaging Water	Soluble Packaging 2. Type of 0	Container	
Yes* Yes	Yes	Metal	
No No	No -	Plastic Glass	
* Certification must If "Yes" No. per If "Yes" No. per Reskering wat container Resker	s" No. per	Paper	
Unit Packaging wgt. container Packa	ge wgt container	Other (Specify)	
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions			
Cn Label			
Label Container		ng accompanying product	
6. Manner in Which Label is Affixed to Product Lithograph Other Stenciled			
Section - IV			
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this applycation.) Name Title Telephone No. tihčiude Area Code)			
1	ulatory Affairs Manager	Telephone No. 1860 (1994) 708/1/54-3330	
	areary intuitio name of	****	
Certification Certification		' I = '	
I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped)			
both under applicable law.			
2. Signature 3. Title			
Reg	ulatory Affairs Manager	• • • • • • • • • • • • • • • • • • • •	
4. Typed Name 5. Date		• • • •	
Russell F. Sawyer September 18, 1995		•••	

RIVERDALE

TRIAMINE™

SPOT WEED KILLER

READY TO USE

CONTROLS DANDELIONS, CLOVER, CHICKWEED AND MANY OTHER LISTED WEEDS ON LAWNS AND ORNAMENTAL TURF

ACTIVE INGREDIENTS: † Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	328% 324% <u>99.022%</u>
Isomer Specific AOAC Method No. 6.321, Equivalent to: *2,4-Dichlorophenoxyacetic Acid	23 lbs/Gallon
TRIAMINE IS A TRADEMARK OF RIVERDALE CHEMICAL COMPANY	atent Pending

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS
AND STATEMENT OF PRACTICAL TREATMENT

NET CONTENTS 32 FL. OZ. (1 QT.)

EPA REG. NO. 228-183

Turk of the

EPA EST. NO. 228-IL-1

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

3 7 4 Page 2

(Left Side Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid inhalation of spray mist and contact with eyes or clothing. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, wash nondisposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pet on treatment area during application. Do not enter treatment areas until spray has dried.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists. IF ON SKIN: Wash skin with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwater on the ground; spray or drain over a large area away from wells and other water sources and desirable plants. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

USE PRECAUTIONS

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Avoid fine mists. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F. Shake well before using.

WEEDS CONTROLLED BY TRIAMINE SPOT WEED KILLER

Alders, Artichoke, Aster, Austrian fieldcress, Beggarticks, Biden, Bindweed, Bitterweed, Bitter winter, cress, Black medic, Blessed thistle, Blue lettuce, Box elder, Broomweed, Buckhorn; Bull thistle, Burdock, Bur ragweed, Buttercup, Canada thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common sowthistle, Creeping jenny, Croton, Curly indigo, Bandelion, Dock, Doghane, Dogfennel, Elderberry, English daisy, Flea bane (daisy), Flixweed, Florida pusley, Frenchweed, Galinsoga, Goatsbeard, Goldercd, Ground ivy, Gumweed, Hawkweed, Healall, Heartloaf drymary, Bemp, Henbit, Hoark, cress, Honeysuckle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotwebd, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk'chistle, Mustard, Nettle, Nutgrass, Orange hawkweed, Oxalis, Parsnip, Pennycress, Fennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Primrose, Puncture vine, Purslane Ragweed, Red clover, Red sorrel, Rush, Russian thistle, St. Johnswort, Sheep sorrel, Shepherdspurse, Smartweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflow-

er, Sweet clover, Tarweed, Thistle, Toadflax, Tumbleweed, Velvet leaf, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow rocket, and other broadleaf weeds.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. One application should be sufficient. Some hard-to-control broadleaf weeds may require a second (or an additional) treatment in 3 to 4 weeks.

HOW TO USE: Trigger Spray - Adjust spray nozzle to give coarse spray. Aim at center of weed and spray to wet. Applicator Cap - Hold applicator end about 6 inches from surface to be treated and thoroughly wet. To obtain wider coverage raise container.

TO PREPARE REFILL: Add 3 teaspoons (1/2 oz.) Riverdale Triamine Lawn Weed Killer to this empty quart container. Then add 30 oz. tap water and use according to directions in this label.

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash. **CONTAINER DISPOSAL:** Do not reuse empty container except as specified in directions to prepare refill. Discard empty container in trash

NOTICE: Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith. (ERP 06.594)(PR938 042194/RV 091895)

ALTERNATE INSTRUCTIONS FOR "PUMP-n-SHOOT" SPRAY BOTTLE

Shake before using. Remove cap and fill spray bottle with Lawn Spot Weed Control to within about one inch of the top of the bottle. Replace the cap. Pump the bottle 4 or 5 times by alternately pulling the cap up and pushing it down. Once the spray bottle is pumped up, follow label instructions for application directions. Spray water through the sprayer after each use. The sprayer should be rinsed thoroughly and pumped empty for storage.