


000228-00183-102698

Printed: 13:12:52 Wednesday, 16 Jun, 1999 # 35 / 3277

Systems Integration Group, Inc.

4.Company/Product(Name) Riverdale Triamine Spot Weed Killer	PM# 23
5. Name and Address of Applicant (Include ZIP Code) Riverdale Chemical Company 425 West 194th Street Glenwood, IL 60425-1584	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.
Check if this is a new address	Product Name
Section - II	
X Amendment - Explain below.	Final printed labels in response to Agency letter dated
Resubmission in response to Agency letter dated	"Me Too" Application. OCT 2.6 1998
Notification - Explain below.  Other - Explain below.	
Explanation: Use additional page(s) if necessary. (For section I and Section II.)	
We added optional CLI format language. We also added marketing hyperind made "kills" an uptim for Controls".	
Section - III	
1. Material This Product Will Be Packaged In:	
Yes Yes No If "Yes" No. per If "Yes"	Yes No es" No, per age wgt container  2. Type of Container  Metal Plastic Glass Paper Other (Specify)
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Lebel Directions On Label On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product Lithograph Other	
Section - IV	
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)	
Name	Telephone No. (Include Area Code)
	ulatory Affairs Manager 708/754-3330
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  6. Date Application Received  (Stamped)	
2. Signature 3. Title	
Regu	latory Affairs Manager
4. Typed Name 5. Date	·:·
Russell F. Sawyer Oc	tober 7, 1998
EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete. White - EPA File Copy (original) Yellow - Applicant Copy	

Revised 10/07/98 Added optional CLI format language. Also added marketing hype and made "kills" an option to "controls".



(Left Side Panel)

## PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Avoid inhalation of spray mist and contact with eyes or clothing. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, wash nondisposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pet on treatment area during application. Do not enter treatment areas until spray has dried.

## STATEMENT OF PRACTICAL TREATMENT

## ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwater on the ground; spray or drain over a large area away from wells and other water sources and desirable plants. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

# USE PRECAUTIONS

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Avoid fine mists. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F. Shake well before using.

# WEEDS CONTROLLED (OR KILLED) BY TRIAMINE SPOT WEED KILLER

Alders, Artichoke, Aster, Austrian fieldcress, Beggarticks, Biden, Bindweed, Bitterweed, Bitter winter cress, Black medic, Blessed thistle, Blue lettuce, Box elder, Broomweed, Buckhorn, Bullithistle, Burdock, Bur ragweed, Buttercup, Canada thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common sowthistle, Greeping jenny, Croton, Curly indigo, Dandelion, Dock, Dogbane, Dogfennel, Elderberry, English daisy, Flea bane (daisy), Flixweed, Florida pusley, Frenchweed, Galinsoga, Goatsbeard, Goldensod, Ground ivy, Gumweed, Hawkweed, Healall, Heartloaf drymary, Hemp, Henbit, Harry Cress, Hoheysuckle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglogy, Musk thistle, Mustard, Nettle, Nutgrass, Orange hawkweed, Oxalis, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Primrose, Puncture vine, Purslane, Ragweed, Red clover, Red sorrel, Rush, Russian thistle, St. Johnswort, Sheep sorrel, Shepherdspurse, Smartweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflow-

er, Sweet clover, Tarweed, Thistle, Toadflax, Tumbleweed, Velvet leaf, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow rocket, and other broadleaf weeds.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. One application should be sufficient. Some hard-to-control(or kill) broadleaf weeds may require a second (or an additional) treatment in 3 to 4 weeks.

HOW TO USE: Trigger Spray - Adjust spray nozzle to give coarse spray. Aim at center of weed and spray to wet. Applicator Cap - Hold applicator end about 6 inches from surface to be treated and thoroughly wet. To obtain wider coverage raise container.

TO PREPARE REFILL: Add 3 teaspoons (1/2 oz.) Riverdale Triamine Lawn Weed Killer to this empty quart container. Then add 30 oz. tap water and use according to directions in this label.

#### STORAGE AND DISPOSAL

**STORAGE:** Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

**PESTICIDE DISPOSAL:** Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash. **CONTAINER DISPOSAL:** Do not reuse empty container except as specified in directions to prepare refill. Discard empty container in trash.

NOTICE: Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith. (ERP 061594)(PR938 042194/RV 100798)

ALTERNATE INSTRUCTIONS FOR "PUMP & SHOOT" SPRAY BOTTLE

Shake before using. Remove cap and fill Pump & Shoot spray bottle with product to within about one inch of top. Replace sprayer cap. Pump the spray cap slowly 8 to 10 times by alternately pulling the cap up and pushing it down. Once the spray bottle is pumped up, follow label instructions for application directions. Once pumpted up, the spray bottle will shoot, a straight stream up to 20 feet. Spray water through the sprayer after each use. The sprayer should be rinsed thoroughly and pumped empty for storage.

Optional CLI languaget:

Dimethylamine Salt of 2,4-D\* Dimethylamine Salt of Mecoprop\*\* Dimethylamine Salt of Dichlorprop\*\*\*

\*2,4-D Acid \*\*Mecoprop Acid

\*\*\*Dichlorprop Acid

First Aid

† Note: Some states may still require the full chemical name(s).

Optional Marketing Hype:

KILLS 140+ WEED TYPES STARTS WORKING OVERNIGHT Kills weeds, not the lawn Kills roots

