(FRONT PANEL)

165 m 23

RIVERDALE

SWEET SIXTEEN

WEED AND FEED

WITH TRIAMINE (TM)

TACCEPTED'

TREATS 5,000 SQ. FEET (50' x 100\\

A

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION.

		-		
ACTIVE INGREDIENTS	:			
Pimethylamine Sa	lt of 2,4-Dichlor	:o		
phenexvacetic	Acid*		0 .	.425%
Dimethylamine Sa	1t of 2-(2-Methy)	-4-		
Chlorophenovy	Interioric Acid*	·	0	.428%
Dimathulamina Sa	lt of 2-(2,4-Dich	loronhenovy)		
propionio Act	16 01 2 (2,4 bic)			. 4232
THEOR INCOCRIENT	· c		98	7249
INEKI INGKEDIENI		TOTAI	$\overline{100}$	0002
		TOTAL		. 000 %
BY ISOMER SPECIF	IC ASSAY, EQUIVAL	LENT TO:		
	-Dichlorophenoxya			
		ophenoxy)propionio	Acid	
		oxy)propionic Acid		
	•	,,,		
GUARANTEED ANALY				
Total Nitrogen	(N)		25	%
1.0% Ammoniac				
24.0% Urea Nit	rogen			
Available Phos	horic Acid (PaOr	)	3 <sup>1</sup>	%
Soluble Potash	$(K_n 0) \dots X_n $	)		%
•	2			
Primary Plan	nt Foods derived	from Ammonium		
Phosphate, S	Sulfur Coated Ure	a, Urea, Triple S	uper Phosphate,	
and Muriate	of Potash			
Chlorine (Cl	l) Maximum		2 . 5	%
The urea nit	rogen in this pr	oduct has been coa	ated to provide	
6.8% coated	slow release ure	a nitrogen.		
	1		1	: '
TRIAMINE	TRADEMARK OF	RIVERDALE CHEMICA	AL COMPANY .	****
		Patent Applied Fo	or	* *
				****

٠.٠

### KEEP OUT OF REACH OF CHILDREN

# CAUTION

IF SWALLOWED:

Get Medical Attention

IF IN EYES:

Flush Eyes with Water for 15 Minutes

Get Medical Attention

IF ON SKIN:

Wash Skin with Soap and Water

SEE REAR PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 228-

EPA EST, NO. 228-IL 1

RIVERDALE CHEMICAL COMPANY CHICAGO HEIGHTS, ILLINOIS 60411

NET WEIGHT - 16 LBS.

J. 1

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash throughly after handling.

## ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when conditions favor drift from target areas.

#### GENERAL INFORMATION

SWEET SIXTEEN WEED AND FEED is a stable mixture of three phenoxy herbicides. Weeds contacted by this product gradually die, and disappear from the lawn. It is for use on Lawns, Turf (not pastures) and Golf Fairways, Aprons, Tees and Roughs. This product is a remarkably e' ective lawn fertilizer which combines both fast and long-lasting feeding action plus effective weed control.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL before using this product.

This product may be used on Blue Grass, Fescue, Rye, Bermuda, Bahia, and Zoysia Lawns. DO NOT USE on Dichondra, Carpet Grass and St. Augustine grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product was designed for control of broadleaf weeds in lawns such as: Black Medic, Buckhorn, Burdock, Chicory, Chickweed, Clover, Dock, Dandelion, English Daisy, Ground Ivy, Heal-All, Knotweed, Lambsquarter, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Putsquare, Ragweed, Red Ciover, Red Sorrell, Stitchwort, Speedwell, Spurge, White Clove, Wild Carrot, Wild Garlic, Wild onion, Wild Lettuce, Yarrow and other Broadleaf weeds.

WHEN TO APPLY: Best results are obtained when weeds are growing rapide ly in spring or early fall. IMPORTANT: Apply when grass is moist after a rain, sprinkling or dew). For most effective broadleaf weed in killing action, avoid unnecessary disturbance, including watering, of it treated areas for 48 hours after application. Watering will wash off

ر. د.

weed killing material. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings.

HOW TO APPLY: This 16 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader either as one pass application or a two pass application, criss-crossing the area at half the rate each time. Lawns that are heavily overrun by weeds and that are in poor condition may require more than one application of this product. A suggested second application should be made in approximately 30 days.

The following settings are approximate for applying contents of this package at a suggested rate of 3.2 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

#### SPREADER SETTINGS

MAKE	SETTING	MAKE	SETTING
Central Calibrated Cyclone Broadcast	5 3 3/4	Sears Broadcast Sears	3
Jackson	5	Scotts Calibrated	4

The above spreader settings are approximate. Check your spreader on 250 square feet and adjust to apply at the rate of .8 lbs. per 250 square feet. Clean spreader thoroughly after use.

# STOR \_ AND DISPOSAL

STORAGE: Always store product in original container and in locked storage area. Do not contaminate other pesticides, fertilizers, seeds, water, food or feed by storage or disposal.

PRODUCT DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary land. . . fill or by incineration, or, if allowed by State and local authorities, by buring. If burned, stay our of smoke.

535

Alternate Statement (below) for Residential Use Only (ie, No claims stated for golf courses, etc.)

## STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in an area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.

WARRANTY: Riverdale warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant, and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

7 7 45 15

. .