


RIVERDALE

ROSE & FLORAL SPRAY

A Wettable Powder

To Kill Certain Insects and Mites



ACTIVE INGREDIENTS:

Malathion: 0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate ..... 5.0Z  
 Methoxychlor: 1,1,1-trichloro-2, 2-bis(p-methoxyphenyl) ethane ..... 10.0Z

INERT INGREDIENTS: ..... 85.0Z  
 TOTAL ..... 100.0Z

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS 16 oz. (1 lb.)

EPA REG. NO. 228-188

EPA EST. NO. 228-IL-1

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May irritate eyes, throat and skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Remove and wash contaminated clothing before re-use.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center. Drink 1 or 2 glasses

of water and induce vomiting. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**IF ON SKIN:** Wash with plenty of soap and water.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Do not apply this product through any type of irrigation system.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply if bees are visiting the treatment area. Do not apply when weather conditions favor drift from treated areas.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL before using.

RIVERDALE ROSE & FLORAL SPRAY controls  
Aphids, Mites, Thrips, Japanese Beetles, and Rose Chafer

**FOR DUST APPLICATION:** Dust lightly using container to obtain thorough coverage of foliage.

**FOR SPRAY APPLICATION:**

**ROSES:** Mix 2 level tablespoonfuls per pint of water (16 Tbs. per gallon). Begin application as soon as leaf growth begins and every 7 to 20 days until foliage drops. Spray promptly after every rain regardless of the length of time since your previous application.

**FLOWERS:** Carnations, Cahlia, Gladioli, Snapdragons and Zinnias

Mix 2 level tablespoonfuls per pint of water (16 Tbs. per gallon). Spray every 7 to 20 days during growing season.

**NOTE:** Do not use on Boston, Maidenhair or Pteris Ferns, as well as species of Crassula. Do not apply to Petunias.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in original container and place in a cool, dry location in an area inaccessible to children. Keep container tightly sealed when not in use. Avoid contamination of feed and foodstuffs.

**PESTICIDE DISPOSAL:** Partially filled containers may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse container. Discard container in trash.

#### NOTICE

Riverdale Chemical Company warrant that this product conforms to the chemical description on this label. Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.