

(Front Panel)

RIVERDALE
TRIAMINETM LIQUID

WEED AND FEED

READY-TO-USE

FOR USE WITH A HOSE-END SPRAYER ON GRASS
AND ORNAMENTAL TURF
NO MIXING

TREATS (COVERS) 5,000 to 7,500 SQ. FT.
(Read directions for different grasses.)

CONTAINS 2,4-D, MECOPROP, DICHLORPROP AND A 15-0-0 FERTILIZER

ACTIVE INGREDIENTS:⁺

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid* 3.26%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid** 3.28%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid*** 3.22%

INERT INGREDIENTS: 90.24%
TOTAL 100.00%

Isomer Specific by AOAC Method

*2,4-Dichlorophenoxyacetic Acid equivalent 2.7%, .26 lbs/gal.
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid equivalent 2.7%, .26 lbs/gal.
***2,4-Dichlorophenoxypropionic Acid equivalent 2.7%, .26 lbs/gal.

GUARANTEED ANALYSIS:^o

Total Nitrogen (N) 15%
15% Urea Nitrogen

⁺ TRIAMINE IS A TRADEMARK OF RIVERDALE CHEMICAL COMPANY

Patent Pending

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE AND BACK PANELS
FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 228-189
NET CONTENTS 1 QT. (32 FL. OZ.)

MANUFACTURED BY
RIVERDALE CHEMICAL COMPANY
GLENWOOD, IL 60425-1584

EPA Est. No. 228-IL-1
NET WEIGHT 2.3 LBS.

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Wash thoroughly with soap and water after handling.

IF SWALLOWED: Get medical attention.
 IF IN EYES: Immediately flush eyes with plenty of water.
 IF ON SKIN: Wash with plenty of soap and water.
 If irritation develops, get medical attention.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from target areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABELING. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

5,000 Sq. Ft. Coverage (N) for Bahia, Bermuda, Blue Grass, Fescue, Rye and Zoysia Grasses.

7,500 Sq. Ft. Coverage (S) for (spring and fall application only) St. Augustine, Centipede and Bent Grasses. Some temporary injury may occur with these grasses.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed this product will supplement your regular fertilizer program by providing *(No. of lbs.) pounds of nitrogen per 1,000 square feet (optional P_2O_5 and K_2O levels) and Triamine™ to control listed weeds. Please contact your local extension office for questions regarding a regular fertilizer program.

*Based on Inert fertilizer claimed.

IMPORTANT: Do not exceed recommended rate because damage to lawn may occur. Do not apply to Dichondra, Lippia and Clover lawns. Do not use this product for controlling weeds in vegetable gardens and flower beds or around shrubs and ornamental plants.

WEEDS CONTROLLED

Black Medic
 Buckhorn
 Buttercup
 Canada Thistle
 Carpetweed
 Chickweed
 Chicory
 Clover
 Cocklebur
 Dandelion

Jimsonweed
 Knotweed
 Lambsquarters
 Mallow
 Morningglory
 Mustard
 Oxalis
 Pennywort
 Pepperweed
 Pigweed

Red Sorrel
 Sheep Sorrel
 Speedwell
 Spurge
 Spurweed
 Stitchwort
 Toadflax
 Wild aster
 Wild carrot
 Wild garlic

Dogfennel
English daisy
Florida pusley
Frenchweed
Ground ivy
Healall
Heartloaf drymary
Henbit

Plantain
Poison ivy
Poison oak
Purslane
Ragweed
Red clover

Wild geranium
Wild lettuce
Wild onion
Wild radish
Wood sorrel
Yarrow, and other
broadleaf weeds.

WHEN TO USE: Spray anytime during the growing season when weeds are actively growing (except as noted for St. Augustine, Centipede and Bent Grasses). If lawn is extremely dry, water 1 to 2 days before spraying. Do not apply when temperatures are expected to exceed 85°F., or if rain is expected to occur within 24 hours following application. On new lawns wait until grass has reached a height of 2 inches before spraying. Also wait 3 weeks before putting in new grass seed or stolons.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 3-4 weeks.

(HOSE-END SPRAYER INSTRUCTIONS)

HOW TO APPLY: Use any hose-end sprayer that is designed for use on lawns and makes a minimum of 15 gallons of finished spray. Such sprayers are Ortho's Orthomatic Lawn Sprayer, Ortho's and Black Leaf's Lawn Sprayers (dilution ratio of 60 to 1). The following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

SPECIAL NOTE: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 32 oz. per 5,000 or 7,500 sq. ft. The entire contents of this bottle must be used to make the proper recommended application rate.

Determine area to be sprayed. Apply at a rate of 32 oz. (1 quart) per 5,000 sq. ft. or 500 sq. ft. for spring and fall application on St. Augustine, Centipede or Bent Grasses. Fill sprayer jar with appropriate amount of this product. Do not dilute this product with water when filling sprayer jar. The water will automatically mix with this product during spraying. Attach sprayer to garden hose while holding sprayer at waist level. Point in direction away from face and body. Walk back and forth at a steady pace. Overlap slightly for uniform coverage. Do not exceed recommended rate because damage to lawn may occur.

(DISPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS)

HOW TO APPLY: Shake well before applying. Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. Turn on the water at the tap. Place finger over hole on right side of nozzle and the Liquid Weed and Feed will mix automatically at the proper ratio. Point in direction away from face and body. Walk back and forth at steady pace. Overlap slightly for uniform coverage. Do not water fertilized lawn for at least 24 hours.

Marks on left side panel of bottle indicate square feet covered.

COVERAGE MEASURING GUIDE

(Not to scale)

1000 Sq. Ft.

1875 Sq. Ft.

2000 Sq. Ft.

3750 Sq. Ft.

3000 Sq. Ft.

6525 Sq. Ft.


4000 Sq. Ft.

5000 Sq. Ft.

(N)

7500 Sq. Ft.

(S)



STORAGE: Keep from freezing. To be stored in original container and placed in a locked area inaccessible to children. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.


CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

NOTICE

Seller warrants that this product conforms to the ingredient statement of the label. Since the conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, seller makes no claims other than those stated on this label.

The following note will not be part of the actual label copy.

*Note: Guaranteed (fertilizer) Analysis will vary among various commercial fertilizer manufacturers.



(Master Label - Draft Copy)

(Additional and/or alternate copy for Melnor Industries)

No Cleaning
Non-Burning Fertilizer

High Nitrogen
Quick Greening

STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED: Get medical attention. IF IN EYES: Immediately flush eyes thoroughly with water. IF ON SKIN: Wash thoroughly with soap and water. IF IRRITATION DEVELOPS: Get medical attention.

SHAKE WELL BEFORE APPLYING. When spraying, point sprayer in a direction away from face and body. Slowly walk back and forth at a steady pace. Overlap slightly for uniform coverage. Do not exceed recommended rate because damage to lawn may occur. Do not water fertilized lawn for at least 24 hours. When used as directed, this product will supply .13 pounds of Nitrogen per 1,000 square feet on Setting 1 and .09 pounds on Setting 2. To apply 1 pound of Nitrogen per 1,000 square feet, wait at least 24 hours and supplement with another Melnor product, Spray Guard Fertilizer 20-2-3. This fertilizer product will supply .25 pounds of Nitrogen per 1,000 square feet on setting 1 and .15 pounds on Setting 2. Using Spray Guard Fertilizer, make four applications with Setting 1 or six applications with Setting 2. March through September. Or, apply as often as recommended by your local Extension Office to maintain color, density, growth.

SEE HANG TAG FOR SPRAYER DIRECTIONS.
APPLICATIONS: SELECT SETTING W, 1 OR 2 AS INDICATED. PRODUCES UP TO 22 1/2 GALLONS OF SPRAY.
SETTING W - WATER ONLY (NO CHEMICAL)
SETTING 1 - NORTHERN GRASSES SUCH AS: BAHIA, BLUEGRASS, FESCUE, RYE, ZOYSIA. 32 fl. oz. will treat 5,000 sq. ft. **IMPORTANT:** Do not use this setting for those grasses covered by setting 2.

SETTING 2 - SOUTHERN GRASSES SUCH AS: BENT, BERMOUDA, CARPET, CENTIPEDE, ST. AUGUSTINE: For Spring and Fall applications only. 32 fl. oz. will treat 7,500 sq. ft. Some temporary injury may occur with these grasses.



STORAGE: TURN TO SETTING W. Keep from freezing. To be stored in original container and placed in a cool, locked area inaccessible to children. Do not store near food or foodstuffs. **PESTICIDE DISPOSAL:** TURN TO SETTING W. Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash. **CONTAINER DISPOSAL:** TURN TO SETTING W. Do not reuse container. Discard in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in strict compliance with directions and instructions for use.

--- H A N G T A G ---

HOW TO USE YOUR MELNOR SPRAY GUARD™

See "APPLICATIONS" Section to select spray setting W, 1 or 2. Then follow EACH STEP (1 through 6)

1 TO SPRAY  Connect sprayer tightly to hose.	2  Point BLACK arrow to "OFF" line. Turn water on at faucet.	3 IMPORTANT:  HOLD dark green release button UP and TURN BOTTLE until button is IN NOTCH over 1 or 2
4  Point BLACK arrow to "ON" line to spray	5 TO STOP SPRAYING:  Point BLACK arrow to "OFF" line.	6 IMPORTANT:  TURN BOTTLE until release button is back over W and "CLICKS" into locked position

1. WATER ONLY WILL BE SPRAYED WHEN DARK GREEN RELEASE BUTTON IS DIRECTLY OVER W AND BLACK ARROW POINTS TO "ON" LINE.
2. FOR STORAGE OR DISPOSAL - TURN WATER OFF AT FAUCET. POINT BLACK ARROW TO "ON" LINE TO RELEASE PRESSURE. DISCONNECT HOSE.
3. FOR YOUR PROTECTION: TOP CANNOT BE REMOVED.

EASY TO USE—JUST CONNECT HOSE, TURN ON WATER, SPRAY

- NO ASSEMBLY
- NO CHEMICAL HANDLING
- NO MIXING
- NO MEASURING
- NO CLEAN-UP, NO MESS
- PERMANENT PROTECTIVE TOP
- SWIVEL NUT
- 3 SETTINGS
- BUILT-IN SHUT OFF
- MORE THOROUGH COVERAGE

Melnor SPRAY GUARD™