

PM 23 228-189 1/4
ACCOUNTED
FEB 9 1990

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if absorbed through skin. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Get medical attention.

IF IN EYES: Immediately flush eyes with plenty of water.

IF ON SKIN: Wash with plenty of soap and water. If irritation develops, get medical attention.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from target areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABELING. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

5,000 Sq. Ft. Coverage for (N-Northern or Cool Season grasses) Blue Grass, Fescue, and Rye Grasses

7,500 Sq. Ft. Coverage for (S-Southern or Warm Season grasses) (spring and fall application only) Bahia, Common Bermuda, St. Augustine, Centipede, Zoysia and Bent Grasses. Some temporary injury may occur with these grasses.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed this product will supplement your regular fertilizer program by providing ^{*}(No. of lbs.) pounds of nitrogen per 1,000 square feet (optional P_2O_5 and K_2O levels) and Triamine™ to control listed weeds. Please contact your local extension office for questions regarding a regular fertilizer program.

^{*}Based on Inert fertilizer claimed

IMPORTANT: Do not exceed recommended rate because damage to lawn may occur. Do not apply to Dichondra, Lippia and Clover lawns. Do not use this product for controlling weeds in vegetable gardens and flower beds or around shrubs or ornamental plants.

WEEDS CONTROLLED Black Medic, Buckhorn, Buttercup, Canada Thistle, Carpetweed, Chickweed, Chicory, Clover, Cockspur, Dandelion, Dogfennel, English daisy, Florida pusley, French-

Riverdale

**TRIAMINE™ LIQUID
WEED AND FEED**

**READY-TO-USE
FOR USE WITH A HOSE-END SPRAYER ON GRASS
AND ORNAMENTAL TURF
NO MIXING**

**JUST CONNECT HOSE, TURN ON WATER, AND SPRAY
TREATS (COVERS) 5,000 to 7,500 SQ. FT.
(Read directions for different grasses.)
CONTAINS 2,4-D, MECOPROP, DICHLORPROP AND
A 15-0-0 FERTILIZER**

ACTIVE INGREDIENTS:¹

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	3.26%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid**	3.28%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid***	3.22%

INERT INGREDIENTS:	90.24%
TOTAL	100.00%

Isomer Specific AOAC Method, Equivalent to:

*2,4-Dichlorophenoxyacetic Acid	2.7%, .26 lbs/gal.
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid	2.7%, .26 lbs/gal.
***2-(2,4-Dichlorophenoxy)propionic Acid	2.7%, .26 lbs/gal.

GUARANTEED ANALYSIS:^o

Total Nitrogen (N)	15%
15% Urea Nitrogen	

¹TRIAMINE IS A TRADEMARK OF RIVERDALE CHEMICAL COMPANY Patent Pending

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**SEE SIDE AND BACK PANELS
FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

**EPA REG. NO. 228-189
NET CONTENTS 1 QT. (32 FL. OZ.)**

**EPA EST. NO. 228-IL-1
NET WEIGHT 2.3 LBS.**

**MANUFACTURED BY
RIVERDALE CHEMICAL COMPANY
GLENWOOD, ILLINOIS 60425-1584**

DIRECTIONS FOR USE (continued)

weed, Ground ivy, Healall, Heartleaf drymary, Henbit, Jimsonweed, Knotweed, Lambsquarters, Mallow, Morningglory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison Ivy, Poison oak, Purslane, Ragweed, Red clover, Red Sorrel, Sheep Sorrel, Speedwell, Spurge, Sparweed, Stitchwort, Toadflax, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wood sorrel, Yarrow, and other broad-leaf weeds.

WHEN TO USE: Spray anytime during the growing season when weeds are actively growing (except as noted for S-Southern or Warm Season grasses). If lawn is extremely dry, water 1 to 2 days before spraying. Do not apply when temperatures exceed 85° F., or if rain is expected to occur within 48 hours following application. On new lawns wait until grass has reached a height of 2 inches before spraying. Also wait 3 weeks before putting in new grass seed or stolons.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 3-4 weeks.

(HOSE-END SPRAYER INSTRUCTIONS)

HOW TO APPLY: Use any hose-end sprayer that is designed for use on lawns and makes a minimum of 15 gallons of finished spray. Such sprayers are Ortho's Orthomatic Lawn Sprayer, Ortho's and Black Leaf's Lawn Sprayers (dilution ratio of 60 to 1). The following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

SPECIAL NOTE: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 32 oz. per 5,000 or 7,500 sq. ft. Shake well before applying. The entire contents of this bottle must be used to make the proper recommended application rate.

Determine area to be sprayed. Apply at a rate of 32 oz. (1 quart) per 5,000 sq. ft. or 7,500 sq. ft. for spring and fall application on S-Southern or Warm Season grasses. Fill sprayer jar with appropriate amount of this product. Do not dilute this product with water when filling sprayer jar. The water will automatically mix with this product during spraying. Attach sprayer to garden hose while holding sprayer at waist level. When spraying point in direction away from face and body. Walk back and forth at a steady pace. Overlap slightly for uniform coverage. Do not exceed recommended rate because damage to lawn may occur.

(DISPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS)

HOW TO APPLY: Shake well before applying. Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. Turn on the water at the tap. Place finger over hole on right side of nozzle and the Liquid Weed and Feed will mix automatically at the proper ratio. When spraying point in direction away from face and body. Walk back and forth at a steady pace. Overlap slightly for uniform coverage. Do not water fertilized lawn for at least 48 hours.

Marks on left side panel of bottle indicate square feet covered.

COVERAGE MEASURING GUIDE (Not to scale)

1000 Sq. Ft.	1875 Sq. Ft.
2000 Sq. Ft.	3750 Sq. Ft.
3000 Sq. Ft.	6525 Sq. Ft.
4000 Sq. Ft.	
5000 Sq. Ft. (N)	7500 Sq. Ft. (S)


STORAGE: Keep from freezing. To be stored in original container and placed in a locked area inaccessible to children. Do not store near food or feedstuffs.

PESTICIDE DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

NOTICE

Seller warrants that this product conforms to the ingredient statement of the label. Since the conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, seller makes no claims other than those stated on this label.



The following note will not be part of the actual label copy.

*Note: Guaranteed (fertilizer) Analysis will vary among various commercial fertilizer manufacturers.



314

MELNOR INDUSTRIES SPRAYER INSTRUCTIONS

-28 FLUID OZS. Model No. 3260

PATENTED CONTAINER

-24

-20

-16

-12

-8

-4

SHAKE WELL BEFORE APPLYING. When spraying, point sprayer in a direction away from face and body. Walk back and forth at a steady pace. Overlap slightly for uniform coverage. Do not exceed recommended rate because damage to lawn may occur. Do not water fertilized lawn for at least 48 hours. When used as directed, this product will supply .13 pounds of Nitrogen per 1,000 sq. ft. on Setting 1 and .08 pounds on Setting 2. To apply additional fertilizer, wait at least 48 hours and supplement with another Melnor product. Spray Guard Instant Lawn Fertilizer 28-2-3. Or, contact your local Extension Office for questions regarding a regular fertilizer program.

SEE ATTACHMENT ON BOTTLE FOR SPRAYER DIRECTIONS.

APPLICATIONS: SELECT SETTING W, 1 OR 2 AS INDICATED.

PRODUCES UP TO 22 1/2 GALLONS OF SPRAY.

SETTING W - WATER ONLY (NO CHEMICAL)

SETTING 1 - NORTHERN GRASSES SUCH AS: BLUEGRASS, FESCUE, RYE: 32 fl. oz. will treat 5,000 sq. ft. IMPORTANT: Do not use this Setting for those grasses covered by Setting 2.

SETTING 2 - SOUTHERN GRASSES SUCH AS BAHIA, BENT, CARPET, CENTIPEDE, COMMON BERMAUDA, ST. AUGUSTINE, ZOYSIA: For Spring and Fall applications only. 32 fl. oz. will treat 7,500 sq. ft. Some temporary injury may occur with these grasses.

STORAGE: TURN TO SETTING W. Keep from freezing. To be stored in original container and placed in a cool, locked area inaccessible to children. Do not store near feed or foodstuff.

PESTICIDE DISPOSAL: TURN TO SETTING W. Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

CONTAINER DISPOSAL: TURN TO SETTING W. Do not reuse container. Discard in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in strict compliance with directions and instructions for use.



SPRAY GUARD®

MONEY BACK GUARANTEE

SEE DETAILS ON BACK

• SIMPLE • EASY • FAST

PERMANENT, PROTECTIVE TOP

NO MIXING MEASURING CLEAN-UP

HOW TO USE YOUR MELNOR® SPRAY GUARD®

See "APPLICATIONS" W, 1 or 2. Then follow EACH STEP (1 through 6)

1 TO SPRAY:  Connect sprayer tightly to hose.	2  Point BLACK arrow to "OFF" line. Turn water on at faucet.	3 IMPORTANT:  HOLD dark green release button UP and TURN BOTTLE until button is IN NOTCH over 1 or 2
4  Point BLACK arrow to "ON" line to spray.	5 TO STOP SPRAYING:  Point BLACK arrow to "OFF" line.	6 IMPORTANT:  TURN BOTTLE until release button is back over W and "CLICKS" into locked position


a. WATER ONLY WILL BE SPRAYED WHEN DARK GREEN RELEASE BUTTON IS DIRECTLY OVER W AND BLACK ARROW POINTS TO "ON" LINE.
b. FOR STORAGE OR DISPOSAL—TURN WATER OFF AT FAUCET. POINT BLACK ARROW TO "ON" LINE TO RELEASE PRESSURE. DISCONNECT HOSE.
c. FOR YOUR PROTECTION, TOP CANNOT BE REMOVED.

MONEY-BACK GUARANTEE


No assembly, mixing, measuring, or clean-up within 60 days of purchase. If you are not thoroughly convinced that Spray Guard® is the simplest, easiest, and latest way to apply liquid garden and lawn products, your purchase price will be promptly refunded. For refund, please return your original sales receipt along with this model number found on the back left corner of the label to Melnor Industries, Inc., Department BC, One Carol Place, Manasquan, New Jersey 07074. (Please, no dealers, no multiple refunds).

Dexel Industries
Sprayer Instructions


UAP SPRAYER INSTRUCTIONS




ASSEMBLY INSTRUCTIONS: 1. Attach siphonage tube to hose end sprayer attachment. 2. Remove cap from bottle and insert sprayer attachment. 3. Securely tighten sprayer attachment on bottle. 4. Screw hose into nut on hose-end sprayer attachment.



SPRAYING INSTRUCTIONS: 1. Turn on water. **TO START FLOW OF PRODUCT:** Place finger over hole on top right side of sprayer attachment. Hold about 3 feet above area to be treated moving at a steady pace to ensure consistent coverage. One quart covers up to 5,000 sq. ft. 2. **TO STOP FLOW OF PRODUCT:** Remove finger from hose to break siphon action. **NOTE:** To ensure adequate coverage, use moderate to high water pressure when applying through hose-end sprayer attachment.




Connect spray nozzle to hose. Rubber washer should be checked for proper position. Determine area to be treated. For example, 200 sq. ft. = an area measuring 10 ft. x 20 ft. When applying, check area being treated against measuring guide on side panel. Spray pattern can be limited without discharging product by not placing finger over hole on right side of nozzle.




Remove bottle cap and screw bottle into nozzle (lower bottle cap for storage after use). Check siphon tube for proper position. Do not squeeze bottle while attaching nozzle, or during application as contents may discharge.

To store unused product: Turn off water supply at tap. Remove bottle from sprayer and replace original bottle cap. Remove nozzle from hose and rinse in clear water.



Hold sprayer attached to hose in one hand and turn on the water at the tap. Clear water will discharge when water is turned on at tap. Let clear water run until all air is discharged from hose. When ready to treat, place finger over hole on right side of nozzle and this product will mix automatically at the proper rate. To stop flow of product, remove finger from hole to break siphon action.



While holding sprayer at waist level, point in direction away from face and body. Walk back and forth at a brisk, steady pace. Overlap slightly for uniform coverage. Marks on right side panel indicate square foot coverage. For certain areas of lawn, it may be more convenient to stand still and direct spray across treated area in a broad sweeping motion.

Read and follow directions and precautions for each E-Z Flo product.

Do not interchange nozzles from one E-Z Flo product to another.

NOTE:

Read and follow directions and precautions for each E-Z Flo product.

Do not interchange nozzles from one E-Z Flo product to another.

E-Z Flo is a T.M. of United Agri Products, Inc.