

(FRONT PANEL)

1553

ACCEPTED  
DEC 2 1986  
EPA  
228-189

RIVERDALE  
TRIAMINE™  
JET-SPRAY  
SPOT WEED KILLER  
READY TO USE

CONTROLS DANDELIONS, CLOVER, CHICKWEED AND  
MANY OTHER LISTED WEEDS ON LAWNS AND  
ORNAMENTAL TURF

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*.....	.326%
Dimethylamine Salt of 2-(2-Methyl-4-chlorophenoxy) Propionic Acid**.....	.328%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy) Propionic Acid***.....	.324%
INERT INGREDIENTS:.....	99.022%
TOTAL:.....	100.000%

By Isomer Specific AOAC Method, Equivalent to:

*2,4-Dichlorophenoxyacetic Acid.....	.27%, .023 lbs/Gallon
**2-(2-Methyl-4-chlorophenoxy) Proprionic Acid....	.27%, .023 lbs/Gallon
***2-(2,4-Dichlorophenoxy) Proprionic Acid.....	.27%, .023 lbs/Gallon

TRIAMINE IS A TRADE MARK OF RIVERDALE CHEMICAL COMPANY  
Patent Applied For

KEEP OUT OF REACH OF CHILDREN  
CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 228-ROB

NET WEIGHT 1 lb. 7 oz.

E.P.A. EST. NO. 33934-IL-1

MANUFACTURED BY  
RIVERDALE CHEMICAL COMPANY  
CHICAGO HEIGHTS, ILLINOIS 60411

(Left Side Panel)

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. If on skin, wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

WEEDS CONTROLLED

Black Medic	Pepperweed
Buckhorn	Pig Weed
Buttercup	Plantain
Canada Thistle	Poison Ivy
Carpet Weeds	Poison Oak
Chickweed	Purslane
Chicory	Rag Weed
Clover	Red Clover
Cocklebur	Red Sorrel
Dandelion	Sheep Sorrel
Dog Fennel	Speedwell
English Daisy	Spurge
Florida Pursley	Spur Weed
Frenchweed	Stitchwort
Ground Ivy	Toadflax
Heal-All	Veronica*
Heartloaf Drymary	Wild Aster
Henbit	Wild Carrot
Jimson Weed	Wild Garlic
Knotweed	Wild Geranium
Lambsquarter	Wild Lettuce
Mallow	Wild Onion
Morning Glory	Wild Radish
Mustard	Wood Sorrel
Oxalis	Yarrow
Pennywort	and other broad leaf weeds

\*Requires 2 applications 10 days apart.

This product contains a foam which marks the spot where the weed killer has been applied.

DIRECTIONS

1. Shake can just before using and occasionally during use.
2. Invert can, hold at arm's length, and point can at weed as you press button. Do not press button when can is in upright position.
3. Stand close to weed (1 to 2 feet) with can aimed at weed and away from face.
4. Push down briefly on button. Spray to cover center of weed, do not over-spray. The spray's foaming action will make it easy for you to see coverage.
5. One application will kill most weeds listed. If certain tough weeds are not dead within 3 weeks, repeat application.

IMPORTANT: Do not use this product for controlling weeds in vegetable gardens, flower beds or around shrubs or ornamental plants. Do not apply to Dichondra, Lippia, St. Augustine and Clover lawns. Do not apply when temperatures are expected to exceed 85°F, or if rain is expected to occur within 24 hours following application.

Weeds in newly seeded lawn may be sprayed after lawn has been mowed 3 times.

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. To be stored in original container and placed in an area inaccessible to children. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

CONTAINER DISPOSAL: Do not incinerate or puncture. Replace cap and discard container in trash.

NOTICE: Buyer assumes all risks of use, storage and handling this product not in strict accordance with directions given herewith.