

10F1
Pm 221
228-190

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**
CAUTION
Harmful if swallowed or absorbed through skin. If on skin, wash with plenty of soap and water.
ENVIRONMENTAL HAZARDS
Do not apply directly to water or wetlands.
PHYSICAL OR CHEMICAL HAZARDS
Contents under pressure. Exposure to temperatures above 130°F may cause bursting.

Riverdale

TRIAMINE™ JET-SPRAY SPOT WEED KILLER

READY TO USE

CONTROLS DANDELIONS, CLOVER, CHICKWEED AND MANY OTHER LISTED WEEDS ON LAWNS AND ORNAMENTAL TURF

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS.

WEEDS CONTROLLED

Black medic	Pigweed
Buckhorn	Plantain
Buttercup	Poison ivy
Canada thistle	Poison oak
Carpetweed	Purslane
Chickweed	Ragweed
Chicory	Red clover
Clover	Red sorrel
Cocklebur	Sheep sorrel
Dandelion	Speedwell
Dogfennel	Spurge
English daisy	Spurweed
Florida pusley	Stitchwort
Frenchweed	Toadflax
Ground ivy	Veronica*
Healall	Wild aster
Heartloaf drymary	Wild carrot
Henbit	Wild garlic
Jimsonweed	Wild geranium
Knotweed	Wild lettuce
Lambsquarters	Wild onion
Mallow	Wild radish
Morningglory	Woodsorrel
Mustard	Yarrow
Oxalis	and other
Pennywort	broadleaf
Pepperweed	weeds

* Requires 2 applications 10 days apart.
This product contains a foam which marks the spot where the weed killer has been applied

DIRECTIONS FOR USE (Continued)

1. Shake can just before using and occasionally during use.
2. Invert can, hold at arm's length, and point can at weed as you press button. Do not press button when can is in upright position.
3. Stand close to weed (1 to 2 feet) with can aimed at weed and away from face.
4. Push down briefly on button. Spray to cover center of weed, do not over-spray. The spray's foaming action will make it easy for you to see coverage.
5. One application will kill most weeds listed. If certain tough weeds are not dead within 3 weeks, repeat application.

IMPORTANT: Do not use this product for controlling weeds in vegetable gardens, flower beds nor around shrubs and ornamental plants where roots are exposed. Do not apply to Dichondra, Lippia, and Clover lawns. Do not apply when temperatures exceed 90°F, or if rain is expected to occur within 48 hours following application.

Weeds in newly seeded lawn may be sprayed after lawn has been mowed 3 times.

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*326%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid**328%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid***324%
INERT INGREDIENTS:	99.022%
TOTAL	100.000%

Isomer Specific AOAC Method, Equivalent to:
 * 2,4-Dichlorophenoxyacetic Acid 27%, .023 lbs./gal.
 ** 2-(2-Methyl-4-Chlorophenoxy)propionic Acid 27%, .023 lbs./gal.
 *** 2-(2,4-Dichlorophenoxy)propionic Acid 27%, .023 lbs./gal.
 Triamine is a trademark of Riverdale Chemical Company Patent Pending

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT 1 LB. 7 OZ.

EPA REG. NO. 228-190 EPA EST. NO. 33994-IL-2

**MANUFACTURED BY
RIVERDALE CHEMICAL COMPANY
GLENWOOD, ILLINOIS 60425-1584**

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. To be stored in original container and placed in an area inaccessible to children. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

CONTAINER DISPOSAL: Do not incinerate or puncture. Replace cap and discard container in trash.

NOTICE: Buyer assumes all risks of use, storage and handling this product not in strict accordance with directions given herewith.

**NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-6
DATE: APR 21 1991**