AFTER

(Ext.00 6017)

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS** AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. If on skin, wash with planty of soap and water. **ENVIRONMENTAL HAZARDS**

Do not apply directly to water or wetlands. PHYSICAL OR CHEMICAL HAZARDS Contents under pressure. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATE-MENTS AND DIRECTIONS.

WEEDS CONTROLLED

MECAS COMINGERED	
Black medic	Pigweed
Buckhorn	Plantain
Buttercup	Poison ivy
Canada thistle	Poison oak
Carpetweed	Purslane
Chickweed	Ragweed
Chicory	Red clover
Clover	Red sorrel
Cocklebur	Sheep sorrel
Dandelion	Speedwell
Dogfennel	Spurge
English daisy	Spurweed
Florida pusley	Stitchwort
Frenchweed	Toadflax
Ground Ivy	Veronica*
Healall	Wild aster
Heartloaf drymary	Wild carrot
Henbit	Wild gartic
Jimsonweed	Wild geranium
Knotweed	Wild lettuce
Lambsquarters	Wild onion
Mallow	Wild radish
Morningglory	Woodsorrel
Mustard	Yarrow
Oxalis	and other
	broadleaf
Pennywort Pennerused	usade

Requires 2 applications 10 days apart.

This product contains a foam which marks the / spot where the weed killer has been applied.

iverdale

TRIAMINE **JET-SPRAY** SPOT WEED KILLER

READY TO USE

CONTROLS DANDELIONS, CLOVER, CHICKWEED AND MANY OTHER LISTED WEEDS ON LAWNS AND ORNAMENTAL TURF

ACTIVE INGREDIENTS:	
Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	.326%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)	
propionic Acid**	.328%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)	
propionic Acid***	.324%
INERT INGREDIENTS:	
TOTAL	100.000% 1
learner Creeife AGAC Method Equivalent to:	

Isomer Specific AOAC Method, Equivalent to:

.27%, .023 lbs./gai.

Triamine is a trademark of Riverdale Chemical Company

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT 1 LB. 7 OZ. -

EPA REG. NO. 228-190

EPA EST. NO. 33994-IL-2

Patent Pending

MANUFACTURED BY RIVERDALE CHEMICAL COMPANY GLENWOOD, ILLINOIS 60125 1581

DIRECTIONS FOR USE (Continued)

- Shake can just before using and occasion-วิธีง สมกักนี้ เมรอ. . .
- . I kwert can, hold at arm's length, and point * can at weed as you press button when can to is in upright position.
- 3. Stand close to weed (1 to 2 feet) with can ... ailined at weed and away from face.
- Posh down briefly on button. Spray to cover center of weed, do not over-spray. The spray's fearning action will make it easy for you to see coverage.
- 5. One application will kill most weeds listed. If certain tough weeds are not dead within 3 weeks, repeat application.

IMPORTANT: Do not use this product for controlling weeds in vegetable gardens, flower beds (nor around shrubs and ornamental plants where ittols are exposed. Do not apply to Dichondra, Lippia, and Clover lawns. Do not apply when temperatures exceed 90°F, or if rain is expected to occur within 48 hours following application.

Weeds in newly seeded lawn may be sprayed after lawn has been mowed 3 times.

STORAGE AND DISPOSAL

\$TORAGE; Keep from freezing. To be stored in original container and placed in an area inaccessible to children. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding trash.

.NTAINER DISPOSAL: Do not incinerate or puncture. Replace cap and discard container in trash.

age and handling this product not in strict accordance with directions with herewith.

> D. a., this "a term! Insecticate, 1 B. Jouticide Act . Am pesticide