

228-190

4-19-2005

1/4

**RIVERDALE<sup>®</sup>**

**TRIAMINE<sup>®</sup> JET-SPRAY**

**SPOT WEED KILLER**

**READY TO USE**

**CONTROLS DANDELIONS, CLOVER, CHICKWEED AND  
MANY OTHER LISTED WEEDS ON LAWNS AND ORNAMENTAL TURF  
GET THE OPTICAL ADVANTAGE<sup>®</sup>**

**ACTIVE INGREDIENTS:**

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid <sup>*</sup> .....	0.326%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid <sup>**†</sup> .....	0.164%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid <sup>***†</sup> .....	0.161%
<b>OTHER INGREDIENTS:</b> .....	<u>99.349%</u>
<b>TOTAL:</b> .....	<b>100.000%</b>

Isomer Specific AOAC Method, Equivalent to:

<sup>*</sup> 2,4-Dichlorophenoxyacetic Acid .....	0.270%, 0.023 lbs./gal.
<sup>**</sup> (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid.....	0.135%, 0.011 lbs./gal.
<sup>***</sup> (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid.....	0.135%, 0.011 lbs./gal.

†CONTAINS THE SINGLE ISOMER FORMS OF MECOPROP-p and DICHLORPROP-p

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS**

EPA REG. NO. 228-190  
EPA EST. NO. 36994-IL-2

MANUFACTURED BY  
NUFARM AMERICAS INC.  
BURR RIDGE, IL 60527-0866




NET CONTENTS 1 LB. 7 OZ.

**ACCEPTED**

000228-00190.20050301.

APR 19 2005  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

228-190



2/4

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed, inhaled or absorbed through skin. Wear long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves when handling or applying this product. After using this product, wash nondisposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

<b>FIRST AID</b>	
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF INHALED</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for medical emergency information.	

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Exposure to temperatures above 130°F may cause bursting.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

**USE PRECAUTIONS**

**IMPORTANT:** Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F. Shake well before using.

**WEEDS CONTROLLED BY TRIAMINE® JET-SPRAY SPOT WEED KILLER**

Alder, Annual yellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Bident, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blackseed plantain, Blessed thistle, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn Chamomile, Creeping jenny, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead nettle, Dock, Dogbane, Dogfennel, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knawel, Knotweed, Lambsquarter, Lespedeza, Locoweed, Lupine, Mallow, Marshelder, Matchweed, Mexicanweed, Milk vetch, Milkweed bloodflower, Mugwort, Morningglory, Mousear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oxalis, Oxeye daisy, Parsley-piert, Parsnip, Pearlwort, Pennycress,

3/4

Pennywort, Peppergrass, Pepperweed, Pigweed, Pineywoods bedstraw, Plains coreopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncture vine, Purslane, Ragweed, Red clover, Redroot pigweed, Red sorrel, Redstem filaree, Rough cinquefoil, Rough fleabane, Roundleaved marigold, Rush, Russian pigweed, Russian thistle, St. Johnswort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurse, Slender plantain, Smallflower galinsoga, Smartweed, Smooth dock, Smooth pigweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiny Amaranth, Spiny cocklebur, Spotted catsear, Spotted knapweed, Spotted spurge, Spurge, Spurweed, Stinging nettle, Stinkweed, Stitchwort, Strawberry clover, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tarweed, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing Crownvetch, Tumble mustard, Tumble pigweed, Tumbleweed, Velvet leaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Wavyleaf bullthistle, Western clematis, Western salsify, White clover, White mustard, Wild mustard, Wild aster, Wild buckwheat, Wild carrot, Wild four-o'clock, Wild garlic, Wild geranium, Wild lettuce, Wild marigold, Wild onion, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Woolly morningglory, Woodsorrel, Woolly croton, Woolly plantain, Wormseed, Yarrow, Yellow rocket, Yellowflower pepperweed, and other broadleaf weeds.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second (or an additional) treatment in 3 to 4 weeks.

This product contains a foam which marks the spot where the weed killer has been applied.

### DIRECTIONS

1. Shake can just before using and occasionally during use.
2. Invert can, hold at arm's length, and point can at weed as you press button. Do not press button when can is in upright position.
3. Stand close to weed (1 to 2 feet) with can aimed at weed and away from face.
4. Push down briefly on button. Spray to cover center of weed, do not over-spray. The spray's foaming action will make it easy for you to see coverage.
5. One application will kill most weeds listed. If certain tough weeds are not dead within 3 weeks, repeat application.

### STORAGE AND DISPOSAL

**STORAGE:** Keep from freezing. To be stored in original container and placed in an area inaccessible to children. Do not store near heat or open flame.

**DISPOSAL:** If empty - Do not reuse this container. Place in trash. If partly filled - If product cannot be used as directed, or offered to others for their use, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

### NOTICE

Buyer assumes all risks of use, storage and handling this product not in strict accordance with directions given herewith.

(RV 021405)

Riverdale, Triamine and The Optical Advantage are Registered Trademarks of Nufarm Americas Inc.

(Optional copy for NFDA aerosol codes)

1. Water Based
2. Level 1 Aerosol

(Other optional statements)

1. Kills 33 Plus Weed Types - Roots and All
2. Contains No CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.
3. Controls more than 130 other broadleaf weeds.
4. Kills the weeds, not the lawn.
5. Weed details on back.
6. Questions or comments? Call toll free 1-800/XXX-XXXX, Weekdays X to X \_\_\_\_ time.
7. SATISFACTION GUARANTEED

If this (Seller's Name) product fails to give complete satisfaction, return to the (Seller's Location) where purchased for free replacement.

Additional front panel statement for Sub-registrants not using the word Triamine® in the product name: Contains Triamine®.

4/4

Optional CLI language†:

- Dimethylamine Salt of 2,4-D\*
- Dimethylamine Salt of Mecoprop-p\*\*
- Dimethylamine Salt of Dichlorprop-p\*\*\*
  - \*2,4-D Acid
  - \*\*Mecoprop Acid
  - \*\*\*Dichlorprop Acid

†OTHER\*

Please note, some states may still require the term Inert and/or the full chemical name(s).

Optional Marketing Hype:

**SATISFACTION GUARANTEED**

If for any reason you are not completely satisfied with the performance of results of this (XYZ) product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase. For customer questions and comments, please call (company name and phone number). For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticides Telecommunications Network at 1-800-858-7378.

Kills broadleaf weeds down through the root.

Won't harm lawn grasses when used according to directions.

Unique foam marks treated weeds.