

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

MAR 13 2008

Mr. Matthew Granahan Registration Manager Nufarm Americas Inc. 150 Harvester Drive Suite 200 Burr Ridge, Il 60527

Re: Riverdale Triamine Jet-Spray Spot Weed Killer

EPA Reg No.: 228-190

Date of Submission: February 15, 2008

Dear Mr. Granahan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated February 15, 2008, for the product Riverdale Triamine Jet-Spray Spot Weed Killer. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

 Registration
Amendment
Other

OPP Identifier Number

\$EPA	Environmental Pro	tection	•			Amend		OTT ROMAINS NO	
Washington, DC 20460			0		X	Other			
	Арр	lication	for Pesticide	- Secti	on	1			
1. Company/Product Number 228-190			2. EPA Pro J. Miller	2. EPA Product Manager J. Miller			3. Proposed Classification		
4. Company/Product (Name) Triamine Jet-Spray Spot Weed Killer			PM# 23						stricted
5. Name and Address of App	olicant (Include ZIP Code)		6. Exped	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3					
Nufarm Americas, Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527			(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.						
Check if this	is a new address		Product Name						
			Section - II						
Amendment - Explain Resubmission in resp X Notification - Explain	onse to Agency letter dated	I		inal printed agency lette Me Too* Ap Ither - Expla	r dat oplica	ation.		TIFICATION AR 1 3 2008	1
Explanation: Use eddition	nal page(s) if necessary. (Fo	or section I	I and Section II.)						
Label Notification per notice 98-10 and EPA reg formula of this product. It understand that if this not of FIFRA and I may be su	understand that it is a viol ification is not consistent	6, and no ation of 18 with the te	o other changes ha 8 U.S.C. sec 1001 erms of PR Notice enalties under sect	ive been m to willfully 98-10 and	ade mak 40 (to the label te any false CFR 152.46	ing or cor statemer	nfidential stateme nt to the EPA. I fu	nt of rther
	<u></u>		Section - III					·····	
1. Material This Product Will	Be Packaged In:		,			r			
Child-Resistant Packaging	Unit Packaging		Water Soluble Paci	kaging		2. Type of	7		
Yes			Yes			Metal Plastic			
Certification must be submitted		. per ntainer	If "Yes" Package wgt	No. per container			Glass Paper Other (S	Specify)	<u></u>
3. Location of Net Contents Information 4. Size(s) Re			tail Container 5. Location of Label Directions					การ	
6. Manner in Which Label is	Affixed to Product	Lithogra Paper gl Stancile	ph lued id	Other					
_			Section - IV						
1. Contact Point Complete	items directly below for ide	ntification	of individual to be c	ontected, if	nec	essery, to pi	ocess this	application.)	
Name Ted Head ted.head@us.nufarm.com							Telephone No. (Include Area Code) 630.455.2016		
	ments I have made on this i y knowlinglly false or misle		Il attachments there				•	6. Date Application Received (Starnped	
2. Signature	m	1	3. पातक Registration Manager					(((((((((((((((((((• • •
4. Typed Name Ted Head			5. Date						
Ted Head			02/15/08					1 "	

3/7 NOTIFICATION MAR 1 3 2008

TRIAMINE® JET-SPRAY SPOT WEED KILLER

READY-TO-USE

CONTROLS DANDELIONS, CLOVER, CHICKWEED AND MANY OTHER LISTED WEEDS ON LAWNS AND ORNAMENTAL TURF

GET THE OPTICAL ADVANTAGE®

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**‡	0.164%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid***‡	0.161%
OTHER INGREDIENTS:	
TOTAL: 1	00.000%
Isomer Specific AOAC Method, Equivalent to:	
*2,4-Dichlorophenoxyacetic Acid	3 lbs./gal.
**(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	
***(±)-R-2-(2 4-Dichlorophenovy)propionic Acid	_

KEEP OUT OF REACH OF CHILDREN CAUTION

‡ CONTAINS THE SINGLE ISOMER FORMS OF MECOPROP-p and DICHLORPROP-p

SEE SIDE PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-190 EPA EST. NO. 58996-MO-1 MANUFACTURED FOR NUFARM AMERICAS INC. 150 HARVESTER DRIVE BURR RIDGE, IL 60527.



NET CONTENTS 22 oz.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Wear long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves when handling or applying this product. After using this product, wash nondisposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

	FIRST AID
IF SWALLOWED .	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
•	HOT LINE NUMBER Intainer or label with you when calling a poison control center or doctor, or going for treatment. It 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product contains a foam which marks the spot where the weed killer has been applied.

- 1. Shake can just before using and occasionally during use.
- 2. Invert can, hold at arm's length, and point can at weed as you press button. Do not press button when can is in upright position.
- 3. Stand close to weed (1 to 2 feet) with can aimed at weed and away from face.
- Push down briefly on button. Spray to cover center of weed, do not over-spray. The spray's foaming action will make it easy for you to see coverage.
- 5. One application will kill most weeds listed. If certain tough weeds are not dead within 3 weeks, repeat application.

USE PRECAUTIONS

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 90°F. Shake well before using.

WEEDS CONTROLLED

Alder. Annual vellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Biden, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blessed thistle, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn chamomile, Creeping jenny, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead nettle, Dock, Dogbane, Dogfennel, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knawel, Knotweed, Lambsquarter, Lespedeza, Locoweed, Lupine, Mallow, Marshelder, Matchweed, Mexicanweed, Milk vetch, Milkweed bloodflower, Mugwort, Morningglory, Mousear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oxalis, Oxeye daisy, Parsley-piert, Parsnip, Pearlwort, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pineywoods bedstraw, Plains coreopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed Prostrate spurge, Prostrate vervain, Puncture vine, Purslane, Raqweed, Red clover, Redroot pigweed, Red sorrel, Redstern filaree. Rough cinquefoil, Rough fleabane, Roundleafed mangold, Rush, Russian pigweed, Russian thistle, St. Johnswort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurse, Slender plantain, Smallflower galinsoga, Smartweed, Smooth dock, Smooth pigweed. Sneezeweed, Southern wild rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiny Amaranth, Spiny cocklebur, Spotted catsear, Spotted knapweed, Spotted spurge, Spurge, Spurweed, Stinging nettle, Stinkweed, Stitchwort, Strawberry clover, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tanweed, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing Crownvetch, Tumble mustard, Tumble pigweed, Tumbleweed, Velvet leaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Wavyleaf bullthistle, Western clematis, Western salsify, White clover, White mustard, Wild mustard, Wild aster, Wild buckwheat, Wild carrot, Wild four-o'-clock, Wild garlic, Wild geranium, Wild lettuce, Wild marigold, Wild onion, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Wooly morningglory, Woodsorrel, Wooly croton, Wooly plantain, Wormseed, Yarrow, Yellow rocket, Yellowflower pepperweed, and other broadleaf weeds.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second (or an additional) treatment in 3 to 4 weeks.

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. To be stored in original container and placed in an area inaccessible to children. Do not store near heat or open flame.

DISPOSAL: If empty - Do not reuse this container. Place in trash. If partly filled - If product cannot be used as directed, or offered to others for their use, call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DELIANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(021408N)

Triamine and The Optical Advantage are registered trademarks of Nufarm Americas Inc.

(Optional copy for NFDA aerosol codes)

- 1. Water Based
- 2. Level 1 Aerosol

(Other optional statements)

- 1. Kills 33 Plus Weed Types Roots and All
- 2. Contains No CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols,
- 3. Controls more than 130 other broadleaf weeds.
- 4. Kills the weeds, not the lawn.
- 5. Weed details on back.
- 6. Questions or comments? Call toll free 1-800/XXX-XXXX, Weekdays X to X time,
- 7. SATISFACTION GUARANTEED

If this (Seller's Name) product fails to give complete satisfaction, return to the (Seller's Location) where purchased for free replacement.

Additional front panel statement for Sub-registrants not using the word Triamine® in the product name: Contains Triamine®.

Optional CLI languaget:

Dimethylamine Salt of 2,4-D* Dimethylamine Salt of Mecoprop-p** Dimethylamine Salt of Dichlorprop-p*** *2.4-D Acid **Mecoprop Acid

***Dichlorprop Acid

'OTHER*

Please note, some states may still require the term Inert and/or the full chemical name(s).

Optional Marketing Hype:

SATISFACTION GUARANTEED

If for any reason you are not completely satisfied with the performance of results of this (XYZ) product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase. For customer questions and comments, please call (company name and phone number). For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticides Telecommunications Network at 1-800-858-7378.

Kills broadleaf weeds down through the root,

Won't harm lawn grasses when used according to directions.

Unique foam marks treated weeds.



Nufarm Americas Inc.

150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Telephone: (630) 455.2000 Facsimile: (630) 455.2001

www.us.nufarm.com

February 15, 2008

Via Overnight Courier

U. S. Environmental Protection Agency (7504P) Document Processing Desk (NOTIF) Room S4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Subject:

Riverdale Triamine Jet-Spray Spot Weed Killer

EPA REG. No. 228-190

Label Notification per PR 98-10 Triamine Jet-Spray Spot Weed Killer

Dear Ms. Hobgood:

Nufarm Americas Inc. would like to change Manufactured By for the subject registration to be: Nufarm Americas Inc. It is felt that this label change is permitted and consistent with PR Notice 98-10 section II (Labeling notifications) part N (Other Revisions). This change in Manufactured By accurately reflects the registrant responsible for this pesticide product.

To process this request please find enclosed the following:

- Application for Pesticide Registration EPA form 8570-1
- Final print labeling with new primary brand name (1 copy)

If you should have any questions regarding this matter, please feel free to contact me at (630) 455-2048 or matthew.granahan@us.nufarm.com or contact Ted Head at (630) 455-2016 or e-mail at ted.head@us.nufarm.com

Sincerely

Matthew Granahan Regulatory Specialist

Nufarm Americas, Inc.