

16F1
 pr 0

Reduced to 8 1/2" x 11"
 to accommodate EPA files.

DIRECTIONS FOR USE (continued)

Rate of Use	Per Acre
Established greens	1 fluid oz in 2 1/2 gallons of water 2 1/2 pints in 20-40 gallons of water
Established lawns golf fairways	7 1/2 fluid oz in 2 1/2 gallons of water 4 pints

TIME OF APPLICATION: To obtain the best results MCPP-4 Amine must be applied when the weeds are most susceptible and conditions are such that no damage to the grasses will occur. Apply MCPP-4 Amine when the weeds are growing vigorously. During periods of drought weeds become more resistant to herbicides. Under the same conditions the grasses are more susceptible to MCPP-4 Amine particularly when temperatures exceed 80°F. This chemical is absorbed by the foliage of broadleaf weeds and is translocated throughout the whole plant to roots, etc. where it eventually causes death of the plant. Do not cut or mow the lawn 2-3 days before or after treatment so that maximum uptake and translocation can occur. Do not spray if rain is likely otherwise the chemical will be washed off before absorption has taken place. For the same reason do not water the lawn for at least 24 hours after application.

Better control of the weeds classified as Less Susceptible Weeds may be obtained with repeat applications of half the recommended dose carried out at not less than monthly intervals.

MCPP-4 Amine is not recommended for St. Augustinegrass and Centipedegrass, as it can cause damage to these species. Do not use MCPP-4 Amine on newly sown lawns or turf until grasses are well established. Repeat no more than three to four weeks after application of this product. Avoid drift onto other plants and do not use the first cuttings after treatment as a mulch for flowers and vegetables.

STORAGE AND DISPOSAL

STORAGE: Always store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Store at temperatures above 32°F if allowed to freeze, remove before using. This does not alter the product. Containers should be opened in well-ventilated areas. Keep containers tightly sealed when not in use. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. If container is damaged or if pesticide has leaked, contain all spillage. Always and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. Proper disposal of excess pesticide, spray mixture, or dilute is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of fitness or of merchantability, and no agent of Seller is authorized to do so except in writing with a specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Riverdale

WEDESTROY MCPP-4 AMINE

**FOR USE ON LAWNS, GOLF COURSES
 AND ORNAMENTAL TURF**

ACTIVE INGREDIENT	Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic Acid*	51.9%
INERT INGREDIENTS		48.1%
TOTAL		100.0%

By Inherer Specific Assay AOAC Method. Equivalent to
 *2-(2-methyl-4-chlorophenoxy)propionic Acid **42.9%, 3.97 lbs/gal**

WEDESTROYING IS A REGISTERED TRADEMARK OF RIVERDALE CHEMICAL COMPANY

**KEEP OUT OF REACH OF CHILDREN
 DANGER**
 SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
 AND STATEMENT OF PRACTICAL TREATMENT

EPA REG. NO. 228-182 NET CONTENTS GAL EPA EST. NO 228-8L-1

MANUFACTURED BY
RIVERDALE CHEMICAL COMPANY
 GLENWOOD, ILLINOIS 62426-1524

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS
 DANGER**

Corrosive. May cause irreversible eye damage. Do not get in eyes or on clothing. Wear goggles or face shield. Avoid contact with skin, may cause skin irritation. Wash thoroughly with soap and water after handling. Harmful if swallowed. Avoid inhaling vapor or spray mist.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Induce vomiting immediately by giving two glasses of water and sticking finger down throat. Never give anything by mouth to an unconscious person. Seek medical attention.

IF IN EYES: Hold eyelids open and flush with a steady stream of water for 15 minutes. Seek medical attention.

IF ON SKIN: Wash exposed skin gently with plenty of soap and water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters. Do not apply this product through any type of irrigation system. Use care to avoid spray contact or drift to susceptible plants such as beans and other legumes, cotton, flowers, grapes, ornamentals, vegetables and other plants. Do not permit spray mist containing MCPP-4 Amine to drift onto them since even very small quantities of the spray, which may not be visible, can cause severe injury during both growing and dormant periods. Do not spray when the wind is blowing towards susceptible crops or ornamental plants. Use coarse spray to minimize drift. Spray drift can be lessened by lowering the spray boom as low as possible, by applying 20 gallons or more of spray per acre, by using no more than 20 pounds spraying pressure with flat fan or flooding flat fan nozzle tips, by spraying when wind velocity is low, and by stopping all spraying when wind exceeds 8 miles per hour. Do not apply with hollow cone-type nozzles or other nozzles that produce a fine droplet spray. Do not use the spray equipment for applying other materials to susceptible crops if injury may result.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. MCPP-4 Amine may be used on ornamental turf grasses with greater safety than 2,4-D. This herbicide is safe to use on Washington, Toronto and Seaside bentgrasses, Kentucky and Marion bluegrasses. Apply MCPP-4 Amine on a warm calm day when weeds are growing vigorously. Use any suitable sprayer or watering can with fine nozzles to give a uniform coverage of the weeds. Although this herbicide is relatively slow in action it gives a superior result on the more difficult to control weeds such as:

MORE SUSCEPTIBLE WEEDS

Controlled by 2 1/2 pints MCPP-4 Amine per acre.		
Blackweed	Dandelion	Pigweed
Buttercup	Ground ivy	Portulac
Clover	Lambquarters	Raygrass
Common chickweed	Moss-on-chickweed	Seeded spurge
		Thistle

LESS SUSCEPTIBLE WEEDS

Controlled by 4 pints MCPP-4 Amine per acre. Repeat applications at half the recommended dosage may give better control.		
Black medic	Redwood	Portulac
Black	Morningglory	Seedhead
Mead	Peavine	Yarrow

Note: Local conditions, crop varieties and application regulations vary and may affect use of this herbicide. Consult local agricultural experiment station or extension service weed specialist and state regulatory agencies for recommendations in your area.

PREPARATION OF THE SPRAY: Fill half the spray tank with water, then add the required amount of MCPP-4 Amine. Mix thoroughly, adding the remainder of water during the operation.

MANUFACTURED BY
RIVERDALE CHEMICAL COMPANY
 GLENWOOD, ILLINOIS 62426-1524