

228-202

12/19/2000

1/2

RIVERDALE

DIBRO™

GRANULAR WEED KILLER

CONTAINS DIURON AND BROMACIL

FOR CONTROL OF WEEDS AND GRASSES IN NON-CROP AND INDUSTRIAL AREAS

**ACCEPTED**

DEC 19 2000

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 228-202

ACTIVE INGREDIENTS:

Diuron [3,4-dichlorophenyl)-1,1-dimethylurea]	0.2%
Bromacil ("565"-bromo-3-sec-butyl-6-methyluracil)*	0.2%
INERT INGREDIENTS:	99.6%
TOTAL	100.0%

\*U.S. Pats. 3,235,357 & 3,352,862

DiBro™ is a trademark of Riverdale Chemical Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA REG. NO. 228-202

NET WEIGHT LBS.

EPA EST. NO. 228-IL-1

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NON-CROP WEED CONTROL - INDUSTRIAL USE ONLY

Riverdale DiBro Granular is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for noncropland areas such

as railroad rights-of-way and industrial areas 2000 to 4000 pound applications of Riverdale DiBro Granular per acre usually results in a non-productive condition of the soil for a period of a year or more. The duration of non-productivity is dependent upon rainfall, soil type and other conditions. Do not apply more than 6000 lbs. (12 lbs. Bromacil A.I.) per acre per year

Riverdale DiBro Granular should be applied as furnished with a seed spreader, a fertilizer spreader, a shaker-type applicator, or with any equipment which will distribute the chemical uniformly over the area to be treated. For the control of annual and most perennial weeds and grasses, apply DiBro Granular at the rate of 2000 to 4000 pounds per acre, on smaller plots 0.5 to 1.0 pound per 5 to 12 square feet depending on weed growth. Repeat spot treatment may be required when deep-rooted perennial weeds are present. Do not apply more than 1.65 lbs. per 12 square feet (12 lbs. Bromacil A.I.) per acre per year. To obtain best results, DiBro Granules should be applied to the ground where it will be absorbed by the roots. Applications made early in the season have been found to give results superior to applications at a later seasonal date. DiBro Granular may, however, be applied at any time of the year. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season. Users should consult state agricultural experimental stations or extension service weed specialist for recommendations as to use in their particular area.

**IMPORTANT: (NOT FOR RESIDENTIAL USE).** Do not apply on or near valuable woody or herbaceous plants or on areas where their roots may extend because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes). Do not use on croplands or any land to be used for subsequent cropping.

#### STORAGE AND DISPOSAL

**STORAGE:** Always store pesticides in a secured warehouse or storage building. Do not store near feed or foodstuff. To prevent cross-contamination, do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Fiber Drum: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner. Fiber Canister: Do not reuse empty canister. Discard empty canister in trash.

**NOTICE:** Buyer assumes all risks of use storage and handling of this material not in strict accordance with directions given herewith. (RED 052297/RV 112000)

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584