

LABEL Recd 9/22/88
Not Reviewed per PR Notice 88-6
(Front Panel)

AFTER
see page 3 228-211
10F4
PM23

RIVERDALE
TRIAMINE™ 3-WAY
LAWN WEED KILLER

FOR SELECTIVE BROADLEAF WEED CONTROL IN ORNAMENTAL LAWNS AND TURF GRASSES

ONE QUART COVERS 5,000 SQUARE FEET

ACTIVE INGREDIENTS: †

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid* 2.28%
Dimethylamine Salt of 2-(2-Methyl-4-chlorophenoxy)propionic Acid** 2.29%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid*** 2.27%

INERT INGREDIENTS: 93.16%
TOTAL..... 100.00%

Isomer Specific AOAC Method Equivalent to:

- *1.9% 2,4-Dichlorophenoxyacetic Acid or 0.16 lbs./Gallon
- **1.9% 2-(2-Methyl-4-chlorophenoxy)propionic Acid or 0.16 lbs./Gallon
- ***1.9% 2-(2,4-Dichlorophenoxy)propionic Acid or 0.16 lbs./Gallon

† TRIAMINE - TRADEMARK OF RIVERDALE CHEMICAL COMPANY. Patent Pending.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 228- 211

NET CONTENTS

EPA Est. No. 228-IL-1

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

Glenwood, Illinois 60425-1584

(Left Side Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Wash thoroughly with soap and water after handling.

IF SWALLOWED: Get medical attention.

IF IN EYES: Immediately flush eyes with plenty of water.

IF ON SKIN: Wash with plenty of soap and water.

If irritation develops, get medical attention.

ENVIRONMENTAL HAZARDS

2054

Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Riverdale Triamine 3-Way Lawn Weed Killer is effective for the control of Black Medic, Buckhorn, Burdock, Buttercup, Canada Thistle, Carpet Weeds, Chickweed, Chicory, Clover, Cocklebur, Dandelion, Dock, Dog Fennel, English Daisy, Florida Pursley, Frenchweed, Ground Ivy, Hawkweed, Heal-All, Heartloaf Drymary, Henbit, Jimson Weed, Knotweed, Lambsquarter, Mallow, Morning Glory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Rag Weed, Red Clover, Red Sorrell, Sheep Sorrell, Smartweed, Speedwell, Spurge, Spur Weed, Stitchwort, Toadflax, Veronica, Wild Aster, Wild Carrot, Wild Garlic, Wild Geranium, Wild Lettuce, Wild Onion, Wild Radish, Wood Sorrell, Yarrow, and many other broadleaf weeds.

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn, wetting weeds and lawn grasses; do not overspray. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85°F within 24 hours following application. Make new dilution for each use.

LAWN WEEDS: To kill dandelion, wild onion, pennywort, plantain, heal-all and similar weeds: use 16 ounces in 6 gallons of water and apply with pump or hose-end sprayer or sprinkling can to 2,500 square feet of lawn. (For smaller areas use 4 teaspoons in 2 quarts of water applied to 100 square feet.) For larger areas use 2 gallons in 50 gallons of water to 1 acre.

(Right Side Panel)

DIRECTIONS FOR USE (cont.)

To kill weeds such as thistles, bindweed, dock and ragweed, use 16 ounces in 6 gallons of water (or 4 teaspoonsful in 2 quarts of water), and apply directly to plants, wetting them thoroughly. Repeat as necessary. For larger areas use 2 gallons in 50 gallons of water.

1000 Sq. Ft.

To kill undesirable plants such as poison ivy and poison oak, use 16 teaspoonsful in 2 quarts of water or 2 gallons in 12½ gallons of water and drench plants when they are fully leaved. Repeat in about 4 weeks if necessary. Certain hard-to-kill weeds such as poison ivy, poison oak and English daisy may require a fall application.

NEWLY SEEDED LAWNS may be treated after they have been mowed at least 3 times.

2000 Sq. Ft.

BENT, BERMUDA, RED FESCUE, CARPET, ST. AUGUSTINE AND CENTIPEDE GRASSES: Use a one-half rate which is 8 ounces in 6 gallons of water (4 teaspoonsful in 4 quarts of water applied to 200 square feet.) Make two applications 10 days apart. Do not spray grasses if stressed from

354

heat, drought, etc. Slight turf yellowing should disappear after about 1 week. Do not apply to Dichondra, Lippia and Clover lawns.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard to control broadleaf weeds may require a second treatment in 3-4 weeks.

DISPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS

HOW TO APPLY: Shake well before applying. Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. Turn on the water at the tap. Place finger over hole on right side of nozzle and the Lawn Weed Killer will mix automatically at the proper ratio. Point in direction away from face and body. Slowly walk back and forth at steady pace.

3000 Sq. Ft.


Marks on left indicate square feet covered.

IMPORTANT: Avoid drift spray (Coarse sprays are less likely to drift) on vegetables, flowers, ornamental shrubs, trees and other desirable crop plants. Do not pour solution used to clean sprayer near desirable plants.


(UAP SPRAYER INSTRUCTIONS)

Treats 5,000 to 10,000 sq.ft.

HOW TO USE SPRAYER




1. Connect spray nozzle to hose. Rubber washer should be checked for proper position. Determine area to be treated. For example, 1,000 sq. ft. = an area measuring 20 ft x 50 ft. When applying, check area being treated against measuring guide on side panel. Spray pattern can be tested (without discharging product) by not placing finger over hole on right side of nozzle.




2. Remove bottle cap and screw bottle into nozzle (save bottle cap for storage after use). Check siphon tube to proper position. Do not squeeze bottle while attaching nozzle, or during application as contents may discharge.

To store unused product: Turn off water supply at tap. Remove bottle from sprayer and replace original bottle cap. Remove nozzle from hose and rinse in clear water.



3. Hold sprayer attached to hose in one hand and turn on the water at the tap. Clear water will discharge when water is turned on at tap. Let clear water run until all air is discharged from hose. When ready to treat, place finger over hole on right side of nozzle and this product will mix automatically at the proper ratio. To stop flow of product, remove finger from hole to break siphon action.



4. While holding sprayer at waist level, point in direction away from face and body. Walk back and forth at a brisk, steady pace. Overlap slightly for uniform coverage. Marks on right side panel indicate square feet coverage. For certain areas of lawn, it may be more convenient to stand still and direct spray across treated area in a broad sweeping motion.

(Riverdale Triamine 3-Way Lawn Weed Killer)

(Right Side Panel cont.)


(C-P SPRAYER INSTRUCTIONS)

4000 Sq. Ft.


HOW TO USE:

Remove plastic cap from top of nozzle. Remove plastic cover. Do not place cover on nozzle. To use, spray nozzle cover by plastic cover. Turn nozzle clockwise to "ON" position. Do not spray nozzle until the nozzle is fully open.


SHAKE WELL BEFORE USING



Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to hose.




Remove child resistant cap from nozzle (directions on cap) and screw bottle counter clockwise into spray nozzle. Do not over-tighten spray nozzle past the stop notch.



Turn the nozzle switch on top of the spray nozzle counter clockwise to the "OFF" position. Then fully turn on water at the faucet. Extend hose to the farthest end of the lawn to be treated and walk back towards the sprayer.



To begin spraying, point spray nozzle downwards and turn the nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.



To stop spraying, turn the spray nozzle switch counter clockwise to the "OFF" position and turn off the water at the faucet. This container will evacuate in approximately 5 minutes. To relieve pressure, turn the switch to the "On" position before removing nozzle from hose.

STORAGE AND DISPOSAL

STORAGE: To be stored in original container and placed in area inaccessible to children.

PRODUCT DISPOSAL: Partially filled container may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Rinse thoroughly before discarding in trash. Do not reuse empty container.

NOTICE

Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith.

5000 Sq. Ft.

(Marks for 1 qt. disposable bottle Not to Scale.)