

(Front Panel)

RIVERDALE

TRIAMINE™ II PREMIUM LIQUID

WEED AND FEED

READY-TO-USE

FOR USE WITH A HOSE-END SPRAYER ON GRASS AND ORNAMENTAL TURF
NO MIXING

TREATS 5,000 to 7,500 SQ. FT.†

CONTAINS MCPA, MECOPROP AND DICHLORPROP AND A 15-0-0 FERTILIZER

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	1.65%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid**	1.63%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid***	1.61%

INERT INGREDIENTS:	95.11%
TOTAL	100.00%

Isomer Specific by AOAC Method

*2-Methyl-4-Chlorophenoxyacetic Acid equivalent	1.35%	.13 lbs/gal.
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid equivalent	1.35%	.13 lbs/gal.
***2-(2-Dichlorophenoxy)propionic Acid equivalent	1.35%	.13 lbs/gal.


GUARANTEED ANALYSIS:

Total Nitrogen (N)	15%
15% Urea Nitrogen	

TRIAMINE IS A TRADEMARK OF RIVERDALE CHEMICAL COMPANY

Patent Applied For.

†Read directions for different grasses



KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE AND BACK PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 228-

EPA EST. NO. 228-IL-1


NET CONTENTS: 1/2 Gal. (64 Fl. Oz.)

NET WEIGHT: 2.3 Lbs.

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

Chicago Heights, Illinois 60411-3699



(Rear Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Wash thoroughly with soap and water after handling.

IF SWALLOWED: Get medical attention.
 IF IN EYES: Immediately flush eyes with plenty of water.
 IF ON SKIN: Wash with plenty of soap and water.

If irritation develops, get medical attention.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from target areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABELING. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

5,000 Sq. Ft. Coverage for Bahia, Bermuda, Blue Grass, Fescue, Rye and Zoysia Grasses

7,500 Sq. Ft. Coverage for (spring and fall application only) St. Augustine, Centipede and Bent Grasses. Some temporary injury may occur with these grasses.

Do not exceed recommended rate because damage to lawn may occur. Do not apply to Dichondra, Lippia and Clover lawns, Do not use this product for controlling weeds in vegetable gardens and flower beds or around shrubs or ornamental plants.

WEEDS CONTROLLED

Black Medic	Jimson Weed	Speedwell
Buckhorn	Knotweed	Spurge
Buttercup	Lambsquarters	Spur Weed
Canada Thistle	Mallow	Stitchwort
Carpet Weeds	Morning Glory	Toadflax
Chickweed	Mustard	Wild Aster
Chicory	Oxalis	Wild Carnot
Clover	Pennywort	Wild Garlic
Cocklebur	Pepperweed	Wild Geranium
Dandelion	Pig Weed	Wild Lettuce
Dog Fennel	Plantain	Wild Onion
English Daisy	Poison Ivy	Wild Radish
Florida Pussley	Poison Oak	Wood Sorrell
Frenchweed	Purslane	Yarrow, and
Ground Ivy	Ragweed	other broadleaf
Heal-All	Red Clover	weeds
Heartloaf Drymary	Red Sorrell	
Henbit	Sheep Sorrell	

WHEN TO USE: Spray anytime during the growing season when weeds are actively growing (except as noted for St. Augustine, Centipede and Bent Grasses). If lawn is extremely dry, water 1 to 2 days before spraying. Do not apply when temperatures are expected to exceed 85°F., or if rain is expected to occur within 24 hours following application. On new lawns wait until grass has reached a height of 2 inches before spraying. Also wait 3 weeks before putting in new grass seed or stolons.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard to control broadleaf weeds may require a second treatment in 3-4 weeks.

(HOSE-END SPRAYER INSTRUCTIONS)

HOW TO APPLY: Use any 32 oz. hose-end sprayer that is designed for use on lawns and makes a minimum of 15 gallons of finished spray, such sprayers are Ortho's Orthomatic Lawn Sprayer, Ortho's and Black Leaf's Lawn Sprayers (dilution ratio of 60 to 1). The following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

Special note: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 64 oz. per 5,000 or 7,500 sq. ft. The entire contents of this bottle must be used to make the proper recommended application rate.

Determine area to be sprayed. Apply at a rate of 64 oz. (1/2 gal.) per 5,000 square feet or 7,500 for spring application on St. Augustine, Centipede or Bent Grasses. Fill sprayer jar with appropriate amount of this product. Do not dilute this product with water when filling sprayer jar. The water will automatically mix with this product during spraying. Attach sprayer to garden hose while holding sprayer at waist level, point in direction away from face and body. Slowly walk back and forth at a steady pace. Over-lap slightly for uniform coverage. Do not exceed recommended rate because damage to lawn may occur. Do not water fertilized lawn for at least 24 hours.


(DISPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS)

HOW TO APPLY: Shake well before applying. Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. Turn on the water at the tap. Place finger over hole on right side of nozzle and the Weed and Feed 15-0-0 will mix automatically at the proper ratio. Point in direction away from face and body. Slowly walk back and forth at a steady pace. Over-lap slightly for uniform coverage. Do not exceed recommended rate because damage to lawn may occur. Do not water fertilized lawn for at least 24 hours.


Marks on left side panel of bottle indicate square feet covered.

(UAP Sprayer Instructions)


HOW TO USE SPRAYER




Connect spray nozzle to hose.




Remove bottle cap and screw bottle into nozzle.



Turn the on/off lever on top of the nozzle to the OFF position. Turn on the water at the tap. When ready to use, turn the on/off lever to its ON position. The Liquid Weed and Feed will mix automatically at the proper ratio.



Slowly walk back and forth at a steady pace. Overlap slightly for uniform coverage. Marks on right side panel indicate square foot coverage.



(Stauffer's Sprayer Instructions)

HOW TO USE:

SHAKE WELL BEFORE USING

1. Attach spray nozzle to garden hose. Turn nozzle clockwise to firmly attach it to hose.
2. Remove child-resistant cap from bottle (directions on cap) and screw bottle into spray nozzle.
3. Turn the on/off switch on top of the spray nozzle counter clockwise to the "OFF" position. Then turn on the water at the faucet.
4. To begin spraying, turn the sprayer nozzle switch clockwise to the "ON" position. The water automatically mixes with the product. Walk at a steady pace, spraying in a side to side arc, slightly overlapping treated areas. Refer to graduated scale on side of container to guide coverage.
5. To stop spraying, turn the sprayer nozzle switch counter clockwise to the "OFF" position and turn off the water at the faucet.
6. Do not reuse container. Dispose of container and any unused product in accordance with applicable regulations.



(Right Side Panel)

STORAGE: Keep from freezing. To be stored in original container and placed in a locked area inaccessible to children. Do not store near food or feedstuff.

PESTICIDE DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

NOTICE

Seller warrants that this product conforms to the ingredient statement of the label. Since the conditions of use, such as weather, compatibility with other chemicals, and conditions of application equipment will vary, seller makes no claims other than those stated on this label.

(Left Side Panel)

COVERAGE MEASURING GUIDE

(Not to scale)

1000 Sq. Ft.

1875 Sq. Ft.

2000 Sq. Ft.

3750 Sq. Ft.

3000 Sq. Ft.

6525 Sq. Ft.

4000 Sq. Ft.

5000 Sq. Ft.

7500 Sq. Ft.

