BOT . . 1001

Mr. Russell F. Sawyer Riverdale Chemical Company 425 West 194th Street Glenwood, IL 60425-1584

Dear Mr. Sawyer:

Subject: Label Amendment - Additional Sprayer Instructions and Refill Statement

Riverdale Triamine Premium 6666 Liquid Weed and Feed

KPA Registration Number 228-216

Your Letter Dated September 6, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided the following is added:

- In the protective clothing statement add, "If spills occur, collect the material and dispose of by following disposal instructions on this label".

A stamped copy is enclosed for your records, please submit three (3) copies of final printed labeling incorporating the change above.

Sincerely yours,

Joanne I. Miller
Product Manager(23)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

CONCURRENCES							
SAMBOF	H7565C						
SURRAME	N Robbins					1	
DATE	10/3/91					1	_
EPA Por	n.1326-[ (12/70)			<del></del>		and the second s	IAL PILE COPY

470 : 1985 0 - 413-201

With COMMENTS In EPA Letter Dates.

OCT 0 3 1994.

#### RIVERDALE

TRIAMINETM PREMIUM 6666

Under the Federal Insecteda. Pungicide, and Accenticide Act as amended, for the perticide registered under EPA Reg. No.

LIQUID WEED AND FEED

LIQUID LAWN CARE

READY-TO-USE

FOR USE WITH A HOSE-END SPRAYER ON GRASS AND ORNAMENTAL TURF (TURF GRASS LAWNS)

# NO MIKING

TREATS (COvers) 4,250 TO 10,000 SQ. FT. IN A MATTER OF MINUTES Read directions for different grasses.

Gives your lawn a quick boost of important nutrients while controlling broadleaf weeds. Attach to a garden hose-end sprayer, turn on water, and spray.

A Quick and Easy Way to a Quality Lawn.

CONTAINS 2,4-D, MECOPROP, DICHLORPROP AND X-X-X FERTILIZER

ACTIVE INGREDIENTS: +  Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*  Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid**  Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid***  INERT INGREDIENTS:	2.30 <b>7</b> 2.26 <b>7</b>
	100.007
Isomer Specific AOAC Method No. 6.321, Equivalent to:  *2,4-Dichlorophenoxyacetic Acid	.18 lb(s)./gal.
GUARANTEED ANALYSIS:	4
Total Nitrogen (N)	
TRIAMINE IS A TRADEMARK OF RIVERDALE CHEMICAL COMPANY	Patent Pending

# KEEP OUT OF REACH OF CHILDREN

#### CAUTION

SEE SIDE AND BACK PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS
AND STATEMENT OF PRACTICAL TREATMENT

NET CONTENTS: 1/2 GAL. (64 F1. Oz.)

NET WEIGHT: ..4.6 LBS

EPA REG. NO. 228-216

EPA EST. NO., 228-IL-1

Revised 9/6/91

Page 2 348

# Manufactured By

# RIVERDALE CHEMICAL COMPANY

#### GLENWOOD. ILLINOIS 60425-1584

(Back Panel)

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear goggles, long pants, long-sleeved shirt, shoes and chemical resistant gloves when handling or applying this product. Wash nondisposable gloves thoroughly with soap and water before removing. Wash thoroughly with soap and water efter handling. Do not allow persons or pets on treated areas until sprays have dried. (Optional Statement for different source fertilizer: May cause eye irritation.)

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:

Get medical attention.

IF IN EYES:

Immediately flush eyes with plenty of water.

IF ON SKIN:

Wash with plenty of soap and water. If irritation develops, get

medical attention.

(In case of emergency involving this product call collect day or night, XXX-XXX-XXXX.)

#### ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground; spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Spray anytime during the growing season when weeds are actively growing (except as noted for S-Southern or Warm Season Grasses).

4,150 to 6,666 Sq. Ft. Coverage for (N-Northern or Cool Season Grasses) such as Blue Grass, Fescue, and Rye grasses.

8,500 to 10,000 Sq. Ft. Coverage for (S-Southern or Warm Season Grasses) Bahia, common Bermuda, St. Augustine, Centipede, Zoysia and Bent grasses. Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green-up. In Fall, exercise care when grass growth is going into dormancy. When applying to Bent grass, height of grass should be 1-1/2" or more. Note: Some hybrid Bermuda grasses may be sensitive to this product. Contact your local Extension Service weed control specialist.

Designed to control broadleaf weeds and give your lawn a quick boost of important nutrients. Controls dicot weeds during their active growth period. Guaranteed not to burn your lawn when used as directed. High analysis fertilizer featuring a patented nitrogen formula.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed this product will supplement your regular fertilizer program by providing  $\frac{*(No. \text{ of } 1bs.)}{*(No. \text{ of } 1bs.)}$  pounds of nitrogen per 1,000 square feet (optional  $P_2O_5$  and  $K_2O$  levels) and Triamine<sup>TM</sup> to control listed weeds. Please contact your local extension office for questions regarding a regular fertilizer program. \*Based on Inert fertilizer claimed.

#### **USE PRECAUTIONS**

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been moved 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed or plant stolons for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. (Optional statements for adjustable sprayers - Avoid fine mists. Use a lawn type sprayer with a coarse spray as wind drift is less likely.) Spray entire lawn, wetting weeds and lawn grasses. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 85°F. Shake well before using.

# WEEDS CONTROLLED BY TRIAMINETM PREMIUM 6666 LIQUID WEED AND FEED

Alders, Artichoke, Aster, Austrian fieldcress, Beggarticks, Biden, Bindweed, Bitterweed, Bitter winter cress, Black medic, Blessed thistle, Blue lettuce, Box elder, Broomweed, Buckhorn, Bull thistle, Burdock, Bur ragweed, Buttercup, Canada thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common sowthistle, Creeping jenny, Croton, Curly indigo, Dandelion, Dock, Bosbane, Ecsfennel, Elderberry, English daisy, Flea bane (daisy), Flixweed, Florida pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hawkweed, Haslall, Heartloaf drymary, Hemp, Henbit, Hoary cress, Honeysuckle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk thistle, Mustard, Nettle, Nutgrass, Orange hawkweed, Oxalis, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed,

Prickly lettuce, Primrose, Puncture vine, Purslane, Ragweed, Red clover, Red sorrel, Rush, Russian thistle, St. Johnswort, Sheep sorrel, Shepherdspurse, Smartweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflower, Sweet clover, Tarweed, Thistle, Toadflax, Tumbleweed, Velvet leaf, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow rocket, and (many) other broadleaf weeds.

uid Weed and Feed

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second (or an additional) treatment in 3-4 weeks.

# (HOSE-END SPRAYER INSTRUCTIONS)

Use any hose-end sprayer that is designed for use on lawns and makes a minimum of 15 gallons of finished spray. Such sprayers are Ortho's Orthomatic Lawn Sprayer, Ortho's and Black Leaf's Lawn Sprayers (dilution ratio of 60 to 1). following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

Special Note: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 64 oz. per 4,250 to 6,666 square feet on N - Northern or Cool Season grasses or 8,500 to 10,000 square feet for application on S - Southern or Warm Season grasses. The entire contents of this bottle must be used to make the proper recommended application rate.

Determine the area to be sprayed. Apply at a rate of 64 oz. (1/2 gal.) per 4,250 to 6,666 square feet on N-Northern or Cool Season grasses or 8,500 to 10,000 square feet for application on S-Southern or Warm Season grasses. Fill sprayer jar with appropriate amount of this product. Do not dilute this product with water when filling sprayer jar. The water will automatically mix with this product during spraying. Attach sprayer to garden hose while holding sprayer at waist level. Point in a direction away from face and body. Walk back and forth at a steady pace. Overlap slightly for uniform coverage.

#### (DJSPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS)

HOW TO AFFLY: Sonnect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. While holding sprayer at waist level, point in direction away from face and body. Turn on water at the tap. Place finger over hole on right side of nozzle (or turn on/off lever to the "ON" position) and this product will mix automatically at the proper ratio. Walk back and forth at steady pace. Overlap slightly for uniform coverage.

# 678

# (Left Side Panel)

# COVERAGE MEASURING GUIDE

Marks on left side panel of bottle indicate square feet covered.

(Not to Scale)

<u> 1666 Sq. Ft.</u>	2500 Sq. Ft.	1063 Sq. Ft.
3333 Sq. Ft.	5000 Sq. Ft.	2125 Sq. Ft.
5000 Sq. Ft.	7500 Sq. Ft.	3188 Sq. Ft.
6666 Sq. Ft.	10000 Sq. Ft.	4250 Sq. Ft.
(N)	(s)	(Optional)

# (Right Side Panel)

STORAGE: Keep from freezing (For 25-1-2 fertilizer - Do Not Store above 95°F) To be stored in original container (when applicable: with child-resistant cap) and placed in a locked area inaccessible to children. Do not store near feed or foodstuff.

PESTICIDE DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

CONTAINER DISPCSAL: Do not reuse container except as a hose-end sprayer bottle only when using Riverdale Premium 6666 Liquid Weed and Feed refill size. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use. (Optional statement - If these terms are not acceptable, return at once unopened.)

(RS 030191/RV 090691)

The following will not be part of the actual label copy.

"Note: Guaranteed (fertilizer) analysis and weight will vary

among various commercial fertilizer manufacturers.

(Additional copy for refill size)

For refill only: Use this bottle to refill the quart hose-end sprayer of Riverdale Premium 6666 Liquid Weed and Feed. Follow directions for use on hose-end sprayer bottle.

(Optional statements - and directions pamphlet enclosed with 1 quart bottle)

- save when you buy this double coverage refill!}



# (OMS SPRAYER INFORMATION)

- -Be sure that the siphon tube is tightly connected to the adapter to assure proper
- -Overlap treated areas by at least one foot to insure proper coverage.
- -Apply beginning in spring, after your second mowing, through the fall.
- -Regular lawn watering is necessary to maintain a quality lawn. During periods of drought or hot, dry weather, do not use this product until the rains occur or the lawn is watered.

#### **PRECAUTIONS**

-Apply oi. Im day to avoid spray drift to non-target plants.

mow three or four times before you use this product on new grass. -Wait unt.

-Avoid applications near shrubs, flowers, fruit or vegetable plants as plant injury may occur.

# Use these other seller's liquid products and care for your lawn the easy way!

Liquid Liquid Lawn Fertilizer Weed Control -Controls dandelions -Gives your lawn a -(Illustration) quick boost of im-(Illustration) and other broadleaf portant nutrients weeds while they are -Contains plant availactively growing

able iron to help prevent yellowing due to iron chlorosis

Liquid Lawn & Liquid Lawn & Garden Insect Garden 2% Iron Control Supplement

-Contains Sevin(R) -Fast greening for iron

(Illustration) -Controls white (Illustration) deficient lawns grubs, fleas, ticks, -Provides added sod webworms, and greening for all lawns

more than 100 other insects and gardens

IF YOU HAVE QUESTIONS Simply dial this toll-free number:

#### 1-800-XXX-XXXX

Seller's Policy No Quibble Guarantee

If for any reason you are not satisfied with results after using any seller's product, you are entitled to get your money back. Simply send U.P.C. CODE us evidence, of purchase and we will mail you a refund check promptly.

878

(GWF SPRAYER INFORMATION)

(Optional statements - For Residential Use Only)

- For more information about Seller's products call 1-800-XXX-XXXX)

# Nozzle "A" Instructions

#### HOW TO APPLY

- No Mix. No Measure
- Make sure ON/OFF valve is in OFF position.
- Shake well before applying.
- connect spray nozzle to hose.
- Turn on the water at the tap.
- When ready to treat, point in direction away from face and body and pull the tab toward the hose end connection. Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.
- Walk and spray at a steady pace. Marks on side of bottle indicate the number of square feet covered in 1,000's.

# Nozzle "B" Instructions

-HOW TO APPLY: SHAKE WELL BEFORE APPLYING. No mix, no measure. Connect spray nozzle to hose. Remove bottle cap and screw bottle onto nozzle. Turn the ON/OFF switch on top of the nozzle right to OFF. Turn on the water at the tap. When ready to treat, turn the ON/OFF switch to its center ON position. The water mixes automatically with this product at the proper ratio. Point in direction away from face and body. Walk and spray at a steady pace. Marks on side of bottle indicate square feet covered in 1000's.