02/17/2005

ACCEPTED

FEB 1 7 2005

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

(Residential Label)

RIVERDALE®

TRIAMINE® PREMIUM 6666

LIQUID WEED AND FEED

LIQUID LAWN CARE READY-TO-USE

FOR USE WITH A HOSE-END SPRAYER ON ORNAMENTAL TURF (GRASS) LAWNS

NO MIXING

TREATS (COVERS) 4,250 TO 10,000 SQ. FT. IN A MATTER OF MINUTES Read directions for different grasses.

Gives your lawn a quick boost of important nutrients while controlling broadleaf weeds. Attach to a garden hose-end sprayer, turn on water, and spray. A Quick and Easy Way to a Quality Lawn.

CONTAINS 2,4-D, MECOPROP-D, DICHLORPROP-D AND A X-X-X FERTILIZER

GET THE OPTICAL ADVANTAGE®

Din Din Din	TE INGREDIENTS: methylamine Salt of 2,4-Dichlorophenoxyacetic Acid*
* ** ***	r Specific Method, Equivalent to: 2,4-Dichlorophenoxyacetic Acid
Tot X Fer	NTEED ANALYSIS: all Nitrogen (N)
	KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE AND BACK PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS: 1/2 GAL. (64 Fl. Oz.)

NET WEIGHT: 4.72 LBS.

EPA REG. NO. 228-216

EPA EST. NO. 228-IL-1

MANUFACTURED BY NUFARM AMERICAS INC., BURR RIDGE, ILLINOIS 60527-0866

Revised A/O 6/7/02 EPA required First Aid Update.

A/O 5/7/03 Corrected 6/7/02 First Aid, changed the Disposal Statement per PR 2001-6 via Amendment.

A/O 6/11/03 Corrected per EPA's 6/11/03 letter.

12/22/03 Resubmitted entire label. Pages 5 and 6 previously accepted on 6/7/02 had accidently been omitted from 5/7/03 submission.

4/29:04 Converted Mecoprop and Dichlorprop to Optical Isomer via Amendment.

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, wash nondisposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID STATEMENT

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

(OPTIONAL: In case of emergency involving this product call collect day or night, XXX-XXX-XXXX.)

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground; soray or drain over a large area away from wells, other water sources and desirable plants. To not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Spray anytime during the growing season when weeds are actively growing (except as noted for S-Southern or Warm Season Grasses).

4,150 to 6,666 Sq. Ft.

, 5. .

Coverage for (N-Northern or Cool Season Grasses) such as Blue Grass, Fescue, and Rye grasses.

8,500 to 10,000 Sq. Ft.

Coverage for (S-Southern or Warm Season Grasses) Bahia, common Bermuda, St. Augustine, Centipede, Zoysia and Bent grasses.

Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green-up. In Fall, exercise care when grass growth is going into dormancy. When applying to Bent grass, height of grass should be 1-1/2" or more.

Note: Some hybrid Bermuda grasses may be sensitive to this product. Contact your local Extension Service weed control specialist.

(Optional Statement: Do not use on Floratam or other improved varieties of St. Augustine grass in Florida.)

Designed to control broadleaf weeds and give your lawn a quick boost of important nutrients.

Controls dicot weeds during their active growth period. Guaranteed not to burn your lawn when used as directed. High analysis fertilizer featuring a patented nitrogen formula.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing $\frac{\star}{(No.\ of\ lbs.)}$ pounds of nitrogen per 1,000 square feet (optional P_2O_5 and K_2O levels) and TriamineTM to control listed weeds. Please contact your local extension office for questions regarding a regular fertilizer program. *Based on Inert fertilizer claimed.

USE PRECAUTIONS

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed or plant stolons for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. (Optional statements for adjustable sprayers - Avoid fine mists. Use a lawn type sprayer with a coarse spray as wind drift is less likely.) Spray entire lawn, wetting weeds and lawn grasses. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 85°F. Shake well before using.

WEEDS CONTROLLED BY TRIAMINE® PREMIUM 6666 LIQUID WEED AND FEED

Alder, Annual yellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Biden, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed pantain, Blackseed plantain, Blessed thistle, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly oxtongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Burning nettle, Bur ragweed, Burweed, Buttercup, Canada thistle, Carolina geranium, Carpetweed, Catchweed bedstraw, Catsear, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn Chamomile, Creeping jenny, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead nettle, Dock, Dogbane, Dogfennel, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (daisy), Flixweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Healall, Heartleaf drymary, Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knawel, Knotweed, Lambsquarter, Lespedeza, Locoweed, Lupine, Mallow, Marshelder, Matchweed, Mexicanweed, Milk vetch, Milkweed bloodflower, Mugwort, Morningglory, Mousear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oxalis, Oxeye daisy, Parsley-piert, Parenip, Pearlwort, Pennyeress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pineywoods bedstraw, Plains coreopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prairie, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed, Prostrate spurge. Prostrate vervain,

Puncture vine, Purslane, Ragweed, Red clover, Redroot pigweed, Red sorrel, Redstem filaree, Rough cinquefoil, Rough fleabane, Roundleafed marigold, Rush, Russian pigweed, Russian thistle, St. Johnswort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherdspurse, Slender plantain, Smallflower galinsoga, Smartweed, Smooth dock, Smooth pigweed, Sneezeweed, Southern wild rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiny, Spiny Amaranth, Spiny cocklebur, Spotted catsear, Spotted knapweed, Spotted spurge, Spurge, Spurweed, Stinging nettle, Stinkweed, Stitchwort, Strawberry clover, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tanweed, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing Crownvetch, Tumble mustard, Tumble pigweed, Tumbleweed, Velvet leaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Wavyleaf bullthistle, Western clematis, Western salsify, White clover, White mustard, Wild mustard, Wild aster, Wild buckwheat, Wild carrot, Wild four-o'-clock, Wild garlic, Wild geranium, Wild lettuce, Wild marigold, Wild onion, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Wooly morningglory, Woodsorrel, Wooly croton, Wooly plantain, Wormseed, Yarrow, Yellow rocket, Yellowflower pepperweed, and other broadleaf weeds.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second (or an additional) treatment in 3 to 4 weeks.

(HOSE-END SPRAYER INSTRUCTIONS)

HOW TO APPLY: Use any hose-end sprayer that is designed to for use on lawns and makes a minimum of 15 gallons of finished spray. Such sprayers are Ortho's Orthomatic Lawn Sprayer, Ortho's and Black Leaf's Lawn Sprayers (dilution rate of 60 to 1). The following are adjustable/dial sprayers:

MANUFAC'TURER	<u>SETTING</u>
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

Special Note: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 64 oz. per 4,250 to 6,666 square feet on N-Northern or Cool Season grasses or 8,500 to 10,000 square feet for application on S-Southern or Warm Season grasses. The entire contents of this bottle must be used to make the proper recommended application rate.

Determine the area to be sprayed. Apply at a rate of 64 oz. (1/2 gal.) per 4,250 to 6,666 square feet on N-Northern or Cool Season grasses or 8,500 to 10,000 square feet for application on S-Southern or Warm Season grasses. Fill sprayer jar with appropriate amount of this product. Do not dilute this product with water when filling sprayer jar. The water will automatically mix with this product during spraying. Attach sprayer to garden hose while holding sprayer at waist level. Point in a direction away from face and body. Walk back and forth at a steady pace. Overlap slightly for uniform coverage.

(DISPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS)

HOW TO APPLY: Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. While holding sprayer at waist level, point in direction away from face and body. Turn on water at the tap. Place finger over hole on right side of nozzle (or turn on/off lever to the "ON" position) and this product will mix automatically at the proper ratio. Walk back and forth at steady pace. Overlap slightly for uniform coverage.

(Left Side Panel)

COVERAGE MEASURING GUIDE

Marks on left side panel of bottle indicate square feet covered. (Not to Scale)

1666 Sq. Ft.	<u>2500 Sg. Ft.</u>	1063 Sq. Ft.
3333 Sq. Ft.	5000 Sq. Ft.	2125 Sq. Ft.
5000 Sq. Ft.	7500 Sq. Ft.	<u>3188 Sq. Ft.</u>

Riverdale Triamine Premium 6666 Liquid Weed And Feed (Residential)

6666 Sq. Ft. Cool Season (N) 10000 Sq. Ft. Warm Season (S) 4250 Sq. Ft.

(Optional)

(Right Side Panel)

STORAGE AND DISPOSAL

STORAGE: Keep from freezing (For 25-1-2 fertilizer - Do Not Store above 95°F) To be stored in original container (when applicable: with child-resistant cap) and placed in a locked area inaccessible to children. Do not store near feed or foodstuff.

DISPOSAL: If empty - Do not reuse this container except as specified in directions to prepare refill. Place in trash or offer for recycling if available. If partly filled - If product cannot be used as directed, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

NOTICE

Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use. (Optional statement - If these terms are not acceptable, return at once unopened.)

(RV 042904)

The following will not be part of the actual label copy.

Note: Guaranteed (fertilizer) analysis and weight will vary among various commercial fertilizer manufacturers.

(Additional copy for refill size)

For refill only: Use this bottle to refill the quart hose-end sprayer of Riverdale Premium 6666 Liquid Weed and Feed. Follow directions for use on hose-end sprayer bottle. (Optional statements - and directions pamphlet enclosed with 1 quart bottle).

save when you buy this <u>double</u> coverage refill!)

(GWF SPRAYER INFORMATION)

(Optional statements - For Residential Use Only)
- For more information about Seller's Products call 1-800-XXX-XXXX)

Notzia "A" Instructions

HOW TO APPLY:

- . Ho Mix. No Measure
- Make sure ON/OFF valve is in OFF position
- · Shake well before applying.
- . Connect spray nozzte to hose.
- Uring on line water at the tap.
 When ready to treat, point in direction away from face and body and pull the tab loward the hose end connection. Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper
- . Walk and spray at a steady pace. Marks on the side of bottle indicate the number of square feet covered in 1,000's.

OMS SPRAYER INSTRUCTIONS

-Overlap treated areas by at least one foot to insure proper coverage.

-Apply beginning in apring, after your second moving, through the fall.

-Regular lawn watering is necessary to maintain a quality lawn. During periods of drought or hot, dry weather, do not use this product until the rains occur or the tawn is watered.

PRECAUTIONS

Apply on a caim day to avoid spray drift to non-target plants.

What until you mow three or low times before you use this product on new grass.

Avoid applications near shrubs, flowers, truit or vegetable plants as plant injury

DETECTIONS FOR USE



Product Control Button (DGSTOA TOTAL)

ra prof brok circlinios arell sion as more passes that with both Profit in ha ALLDH' per passes that with both passes and better la in more than. Tark

Easy to use

- 1. Make sure the ON/OFF Water Control Knob is in the OFF position.
- 2. Shake well before applying.
- 3. Connect spray nozzle to hose with convenient swiver and
- 4. Turn the red knob on the Product Control Button to align with the white tab, then push the button in all the way. Avoid squeezing bottle after this, as contents may apray through norths opening.
- 5. Turn water on at faucet.
- 6. When ready to spray, point nozzle toward lawn, then turn Water Control Knob to ON position.
- 7. When finished, push red Product Control Button to OFF position to stop product flow. Turn Water Control Knob to OFF and turn off faucet. Turn Water Control Knob to GN to release water pressure, then turn OFF again.
- 8. To prevent accidental discharge when not in use, turn red knob so it is not alligned with white tab and cannot be pentied in. Store out of reach of children

Begin spraying at a point forthest from the faucet, holding the product in front of you at waist holdid. Use a side-to-side swinging motion to cover an 8- to 10-foot swells. Overlap awaths by at least one foot to ensure even coverage.

Questions? Call Scotts' toll-free Consumer Hotline: 1-800-543-TURF

Seller's Policy Ha Onibbia Gazczetee

if for any reason you are not satisfied with results after using any seller's product, you are entitled to get your money back. Shoply send us evidence of purchase and we will mak you a refund check promptly.


UPC Bar Code

Dexal Industries Sprayer instructions



ASSEMBLY INSTRUCTIONS

Attach siphomoge tube to bese-end sprayer attachment.
 Remove cap
from bottle and listert sprayer attachment. Securely tighten sprayer attachment on bottle.
 Screw lose into hose-end sprayer attachment.



EPRAYING INSTRUCTIONS

1. Turn on water. TO START FLOW OF PRODUCT: Place finger over hole on too right side of sprayer attachment. Hold about 3 feet above area to be treated moving at a steady pace to ensure consistent coverage. 2. TO STOP FLOW OF PRODUCT: Remove finger from hose to break siphon action. NOTE: To ensure adequate coverage, use moderate to high water pressure.

Schultz Company Sprayer Instructions

READY TO SPRAY - NO MIXING REQUIRED!

Shake container vigorously for one minute.


Attach garden hose to sprayer,

1. Turn larger water control valve to OFF. Turn on faucet. Work backward from the farthest area you will be feeding to avoid walking over areas already sprayed.

2. Turn small white button to align flat side with T-tab, and push button in completely.


3. Position sprayer toward area to treat, and turn water control valve to horizontal position to begin applying,







Value Garden's Sprayer Instructions



EASY TO USE:

- 1. Make sure the ON/OFF Water Control Knob is in the OFF position.
- 2. Shake Well before applying.
- 3. Connect spray nozzle to hose with convenient swivel end.
- A. Turn the triangular knob on the Product Control Button to align with the small arrowhead, then push the button in all the way. Avoid squeezing bottle, as contents may spray through nozzle opening.
- 5. Turn water on at faucet.
- 6. When ready to spray, point nozzle toward the lawn, then turn Water Control Knob to ON position.
- 7. When finished, push Product Control Button to OFF position to stop product flow.

 Turn Water Control Knob to OFF and turn off faucet. Turn Water Control Knob to
 ON to release water pressure, then turn OFF again.
- 8. To prevent accidental discharge when not in use, turn the triangular knob so that it is not aligned with the small arrowhead and cannot be pushed in. Store out of reach of children.