

228-216

7.28.2009

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JUL 28 2009

Mrs. Mary Beth Endres
Registration Manager
Nufarm Americas Inc.
150 Harvester Drive Suite 200
Burr Ridge, Il 60527

Re: Notification to update Warranty Statement and for Primary Brand Name:

"Triamine Premium 6666 Liquid Weed and Feed"

EPA Reg. No.: 228-216

Date of Submission: June 19, 2009

Dear Mrs. Endres:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated June 19, 2009, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

(A)	United States Environmental Protection Agency EPA Office of Pesticide Programs (H7505C) Washington, DC 20460 Application for Pesticide:	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number Please Attach An Original Form
-----	---	--	--

Section I

1. Company/Product Number 228-216	2. EPA Product Manager J. Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Triamine Premium Liquid Weed and Feed	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Nufarm Americas Inc 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

NOTIFICATION
JUL 28 2009

Section II

<input type="checkbox"/> Amendment - Explain Below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below	<input type="checkbox"/> Other - explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II).

Label Notification per PR Notice 98-10. Primary Brand Name Change and Updated Warranty Statement. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I am subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

Section III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No <small>*Certification must be submitted.</small>	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <small>If "Yes," Unit Package Wt. No. Per Container</small>	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <small>If "Yes," Package Wt. No. Per Container</small>	2. Type of Container <input checked="" type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label or <input checked="" type="checkbox"/> Container		4. Size(s) of Retail Container 1, 2½, 30, 55, gallon and bulk	
5. Location of Label Directions <input checked="" type="checkbox"/> On Label or <input checked="" type="checkbox"/> On Labeling accompanying product		6. Manner In Which Label Is Affixed To Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Other (Self-Adhesive Integrated Label/Booklet) <input checked="" type="checkbox"/> Paper Glued <input type="checkbox"/> Stenciled	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Mary Beth Endres	Title Registration Manager	Telephone No. (Include Area Code) 630-455-2000
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received <div style="border: 1px solid black; padding: 5px; text-align: center;"> (Stamped) </div>
2. Signature 	3. Title Registration Manager	
4. Typed Name Mary Beth Endres	5. Date 06-19-2009	

NOTIFICATION

RESIDENTIAL

4/10

JUL 28 2009

TRIAMINE[®] PREMIUM 6666

LIQUID WEED AND FEED

LIQUID LAWN CARE

READY-TO-USE

FOR USE WITH HOSE-END SPRAYER ON ORNAMENTAL TURF (GRASS) LAWNS

NO MIXING

TREATS (COVERS) 4,250 TO 10,000 SQUARE FEET IN A MATTER OF MINUTES

Read Directions for Different Grasses.

Gives your lawn a quick boost of important nutrients while controlling broadleaf weeds.

Attached to a garden hose-end sprayer, turn on the water, and spray.

A Quick and Easy Way to a Quality Lawn.

CONTAINS 2,4-D, MECORPOP-P, DICHLORPROP-P AND A X-X-X FERTILIZER

GET THE OPTICAL ADVANTAGE[®]

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	2.29%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**‡	1.15%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid***‡	1.13%

OTHER INGREDIENTS:	95.43%
TOTAL:	100.0%

Isomer Specific Method, Equivalent to:

*2,4-Dichlorophenoxyacetic Acid	1.90%, 0.18 lbs/gal.
**(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.95%, 0.09 lbs/gal.
***(+)-R-2-(2,4-Dichlorophenoxy)propionic Acid	0.95%, 0.09 lbs/gal.

‡CONTAINS THE SINGLE ISOMER FORMS OF MECOPROP-p AND DICHLORPROP-p.

GUARANTEED ANALYSIS:^o

Total Nitrogen (N)	X%
X% Urea Nitrogen	

Fertilizer guaranteed by (Name of Fertilizer registrant)

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE AND BACK PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1 840

EPA REG. NO. 228-216
EPA EST. NO. 228-IL-1

NET CONTENTS 1/2 GAL (64 FL OZ)
NET WEIGHT: 4.72 LBS

Manufactured For
NUFARM AMERICAS INC.
150 Harvester Drive,
Burr Ridge, IL 60527



000228-00239.20090619.PBN.Change

5/10

RESIDENTIAL

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves when handling or applying this product. After using this product, wash non-disposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications per treatment sites is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground; spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Spray anytime during the growing season when weeds are actively growing (except as noted for S-Southern or Warm Season Grasses).

4,150 to 6,666
Square Feet

Coverage for (N – Northern or Cool Season Grasses) such as Blue Grass, Fescue, and Rye grasses.

8,500 to 10,000
Square Feet

Coverage for (S-Southern or Warm Season Grasses) Bahia, common Bermuda, St. Augustine, Centipede, Zoysia and Bent grasses. Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green-up. In Fall, exercise care when grass growth is going into dormancy. When applying to Bent grass, height of grass should be 1 -1/2 inch

or more.

Note: Some hybrid Bermuda grasses may be sensitive to this product. Contact your local Extension Service weed control specialist.

(Optional Statement: Do not use on Floratam or other improved varieties of St. Augustine grass in Florida.)

Designed to control broadleaf weeds and give your lawn a quick boost of important nutrients.

Controls dicot weeds during their active growth period. Guaranteed not to burn your lawn when used as directed. High analysis fertilizer featuring a patented nitrogen formula.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing *(No. of pounds) pounds of nitrogen per 1,000 square feet (optional P₂O₅ and K₂O levels) and Triamine to control listed weeds. Please contact your local extension office for questions regarding a regular fertilizer program.

*Based on Inert fertilizer claimed.

USE PRECAUTIONS

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed or plant stolons for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. (Optional statements for adjustable sprayers - Avoid fine mists. Use a lawn type sprayer with a coarse spray as wind drift is less likely.) Spray entire lawn, wetting weeds and lawn grasses. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 85°F. Shake well before using.

WEEDS CONTROLLED

Alders	Doqfennel	Nutgrass	Spurweed
Artichoke	Elderberry	Orange hawkweed	Stinkweed
Aster	English daisy	Oxalis	Stitchwort
Austrian fieldcress	Flea bane (daisy)	Parsnip	Sumac
Beggaricks	Flixweed	Pennycress	Sunflower
Biden	Florida pusley	Pennywort	Sweet clover
Bindweed	Frenchweed	Peppergrass	Tarweed
Bitterweed	Galinsoga	Pepperweed	Thistle
Bitter wintercress	Goatsbeard	Pigweed	Toadflax
Black medic	Goldenrod	Plantain	Tumbleweed
Blessed thistle	Ground ivy	Poison hemlock	Velvet leaf
Blue lettuce	Gumweed	Poison ivy	Veronica
Box elder	Hawkweed	Poison oak	Vervain
Broomweed	Healall	Pokeweed	Vetch
Buckhorn	Heartleaf drymary	Poorioe	Virginia buttonweed
Bull thistle	Hemp	Povertyweed	Virginia creeper
Burdock	Henbit	Prickly lettuce	Wild aster
Bur ragweed	Hoary cress	Primrose	Wild carrot
Buttercup	Honeysuckle	Puncture vine	Wild garlic
Canada thistle	Horsetail	Purslane	Wild geranium
Carpetweed	Indiana mallow	Ragweed	Wild lettuce
Catnip	Ironweed	Red clover	Wild onion
Chickweed	Jewelweed	Red sorrel	Wild radish
Chicory	Jimsonweed	Rush	Wild rape
Clover	Kochia	Russian thistle	Wild strawberry
Cockle	Knotweed	St. Johnswort	Wild sweet potato
Cocklebur	Lambsquarters	Sheep sorrel	Willow

7/10

RESIDENTIAL

Coffeebean	Locoweed	Shepherdspurse	Witchweed
Coffeeweed	Lupines	Smartweed	Woodsorrel
Common sowthistle	Mallow	Sneezeweed	Wormseed
Creeping jenny	Marshelder	Southern wild rose	Yarrow
Croton	Mexicanweed	Sowthistle	Yellow rocket
Curly indigo	Morningglory	Spanishneedle	and other broadleaf
Dandelion	Musk thistle	Spatterdock	weeds.
Dock	Mustard	Speedwell	
Dogbane	Nettle	Spurge	

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second (or an additional) treatment in 3 to 4 weeks.

HOSE END SPRAYER INSTRUCTIONS:

How To Apply: Use any hose-end sprayer that is designed to for use on lawns and makes a minimum of 15 gallons of finished spray. Such sprayers are Ortho's Orthomatic Lawn Sprayer, Ortho's and Black Leaf's Lawn Sprayers (dilution rate of 60 to 1). The following are adjustable/dial sprayers

<u>MANUFACTURER</u>	<u>SETTING</u>
Super K Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

Special Note: Some adjustable sprayers do not hold 32 fluid ounces. The above settings are based on using 64 fluid ounces per 4,250 to 6,666 square feet on N-Northern or Cool Season grasses or 8,500 to 10,000 square feet for application on S-Southern or Warm Season grasses. The entire contents of this bottle must be used to make the proper recommended application rate.

Determine the area to be sprayed. Apply at a rate of 64 fluid ounces (1/2 gallon) per 4,250 to 6,666 square feet on N-Northern or Cool Season grasses or 8,500 to 10,000 square feet for application on S-Southern or Warm Season grasses. Fill sprayer jar with appropriate amount of this product. Do not dilute this product with water when filling sprayer jar. The water will automatically mix with this product during spraying. Attach sprayer to garden hose while holding sprayer at waist level. Point in a direction away from face and body. Walk back and forth at a steady pace. Overlap slightly for uniform coverage.

DISPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS

How To Apply: Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. While holding sprayer at waist level, point in direction away from face and body. Turn on water at the tap. Place finger over hole on right side of nozzle (or turn on/off lever to the ON position) and this product will mix automatically at the proper ratio. Walk back and forth at steady pace. Overlap slightly for uniform coverage.

(Left Side Panel)

COVERAGE MEASURING GUIDE

Marks on left side panel of bottle indicate square feet covered.

(Not to Scale)

1,666 Square Feet	2,500 Square Feet	1,063 Square Feet
3,333 Square Feet	5,000 Square Feet	2,125 Square Feet
5,000 Square Feet	7,500 Square Feet	3,188 Square Feet
6,666 Square Feet	10,000 Square Feet	4,250 Square Feet
Cool Season	Warm Season	
(N)	(S)	(Optional)

(Right Side Panel)

STORAGE AND DISPOSAL

STORAGE: Keep from freezing (for 25-1-2 fertilizer – Do Not Store above 95°F). To be stored in original container (when applicable: with child-resistant cap) and placed in a locked area inaccessible to children. Do not store near feed or foodstuff.

PESTICIDE DISPOSAL: If empty: Do not reuse this container except as specified in directions to prepare refill. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV061909N)

Triamine and The Optical Advantage is a registered trademarks of Nufarm Americas Inc.

9/10

(Additional copy for refill size)

For refill only: Use this bottle to refill the quart hose-end sprayer of **RESIDENTIAL** Premium 6666 Liquid Weed and Feed. Follow directions for use on hose-end sprayer bottle. (Optional statements - and directions pamphlet enclosed with 1 quart bottle).
(- save when you buy this double coverage refill!)

(GWF SPRAYER INFORMATION)

(Optional statements - For Residential Use Only).
- For more information about Seller's Products call 1-800-XXX-XXXX)

Nozzle "A" Instructions

HOW TO APPLY:

- No Mix, No Measure
- Make sure ON/OFF valve is in OFF position.
- Shake well before applying.
- Connect spray nozzle to hose.
- Turn on the water at the tap.
- When ready to treat, point in direction away from face and body and pull the tab toward the hose end connection. Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.
- Walk and spray at a steady pace. Marks on the side of bottle indicate the number of square feet covered in 1,000's.


DMS SPRAYER INSTRUCTIONS

- Overlap treated areas by at least one foot to insure proper coverage.
- Apply beginning in spring, after your second mowing, through the fall.
- Regular lawn watering is necessary to maintain a quality lawn. During periods of drought or hot, dry weather, do not use this product until the rains occur or the lawn is watered.

PRECAUTIONS

- Apply on a calm day to avoid spray drift to non-target plants.
- Wait until you mow three or four times before you use this product on new grass.
- Avoid applications near shrubs, flowers, fruit or vegetable plants as plant injury may occur.

DIRECTIONS FOR USE



Product Control Button
Turn red knob clockwise until slot in back aligns with white tab. Push in **ALLOW** product flow. While walking, push red button in from recessed slot to **STOP** product flow. Turn red knob counter-clockwise to prevent accidental discharge of product.

Begin spraying at a point furthest from the faucet, holding the product in front of you at waist height. Use a side-to-side swinging motion to cover an 8- to 10-foot swath. Overlap swaths by at least one foot to ensure even coverage.


Easy to use

1. Make sure the ON/OFF Water Control Knob is in the OFF position.
2. Shake well before applying.
3. Connect spray nozzle to hose with convenient swivel end.
4. Turn the red knob on the Product Control Button to align with the white tab, then push the button in all the way. Avoid squeezing bottle after this, as contents may spray through nozzle opening.
5. Turn water on at faucet.
6. When ready to spray, point nozzle toward lawn, then turn Water Control Knob to ON position.
7. When finished, push red Product Control Button to OFF position to stop product flow. Turn Water Control Knob to OFF and turn off faucet. Turn Water Control Knob to ON to release water pressure, then turn OFF again.
8. To prevent accidental discharge when not in use, turn red knob so it is not aligned with white tab and cannot be pushed in. Store out of reach of children.


**Questions?
Call Scott's
toll-free
Consumer
Hotline:
1-800-543-TURF**

**Seller's Policy
No Quibble Guarantee**

If for any reason you are not satisfied with results after using any seller's product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.




**Dexol Industries
Sprayer Instructions**



ASSEMBLY INSTRUCTIONS

1. Attach siphonage tube to hose-end sprayer attachment.
2. Remove cap from bottle and insert sprayer attachment. Securely tighten sprayer attachment on bottle.
3. Screw hose into hose-end sprayer attachment.



SPRAYING INSTRUCTIONS


1. Turn on water. **TO START FLOW OF PRODUCT:** Place finger over hole on top right side of sprayer attachment. Hold about 3 feet above area to be treated moving at a steady pace to ensure consistent coverage.
2. **TO STOP FLOW OF PRODUCT:** Remove finger from hose to break siphon action. **NOTE:** To ensure adequate coverage, use moderate to high water pressure.

Schultz Company Sprayer Instructions

READY TO SPRAY — NO MIXING REQUIRED!

Shake container vigorously for one minute.

1. Attach garden hose to sprayer.
1. Turn larger water control valve to OFF. Turn on faucet. Work backward from the farthest area you will be feeding to avoid walking over areas already sprayed.
2. Turn small white button to align flat side with T-tab, and push button in completely.
3. Position sprayer toward area to treat, and turn water control valve to horizontal position to begin applying.



IMPORTANT: When finished, return white button to closed position. Turn water control valve to OFF and turn off faucet. Turn water control valve to horizontal position again to release water pressure. Store remaining product with button & valve turned off.

Product Control Button

Water Control Knob

Twist counterclockwise to turn ON.

Twist clockwise to turn OFF.

EASY TO USE:

1. Make sure the ON/OFF Water Control Knob is in the OFF position.
2. Shake Well before applying.
3. Connect spray nozzle to hose with convenient swivel end.
4. Turn the triangular knob on the Product Control Button to align with the small arrowhead, then push the button in all the way. Avoid squeezing bottle, as contents may spray through nozzle opening.
5. Turn water on at faucet.
6. When ready to spray, point nozzle toward the lawn, then turn Water Control Knob to ON position.
7. When finished, push Product Control Button to OFF position to stop product flow. Turn Water Control Knob to OFF and turn off faucet. Turn Water Control Knob to ON to release water pressure, then turn OFF again.
8. To prevent accidental discharge when not in use, turn the triangular knob so that it is not aligned with the small arrowhead and cannot be pushed in. Store out of reach of children.

NOTIFICATION

JUL 28 2009