

# CHEMICAL COMPANY

OFFICE: 425 WEST 194th STREET, GLENWOOD, IL 60425-1584 PLANT: 220 EAST 17th STREET, CHICAGO HEIGHTS, IL 60411-3699

June 9, 1993

Document Processing Desk (Notification) Registration Division - H7505C U. S. Environmental Protection Agency 401 M Street S.W. Washington, DC 20460

Dear Sir/Madam:

Subject: PR Notice 93-3 dated March 9, 1993

Riverdale Triamine TM II Premium 75 Liquid Weed and Feed

EPA Reg. No. 228-218

OPP Identifier No. 196233

Please find enclosed the necessary paperwork to notify the Agency that we are revising our label in accordance with the above subject PR Notice. Be advised that this product is part of our "John Doe" private label program. As such, we do not market this product under the Riverdale name. Thus, there will not be any final printed label. If there is anything else we should do at this time, please contact us immediately.


Sincerely yours,

RIVERDALE CHEMICAL COMPANY

By Russell F. Sawyer Regulatory Affairs Manager

RFS:1s

Enc.





United States Environmental Protes Office of Pesticide Programs ( Washington, DC 2046 Application for Pe	H7505Č) O Sticide:  R A O	egistration mendment ther 196233			
Section I Company/Product Number	2. EPA Product Manager	3. Proposed Classification			
228-218	Joanne I. Mille				
Company/Product(Name) Riverdale Triamine TM II  Premium 75 Liquid Weed and Feed	PM# 23	X None Restricted			
RIVERDALE CHEMICAL COMPANY 425 West 194th Street Glenwood, IL 60425-1584  Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No				
Section I I					
Amendment - Explain below  Resubmission in response to Agency letter dated	Final printed labels in a Agency letter dated "Me Too" Application.	response to			
Notification - Explain below.	Other - explain below.				
BEST AVALLE CO	PY ***	7/29/73			
Material This Product Will Be Packaged In:					
Yes No No No per If "Yes," No per If "Yes	Yes No	Metal Plastic Glass Paper Other (Specify)			
3. Location of Net Contents Information 4. Size(s) of Retail C	ontainer 5. Loc	ation of Label Directions			
Label Container On Label On Labeling accompanying product  6. Manner In Which Label Is Affixed To Product Lithograph					
Paper glued Stenciled					
1. Contact Point (Complete items directly below for identification of ind		to compare this continue			
Name	**************************************	Telephone No. (Include Area Code)			
Certification  I certify that the statements I have made on this form and all attachm I acknowledge that any knowingly false or misleading statement ma both under applicable law.		6. Date Application			
2. Signature 3. Title Regul  4. Typed Name 5. Date	latory Affairs Man	ager			
0	9, 1993 				

#### RIVERDALE

# TRIAMINETM II PREMIUM 75 LIQUID

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 66

WEED AND FEED

READY-TO-USE
FOR USE WITH A HOSE-END SPRAYER ON GRASS AND ORNAMENTAL TURF
NO MIXING

Just Connect Hose, Turn on Water, and Spray

TREATS (COVERS) 5,000 TO 7,500 SQ. FT. (Read directions for different grasses)

CONTAINS MCPA, MECOPROP AND DICHLORPROP AND A X-X-X FERTILIZER

ACTIVE INGREDIENTS: +			
Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid* 1.41%			
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid** 1.39%			
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid*** 1.37%			
INERT INGREDIENTS:			
$TOTAL \dots \overline{100.00Z}$			
Isomer Specific AOAC Method No. 6321, Equivalent to:			
*2-Methyl-4-Chlorophenoxyacetic Acid			
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid 1.15%, .11 lbs/gal.			
***2-(2,4-Dichlorophenoxy)propionic Acid			
2 (2,4 blenlorophenoxy)propronie nela			
GUARANTEED ANALYSIS: °			
Total Nitrogen (N) X%			
BEST AND E COPY			
*TRIAMINE - A TRADEMARK OF RIVERDALE CHEMICAL COMPANY Patent Pending			

## KKEP OUT OF REACH OF CHILDREN

## CAUTION

SEE SIDE AND BACK PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

NET CONTENTS: 75 F1. Oz.

EPA REG. NO. 228-218

MANUFACTUR: 3Y

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

Revised A/O 3/9/93

(Back Panel)

### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if absorbed through skin. Wear long pants, long-sleeved shirt, shoes and chemical resistant gloves when handling and applying this product. Wash non-disposable gloves thoroughly with soap and water before removing. Wash thoroughly with soap and water after handling. Do not allow persons and pets on treated areas until sprays have dried.

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation

persists.

IF ON SKIN: Wash with plenty of soap and water. If irritation develops gat

medical attention.

#### ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect non-target plants. For ter estrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate, nor pour the washwaters on the ground; spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Spray anytime during the growing season when weeds are actively growing (except as noted for S-Southern or Warm Season Grasses).

5,000 Sq. Ft. Coverage for (N-Northern or Cool Season Grasses) such as Blue Grass, Fescue, and Rye grasses.

7,500 Sq. Pt. Coverage for (S-Southern or Warm Season Grasses) Bahia, common Bermuda, St. Augustine, Centipede, Zoysia and Bent grasses. Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green-up. In Fall, exercise care when sprass growth is going into dormancy. When applying to Bent grass, height of grass should be 1-1/2" or more. Note: Some bybrid Bermuda grasses may be sensitive to this product. Contact your local Extension Service weed control specialist.

Designed to control broadleaf weeds and give your lawn a quick boost of important nutrients. Controls dicot weeds during their active growth period. Guaranteed not to burn your lawn when used as directed. High analysis fertilizer featuring a patented nitrogen formula.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed this product will supplement your regular fertilizer program by providing  $\frac{*(No.\ of\ lbs.)}{*(No.\ of\ lbs.)}$  pounds of nitrogen per 1,000 square feet (optional P2O5 and K2O levels) and Triamine The control listed weeds. Please contact your local extension office for questions regarding a regular fertilizer program. \*Based on Inert fertilizer claimed.

#### USE PRECAUTIONS

IMFORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around chrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed or plant stolons for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. Avoid fine mists. Use a lawn type sprayer with a coarse spray as wind drift is less likely. Spray entire lawn, wetting weeds and lawn grasses. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 85°F. Shake well before using.

# WEEDS CONTROLLED BY TRIAMINETM II PREMIUM 75 LIQUID WEED AND FEED

Alders, Beggarticks, Bindweed, Black medic, Blue lettuce, Buckhorn, Burcucumber, Burdock, Buttercup, Canada thistle, Carpetweed, Catsear, Chervil, Chickweed, Chicory, Clover, Cocklebur, Croton, Dandelion, Dock, Dogfennel, Dragonhead mint, Dwarf nettle, English daisy, Fanweed, Fat hen, Field bindweed, Florida pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Halbertleaved salt bush, Hawkweed, Healall, Heartloaf drymary, Hempnettle, Henbit, Hoary cress, Honeysuckle, Jimsonweed, Kochia, Knotweed, Lambsquarters, Mallow, Marshelder, Mexican poppy, Minerslettuce, Moneywort, Morningglory, Mustard, Nutgrass, Oxalis, Pennycress, Pennywort, Pepperweed, Pigweed, Plantain, Poison hemlock, Poison ivy, Poison oak, Prickly lettuce, Puncture vine, Purslane, Ragweed, Red clover, Red root, Red sorrel, Red stem, Sheep sorrel, Shepherdspurse, Smartweed, Sneezeweed, Sowthistle, Spanishneedles, Speedwell, Spurge, Spurweed, Stinging nettle, Stinkweed, Stitchwort, Sunflower, Sweet clover, Thornapple, Toadflax, Tree-of-heaven, Velvet leaf, Veronica, Vetch, Violet, Virginia buttonweed, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild gooseberry, Wild jute, Wild lettuce, Wild marigold, Wild petunia, Wild onion, Wild radish, Wild sage, Wild strawberry, Willow, Witchweed, Woodsorrel, Yarrow, Yellow charlock-mustard, Yellow daisy, Yellow rocket, and other broadleaf weeds.

After applying this product, many broadleaf weeds will begin to show wisible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 3-4 weeks.

BEST AVAILABLE COPY



# (HOSE-END SPRAYER INSTRUCTIONS)

HOW TO APPLY: Use any 32 oz. hose-end sprayer that is designed for use on lawns and makes a minimum of 15 gallons of finished spray. Such sprayers are Ortho's Orthomatic Lawn Sprayer, Ortho's and Black Leaf's Lawn Sprayers (dilution ratio of 60-1). The following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

Special Note: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 75 oz. per 5,000 or 7,500 sq. ft. The entire contents of this bottle must be used to make the proper recommended application rate.

Determine area to be sprayed. Apply at a rate of 75 oz. per 5,000 square feet on N-Northern or Cool Season grasses, or 7,500 square feet for application on S-Southern or Warm Season grasses. Fill sprayer jar with appropriate amount of this product. Do not dilute this product with water when filling sprayer jar. The water will automatically mix with this product during spraying. Attach sprayer to garden hose while holding sprayer at waist level. Point in a direction away from face and body. Walk back and forth at a steady pace. Over-lap slightly for uniform coverage.

# DISPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS

HOW TO APPLY: Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. While holding sprayer at waist level, point in direction away from face and body. Turn on water at the tap. Place finger over hole on right side of nozzle (or turn on off lever to the "ON" position) and this product will mix automatically at the proper ratio. Walk back and forth at steady pace. Overlap slightly for uniform coverage.

(Left Side Panel)

# COVERAGE MEASURING GUIDE

Marks on left side panel of bottle indicate square feet covered. (Nct to Scale)

		BEST AVA	LADLE COP
•	••••	3000 Sq. Ft.	4500 Sq. Ft.
•••••	· · · · · · · · · · · · · · · · · · ·	2 <u>000 Sg. Ft.</u>	3000 Sq. Ft.
		1000 Sq. Ft.	1500 Sq. Ft.

giverdate it italities in the state were and room

4000 Sq. Ft.

5000 Sq. Ft. Cool Season (N) 7500 Sq. Ft. Warm Season (S)

6000 Sq. Ft.

(Right Side Panel)

## STORAGE AND DISPOSAL

STORAGE: Keep from freezing. To be stored in original container placed in a locked area inaccessible to children. Do not store near feed or foodstuffs. PESTICIDE DISPOSAL: Product remaining in original container should be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash. CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash.

# NOTICE

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use. (PR933 042194)

The following will not be part of the actual label copy.

\*Note: Guaranteed (fertilizer) analysis and weight will vary among various commercial fertilizer manufacturers.

