

228-234

PM 25

1063

RIVERDALE

DiBro™ 2 + 4

BEST AVAILABLE COPY

A GRANULAR WEED KILLER

Contains Diuron & Bromacil

For Control of Weeds and Grasses in Non-Crop and Industrial Areas

ACTIVE INGREDIENTS:

Diuron[3-(3,4-dichlorophenyl)-1,1-dimethylurea]	2%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)*	4%

INERT INGREDIENTS:	94%
TOTAL	100%

*U.S. Patents 3,235,357 & 3,352,862

DiBro is a Trademark of Riverdale Chemical Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE FOLLOWING FOR ADDITIONAL PRECAUTIONS

ACCEPTED

SEP - 7 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 228-234

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May irritate eyes, nose, throat and skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If On Skin: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NON-CROP WEED CONTROL - INDUSTRIAL USE ONLY

DiBro 2 + 4 is a non-selective granular herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for non-cropland areas such as rights-of-way for pipeline, utility, highway, and railroad and industrial areas such as airports, petroleum tank farms, lumberyards and plant sites. 200-800 pound applications of DiBro 2 + 4 Granular per acre usually result in a non-productive condition of the soil for a period of a year or more. The duration of non-productivity is dependent upon rainfall, soil type, and other conditions.

DiBro 2 + 4 is effective in controlling Paragrass, Maidencane grass, Crab-

grass, Water grass, Bermudagrass, and certain broad-leaved weeds such as Primrose willow, Sea Myrtle, Pigweed, Purslane, Spanish needle, Ragweed, Chickweed, Wild mustard, Annual morningglory and Lambsquarters.

DiBro 2 + 4 should be applied as furnished with a seed spreader, a fertilizer spreader, a shaker-type applicator, or with any equipment which will distribute the chemical uniformly over the area to be treated.

For Initial Application in Southern areas with long growing season, apply 400 to 800 lbs. per acre (1 to 2 lbs. per 100 sq. ft.).

For Initial Application in Northern areas with shorter growing season, apply 200 to 800 lbs. per acre (1/2 to 2 lbs. per 100 sq. ft.); on smaller plots, .75 to 1.5 lbs. per 100 square feet.

For Follow Up Treatments: Northern and Southern areas - apply 200 to 600 lbs. per acre (1/2 to 1 1/2 lbs. per 100 sq. ft.). Repeat spot treatment may be required when deep-rooted perennial weeds are present. To obtain best results, DiBro 2 + 4 should be applied to the ground where it will be absorbed by the roots. Applications made early in the season have been found to give results superior to applications at a later seasonal date. DiBro 2 + 4 may, however, be applied at any time of the year. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season. Users should consult state agricultural experimental stations or extension service weed specialists for recommendations as to use in their particular area.

IMPORTANT: Do not apply on or near valuable woody or herbaceous plants or on areas where their roots may extend because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes). Do not use on croplands or any land to be used for subsequent cropping. Keep animals off treated areas.

STORAGE AND DISPOSAL

Storage: Always store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Open dumping is prohibited. Waste or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures. Place in closed, labeled container for proper disposal.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary land fill or by incineration if allowed by state and local authorities.

NOTICE OF WARRANTY

Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the

BEST AVAILABLE COPY

control of the seller. In no case shall the seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Seller makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

EPA Reg. No. 228-

NET WEIGHT LBS.

EPA Est. No. 228-IL-1

Manufactured By

RIVERDALE CHEMICAL COMPANY

Glenwood, Illinois 60425-1584

