

228-234

9/22/2004

113

RIVERDALE®

DiBro™ 2 + 4

A GRANULAR WEED KILLER

CONTAINS DIURON & BROMACIL

FOR CONTROL OF WEEDS AND GRASSES IN NON-CROP AND INDUSTRIAL AREAS

ACTIVE INGREDIENTS:

Diuron [3-(3,4-dichlorophenyl)-1,1-dimethylurea] 2%

Bromacil (5-bromo-3-sec-butyl-6-methyluracil)* 4%

INERT INGREDIENTS: 94%
TOTAL 100%

*U.S. Patents 3,235,357 & 3,352,862

DiBro is a Trademark of Nufarm Americas Inc.
Riverdale is a Registered Trademark of Nufarm Americas Inc.

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE FOLLOWING FOR FIRST AID
AND ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 228-234

NET WEIGHT LBS.

EPA EST. NO. 228-IL-1

ACCEPTED
SEP 22 2004
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended for the pesticide
registered under
EPA Reg. No. 228-234

MANUFACTURED BY NUFARM AMERICAS INC., BURR RIDGE, ILLINOIS 60527-0866

Revised 5/15/03 Changed First Aid per PR 2001-1 via Amendment.
A/O 7/31/03 Changed per EPA's letter dated 7/31/03.
A/O 6/17/04 Changed per EPA's letter dated 6/17/04.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION**

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID STATEMENT

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Entry Restriction: Do not enter or allow others to enter the treated area until dust has settled.

NON-CROP WEED CONTROL - INDUSTRIAL USE ONLY

DiBro 2 + 4 is a non-selective granular herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for non-cropland areas such as rights-of-way for pipeline, utility, highway, and railroad; and industrial areas such as airports, petroleum tank farms, lumberyards, and plant sites. 200 to 300 pound applications of DiBro 2 + 4 Granular per acre usually result in a non-productive condition of the soil for a period of a year or more. Do not apply more than 12 lbs. A.I. of Bromacil/acre/year (300 pounds of this product equals 12 lbs. A.I.). The duration of non-productivity is dependent upon rainfall, soil type, and other conditions.

DiBro 2 + 4 is effective in controlling Paragrass, Maidencane grass, Crabgrass, Watergrass, Bermudagrass, and certain broad-leafed weeds such as Primrose willow, Sea Myrtle, Pigweed, Purslane, Spanishneedle, Ragweed, Chickweed, Wild mustard, Annual morningglory and Lambsquarters.

DiBro 2 + 4 should be applied as furnished with a seed spreader, a fertilizer spreader, a shaker-type applicator, or with any equipment which will distribute the chemical uniformly over the area to be treated.

For Initial Application in Southern areas with long growing season, apply 200 to 300 lbs. per acre (8 to 11 oz. per 100 square feet).

For Initial Application in Northern areas with shorter growing season, apply 200 to 300 lbs. per acre (8 to 11 oz. per 100 square feet); on smaller plots, 8 to 11 oz. per 100 square feet.

For Follow Up Treatments: Northern and Southern areas - apply 200 to 300 lbs. per acre (8 to 11 oz. per 100 square feet). Repeat spot treatment may be required when deep-rooted perennial weeds are present. To obtain best results, DiBro 2 + 4 should be applied to the ground where it will be absorbed by the roots. Applications made early in the season have been found to give results superior to applications at a later seasonal date. DiBro 2 + 4 may, however, be applied at any time of the year. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season. Users should consult state agricultural experimental stations or extension service weed specialists for recommendations as to use in their particular area.

IMPORTANT: Not to be used in any recreational areas or in or around homes. Do not apply on or near valuable woody or herbaceous plants or on areas where their roots may extend because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes). Do not use on croplands or any land to be used for subsequent cropping. Keep animals off treated areas. Aerial application is prohibited.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Always store pesticides in a secured warehouse or storage building. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Open dumping is prohibited. Waste or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures. Place in a closed, labeled container for proper disposal.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or by incineration if allowed by State and local authorities.

NOTICE OF WARRANTY

Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of the seller. In no case shall the seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Seller makes no warranties of merchantability or fitness for a particular purpose nor any other expressed or implied warranty except as stated above.

(RV 061704)