

AUG 13 1993

Mr. Russell F. Sawyer
Riverdale Chemical Co.
425 West 194th St.
Glenwood, IL 60425

Dear Mr. Sawyer:

Subject: PR Notice 93-8
Riverdale 2.5% Bromacil Liquid Ready-to-Use Weed Killer
EPA Reg. No. 228-241
Your submission dated Aug. 4, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

This acceptance of your label does not relieve you of any obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR part 158, subpart K, § 156.200(c)(3), you are prohibited from distributing or selling any product within the scope of the WPS requirements after April 21, 1994, without amended labeling accepted by the Agency.

Sincerely yours,

Robert J. Taylor
Product Manager 25
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure
RD:RTaylor:eja:8/13/93:3056800

BEST AVAILABLE COPY

2025

(Front Panel)
RIVERDALE

2.5% BROMACIL LIQUID

READY-TO-USE WEED KILLER

A non-selective water soluble liquid for use on industrial plant sites, highways, railroads, and pipeline rights-of-way, storage areas, parking lots and similar areas.

ACTIVE INGREDIENT:

Lithium salt of bromacil (5-bromo-3-sec-butyl-6-methyluracil) 2.5%

INERT INGREDIENTS: 97.5%

TOTAL 100.0%

This product contains .21 lbs. of bromacil per gallon.
U.S. Pats 3,352,862 & 3,235,357

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
AND STATEMENT OF PRACTICAL TREATMENT

NET CONTENTS _____

EPA REG. NO. 228-241

EPA EST. NO. 228-IL-1

MANUFACTURED BY

RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful or fatal if swallowed. Causes eye irritation. May irritate Nose, Throat and Skin. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating or smoking.

with COMMENTS
in EPA Letter Dated

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
228-241

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Get Medical Attention Immediately.
IF IN EYES: Flush with plenty of water. Get Medical Attention if irritation persists.
IF ON SKIN: Wash with plenty of soap and water. Get Medical Attention if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Injury to or loss of desirable trees or other plants may result from failure to observe directions. Do not apply, drain, or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do not use on residential lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of spray to desirable plants.

PHYSICAL AND CHEMICAL HAZARDS

Do not use with aluminum spray nozzles.

GENERAL INFORMATION: 2.5% Bromacil Liquid Weed Killer is a water soluble liquid to be sprayed undiluted on non-cropland areas. It is an effective general herbicide for control of brush and many annual and perennial grasses. Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone of the weeds by moisture. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions. 2.5% Bromacil Liquid Weed Killer is non-volatile, non-flammable, and non-corrosive to metals except aluminum. Thoroughly clean all traces of 2.5% Bromacil Liquid Weed Killer from application equipment immediately after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tips and screens (clean these parts separately).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING.**

2.5% Bromacil Liquid should be used only in accordance with recommendations on this label. Apply 2.5% Bromacil Liquid Weed Killer just before or during the period of active growth of plants to be controlled when rainfall can be expected for soil activation. If dense growth is present, results will be improved if vegetation is removed before treatment. Do not apply when ground is frozen. Before spraying, calibrate equipment to uniformly apply this product. Use a fixed-boom power sprayer properly calibrated to a constant speed and rate of delivery. For application with a hand-gun sprayer, be careful to obtain even distribution of the herbicide to the soil. For treating small areas, a tank-type hand sprayer may be used.

WEED CONTROL: To control most weeds for an extended period of time on non-cropland areas such as Railroad, Highway and Pipeline Rights-of-Way, Petroleum Tank Farms, Lumberyards, Storage Areas, and Industrial Plant Sites, apply 12 to 24 gals. of 2.5% Bromacil Liquid Weed Killer per acre to control Annual Weeds and Grasses such as

BEST AVAILABLE COPY

bromegrass cheatgrass, crabgrass, foxtail, lambsquarter, orchardgrass, puncturevine, ragweed, ryegrass, turkey mullein, and wild oats. When applied just prior to or after emergence of annuals, rates as low as 8 gals. per acre control many annual weeds and grasses in low rainfall areas and give short term control in higher rainfall areas.

Apply 24 to 48 gals. of 2.5% Bromacil Liquid Weed Killer per acre to control perennial weeds and grasses such as aster, bahiagrass, bluegrass, broomsedge, dandelion, dogfennel, goldenrod, plantain, purpletop, quackgrass, redtop, smooth brome, and wild carrot. In areas with low or seasonal rainfall, rates as low as 20 gals. per acre control many perennial weeds and grasses.

Apply 48 to 96 gals. of 2.5% Bromacil Liquid Weed Killer per acre to control johnsongrass, use at the same rate for other hard-to-kill perennial weeds and grasses such as bermudagrass, bouncingbet, bracken fern, dalligrass, dogbane, horstail, nutsedge, saltgrass, and vaseygrass. Where limited rainfall (usually less than 4 inches) occurs during the active growth period such as some areas of the West, 2.5% Bromacil Liquid Weed Killer will not provide satisfactory control of hard-to-kill, deep-rooted perennial weeds such as johnsongrass. Use higher levels of the dosage ranges on adsorptive soils (usually those high in organic matter or carbon).

RETREATMENT: Apply 12 to 24 gals. of 2.5% Bromacil Liquid Weed Killer per acre when annual weeds and grasses reappear on sites where weed growth has been controlled.

FOR SMALL AREAS: 1 gal. per 1,000 square feet is approximately 44 gals. per acre.

BRUSH CONTROL: To control undesirable woody plants on non-cropland areas such as Railroad Rights-of-Way, Storage Areas, Industrial Plant Sites, and Drainage Ditches. Apply in spring or summer as a broadcast or basal (soil) treatment; for use on drainage ditches, apply as a basal (soil) treatment only.

NOTE: For effective brush control and prevention of damage to desirable vegetation; do not apply to brush standing in water; do not use water from treated ditches for irrigation; do not use in irrigation ditches nor on rights-of-way or other sites where marketable timber or other desirable trees or shrubs are immediately adjacent to the treated area.

BROADCAST TREATMENT: Apply 18 to 40 gals. per acre to control oak, pine, sweet gum, and willow; apply 48 to 96 gals. per acre to control brush such as American elm, cottonwood, hackberry, sumac, and winged elm. Use the higher levels of the dosage ranges on adsorptive soils (those high in organic matter or carbon).

BASAL (SOIL) TREATMENT: Apply at the rate of 2 to 4 fl. oz. per stem 2" to 4" in basal diameter; wet base of stem to run-off. Treatment controls woody plants such as cottonwood, hackberry, maple, oak, poplar, red bud, sweet gum, wild cherry, willow and winged elm.

STORAGE AND DISPOSAL

STORAGE: Always store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides for fungicides. Store at temperatures above 32°F. If allowed to freeze, rewarm to 40°F, remix thoroughly before using. This does not alter this product. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper

5045

disposal.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by other procedures approved by State and Local authorities. Plastic containers are also disposable by incineration, or if allowed by State and Local authorities by burning. If burned, stay out of smoke.

NOTE: Riverdale Chemical Company warrants that this product conforms to the chemical description on this label. Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

(PR938 042194)