574

Please read Instructions on reverse before completing form. Form Approved OMB No 2070-0060, Approval expires 11-30 93 United States Environmental Protection Agency OPP Identifier Number Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 196246 **Application for Pesticide:** Other Section I 3. Proposed Classification 2. EPA Product Manager 1. Company/Product Number R. Mountfort 228-243 y None Restricted PM# 4. Company/Product (Name) Good-Way Cattle Spray 10 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling RIVERDALE CHEMICAL COMPANY to: 425 West 194th Street 60425-1584 Glenwood, IL EPA Reg. No.\_ Check if this is a new address **Product Name** Section I I Final printed labels in response to Amendment - Explain below Agency letter dated Resummission in response to Agency letter dated\_ "Me Too" Application. Notification - Explain below. Other - explain below Explanation: Use additional page(s) if necessary. (For section I and Section II.) To comply with PR Notice 93-3 Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Water Soluble Packaging 2 Type of Container Unit Packaging Yes\* Yes Metal Yes Plastic Glass No No No Paper If "Yes." If "Yes." No per No. per Other (Specify) Unit Package wgt. container Package wgt container \* Certification must be submitted. 3 Location of Net Contents Information 4. Size(s) of Retail Container 5. Location of Label Directions On Label \_\_\_ Container On Labeling accompanying product 6 Manner In Which Label Is Affixed To Product Lithograph Other ( Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application Name Talenhone No. (Include Area Code) Russell F. Sawyer Regulatory Affairs Manager 768/754-3330 Certification Date Application **Received** I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law 2 Signature 3 Title Regulatory Affairs Manager Typed Name Russell F. Sawyer June 28, 1993

GOOD-WAY

## CATTLE SPRAY

NOTIPICATIC:
LABEL NOT REVIEW LD
PER PR NOTICE 44

DATE: 7/2/93

## CONTAINS PYRETHRINS

#### KILLS - REPELS

# FOR THE PROTECTION OF DAIRY ANIMALS FROM HORN FLIES, MOSQUITOES AND GNATS AND FOR CONTROL OF STABLE FLIES IN BARNS AND MILK HOUSES

ACTIVE INGREDIENTS:	
Piperonylbutoxide Technical*	.30%
Pyrethrins	.03%
INERT INGREDIENTS:	99.67%
TOTAL	

\*Equivalent to 0.24% (butylcarbityl)(6-propylpiperonyl) ether and 0.06% related compounds.

## KERP OUT OF REACH OF CHILDREN

#### CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS: ONE GALLON

EPA REG. NO. 228-243

EPA EST. NO. 228-IL-1

## MANUFACTURED BY

## RIVERDALE CHEMICAL COMPANY

GLENWOOD, ILLINOIS 60425-1584

# PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

Harmful if swallowed or absorbed through skin. Do not breather vapors or spray mist. Avoid contact with skin or eyes. Wash with soap and,

warm water after use.

WINGS (G. ) A.

Keep milking utensils and milk covered while spraying.

#### ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Good-Way Cattle Spray is a special insecticide formulation compounded for the dairy industry. It contains piperonyl butoxide and pyrethrins. Cood-Way Cattle Spray is especially effective for rapid and economical control of horn flies on dairy cattle and for their protection from stable flies, mosquitoes and gnats.

To protect dairy stock room horn flies, houseflies, stable flies, gnats, mosquitoes, spray twice daily, just before milking time, using 1 to 2 ounces per head, applied as a light mist. After a week of such treatments, spraying may be reduced to once a day and then if your experience justifies, reduce the spraying to once every other day, and by the 3rd or 4th week try one treatment every few days. A set rule does not always work, but it has been found that the above timing of treatment is usually sufficient to maintain adequate protection against horn flies and mosquitoes, both in the barn and in the pasture. NOTE - This insecticide may be used as an inhibitor of the development of bloodsucking and biting lice on cattle. Spray about 2.5 ounces on mature animal, then brush into the hair thoroughly so as to reach the hide, paying particular attention to infested areas. This treatment should be repeated only when necessary and not more often than once in three weeks. Use Good-Way Cattle Spray in barns, houses and milk houses for effective control of flies. Direct the mist toward the upper portions of the enclosure, filling the air with spray, and using approximately 2 ounces of material for each 1,000 cubic fee of space. Whenever possible, keep doors and windows closed for 10 minutes after application. The better control of the mist, the better the results. A repeat application, if necessary, 'hould be made for protection of the animals and the reduction of flies in barns and milk houses.

## STORAGE AND DISPOSAL

STORAGE: Store in cool, dry area. Always store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Containers should be opened in well-ventilated areas. Do not contaminate water, feed or foodstuffs by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. If

container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE: Follow directions carefully. Local conditions may affect the use of this chemical. Timing and method of application, weather and crop conditions, mixing with other chemical not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of the material not in strict accordance with directions given herewith. (PR933 042194)